



NAVAL AIR STATION FORT WORTH JRB CARSWELL FIELD TEXAS

ADMINISTRATIVE RECORD COVER SHEET

AR File Number 453

Revised Final Report Site Assessment and Characterization of the Recreational Vehicle Family Camping Area (RV Fam Camp)

> Naval Air Station (NAS) Fort Worth Joint Reserve Base Carswell Field, Texas



March 1999

Contract No. F41624-95-D-8002 Deliver Order No. 0003

Prepared for:

Department of the Air Force
HQ Human Systems Center (HSC) PKVCC
3207 North Road
Brooks AFB, Texas 78235-5353

OF THE RECREATIONAL VEHICLE
FAMILY CAMPING (RV FAM CAMP) AREA

NAVAL AIR STATION (NAS) FORT WORTH JOINT RESERVE BASE CARSWELL FIELD, TEXAS

> Contract No. F41624-95-D-8002 Delivery Order 0003

> > March 1999

Prepared for:

Department of the Air Force
Headquarters (HQ) Human Systems Center (HSC) PKVCC
3207 North Road
Brooks AFB, Texas 78235-5353

Prepared by:

The Environmental Company, Inc. 710 NW Juniper Street, Suite 208 Issaquah, Washington 98027

REVIEW COMMENTS AND RESPONSES TO REVIEW COMMENTS

The following tables and letters contain the technical review comments and The Environmental Company, Inc.'s (TEC's) responses on the draft and final characterization reports for the Recreational Vehicle (RV) Family Camping (Fam Camp) and Fuel Pipeline areas at Naval Air Station (NAS) Fort Worth, Joint Reserve Base, Carswell Field. The comments were prepared by the Air Force Center for Environmental Excellence (AFCEE), U.S. Environmental Protection Agency (EPA), and Texas Natural Resource Conservation Commission. The tables and letters include the following:

- Response to AFCEE Review Comments (May 1, 1997) on the Draft Site Assessment, Investigation, and Characterization Report for the RV Fam Camp and Fuel Pipeline Areas (March 1997)
- Response to EPA Review Comments (September 23, 1997) on the Draft Site Assessment, Investigation, and Characterization Report for the RV Fam Camp and Fuel Pipeline Areas (March 1997)
- Response to TNRCC Review Comments (February 9, 1998) on the Draft Site Assessment, Investigation, and Characterization Report for the RV Fam Camp and Fuel Pipeline Areas (March 1997)
- Letter from EPA, dated July 20, 1998, regarding review comments on the Final Site Assessment and Characterization Report for the RV Fam Camp Area (June 1998) and the Final Site Assessment Investigation and Characterization Report for the Fuel Pipeline Areas (June 1998)
- Letter from TNRCC, dated July 27, 1998, regarding review comments on the Final Site Assessment and Characterization Report for the RV Fam Camp Area (June 1998) and the Final Site Assessment Investigation and Characterization Report for the Fuel Pipeline Areas (June 1998)

The Final Site Assessment and Characterization Report for the RV Fam Camp Area (June 1998) and the Final Site Assessment Investigation and Characterization Report for the Fuel Pipeline Areas (June 1998) represent revisions of the Draft Report based on the 1997 and February 1998 review comments listed above. As part of revising the Draft Report, the RV Fam Camp investigation was separated from the Fuel Pipeline investigation, resulting in the two final characterization reports. The letters dated July 1998 and prepared by EPA and TNRCC are review comments on these two reports.

In response to the July 1998 letters, TEC resampled locations in the RV Fam Camp and Fuel Pipeline areas based on historical observations, previous investigations, organic vapor screening, and hydrocarbon fingerprinting. The results associated with the resampling effort in the RV Fam Camp area are presented in this revised final report. The results for the Fuel Pipeline areas are presented in a separate report.

DRAFT SITE ASSESSMENT, INVESTIGATION, AND CHARACTERIZATION OF THE RECREATIONAL VEHICLE (RV) FAMILY CAMPING (FAM CAMP) AND PIPELINE AREAS AT NAVAL AIR STATION (NAS) FORT WORTH, TEXAS RESPONSE TO AFCEE REVIEW COMMENTS (MAY 1, 1997) ON THE

General Comments

ltem	Comment	Response and/or Action Taken
-	The contractor presented a partial risk evaluation of the Unnamed Stream area and the West Fork of the Trinity River area. Action levels were not determined for these areas since the contamination identified at these sites was attributed to sources other than the pipeline being investigated by this project. Risk assessments are being performed for sites encompassing the Unnamed Stream and the West Fork of the Trinity River areas as part of site investigations conducted under separate contracts. The contractor's evaluation of the exposure scenarios for these areas was unnecessary for the reasons indicated above. The partial evaluation of the risk assessment process was somewhat confusing, presenting pathways and not evaluating them. All of these requirements for the risk assessment process at these areas will be addressed by the other contracts.	Concur, risk evaluation modified.
2	The contractor should reevaluate the screening action levels (SALS) presented in Table 2-5. Practical quantitation limits (PQLS) should only be used in place of lower background levels if it is demonstrated that lower levels of quantitation of a contaminant are not possible. Additionally, background levels used for arsenic, lead, and cadmium are higher than those determined in the most recent draft Basewide Background Study (Jacobs 1997). The contractor should reevaluate contaminants as necessary if the SALs are changed.	PQL's were not used as screening levels in the revised final report. The screening levels were revised in the revised linal report to reflect the results of the draft. Basewide Background Study (Jacobs 1997) and subsequent revisions (Jacobs 1998), analytes were reevaluated with respect to the screening levels.
ಣ	The contractor did not present a conceptual site model (CSM) as stated in the Work Plan (WP) and statement of work (SOW). A CSM in tabular format as specified in the Air Force Center for Environmental Excellence (AFC-EE) "Handbook" (September 1993) would greatly clarify the exposure pathway analysis presented in the risk evaluation.	A tabular CSM based on AFCEE guidelines is included in the revised final report



RESPONSE TO AFCEE REVIEW COMMENTS (MAY 1, 1997) ON THE DRAFT SITE ASSESSMENT, INVESTIGATION, AND CHARACTERIZATION OF THE RECREATIONAL VEHICLE (RV) FAMILY CAMPING (FAM CAMP) AND PIPELINE AREAS AT NAVAL AIR STATION (NAS) FORT WORTH, TEXAS

Specific Comments

1		l c i	*	I	l	453	5 I
Response and/or Action Taken	Text added	The text refers to action levels devloped in the RFI. Text was modified.	Point clarified.	The date was revised to 1993.	Figure modified	Figure modified. Boring locations were removed. Figure 1-4 is Figure 1-5 in the revised final report.	Figure modified.
Comment	The last sentence of this page is not complete. This sentence would describe the recommended management category for the RV Fam Camp if completed. The value box area and Farmers Branch Creek area should also be categorized.	The contractor should clarify the reference to lead exceeding action levels. Is the contractor referring to action levels developed in this report or action levels developed in the RFI (Law 1995) being discussed?	The contractor should clarify that the galvanized water trough to be installed at the former oil/water separator location at the Unnamed Stream will only be in place until the removal project is completed.	The contractor should clarify the tank removal date at the Base Service Station (BSS). This section conflicts with section 1.4.1.3.	The road identified as River Oaks Boulevard should be identified as White Settlement Road.	Soil borings shown on the map should be included in the legend. The site symbol consisting of horizontal lines should also be identified in the legend.	The term "abandoned USTs" is used in the figure to represent the former location of underground storage tanks (USTs). The contractor should label the location "former UST location".
Section/ Paragraph	Executive Summary	1.4.1.2	1.5.1	1.5.3	Figure 1-3	Figure 1-4	Figure 1-4
Page	шх	1 - 7	1-10	1-10	Figure 1-3	Figure 1 - 4	Figure 1 - 4
ltem	-	2	က	4	\$	9	2

RESPONSE TO AFCEE REVIEW COMMENTS (MAY 1, 1997) ON THE DRAFT SITE ASSESSMENT, INVESTIGATION, AND CHARACTERIZATION OF THE RECREATIONAL VEHICLE (RV) FAMILY CAMPING (FAM CAMP) AND PIPELINE AREAS AT NAVAL AIR STATION (NAS) FORT WORTH, TEXAS

The state of the s

453

6

Response and/or Action Taken	Text modified	Text modified.	Text modified.	Text modified.	Concur Text modified.
Comment	The text indicates that a split-spoon sampler was driven in accordance with ASTM D-1586. The contractor should correct the text to indicate the manner in which samples were actually collected. The sampler was not driven. The borehole logs in Appendix G indicate that a 5-foot sampler was utilized and no blow counts are presented.	The contractor indicates that decontamination fluids were contained and disposed of in accordance with Texas Natural Resource Conservation Commission (TNRCC) regulations. Decontamination fluids were contained but not disposed. No analytical results or disposal receipts are presented for investigation-derived waste (IDW). The SOW and WP indicate that the contractor will dispose of IDW. The contractor should explain the disposition of the IDW including soil and fluids.	The contractor should indicate the location of the ambient blank sample	The contractor indicates that the hydrocarbon fingerprinting identified the exact type of product present in the sample. Suggest the contractor delete the word "exact" from the text,	The contractor should indicate that the reason for evaluating the RV Fam Camp under Texas. Administrative Code (TAC) 335. Subchapter S, instead of Petroleum Storage Tank (PST) guidelines is that it is not a PST area.
Section/ Paragraph	2.2.2	2.2.2	2.2.6,1	2.3.1	2.4.3
Page	2 2	2.8	2-12	2-13	2-17
Item	&	o	10	=	<u>5</u>





7

RESPONSE TO AFCEE REVIEW COMMENTS (MAY 1, 1997) ON THE DRAFT SITE ASSESSMENT, INVESTIGATION, AND CHARACTERIZATION OF THE RECREATIONAL VEHICLE (RV) FAMILY CAMPING (FAM CAMP) AND PIPELINE AREAS AT NAVAL AIR STATION (NAS) FORT WORTH, TEXAS

Response and/or Action Taken	PQLs were not used as screening levels in the revised final report.	PQLs were not used as screening levels in the revised final report.	Screening levels were revised to reflect the upper tolerance limit (UTL) concentrations presented in Jacobs' draft Basewide Background Study (Jacobs 1997) and subsequent revisions to some of the UTLs (Jacobs 1998).
Comment	The contractor indicates that the SALs for PST areas are based on the PQLs if the PQLs are higher that background levels. The contractor should only consider using the PQL as the SAL if it is demonstrated that lower levels of quantitation of a contaminant are not possible.	The contractor indicates that the SALs for the Unnamed Stream and RV Fam Camp areas are based on the PQLs if the PQLs are higher than background levels. The contractor should address the statement in TAC 335.554 (d) that the PQL can only be used as the SAL if it is demonstrated that lower levels of quantitation of a contaminant are not possible.	Suggest the contractor utilize background concentrations for arsenic instead of the POLs. The contractor should verify the background concentrations utilized for arsenic, cadmium, and lead. The levels are considerably higher than the levels determined in the January 1997 Jacobs. Engineering Basewide Background Study at NAS Fort Worth. NOTE: The January 1997 Jacobs Basewide. Background Study is a draft version.
Section/ Paragraph	2.4.3.1	2.4.3.1	Table 2-5
Page	2-19	2-19	2 - 2 4
te E	e -	4	10° +

Response and/or Action Taken

Concur, text modified.

RESPONSE TO AFCEE REVIEW COMMENTS (MAY 1, 1997) ON THE DRAFT SITE ASSESSMENT, INVESTIGATION, AND CHARACTERIZATION OF THE RECREATIONAL VEHICLE (RV) FAMILY CAMPING (FAM CAMP) AND PIPELINE AREAS AT NAVAL AIR STATION (NAS) FORT WORTH, TEXAS

3		

J		•

•	-
Į.	

		Ö

$\mathbf{\circ}$			

,			

Concur, text modified.

See above comment. The above comment also applies to the West Fork of the Trinity River area.

statement since action levels were not developed for

report. The risks posed are to be evaluated under

another contract

these compounds at the Unnamed Stream in this

Unnamed Stream is presented in section 5.0 of the

report. The contractor should correct this

The text indicates that an analysis of the potential

Comment

Paragraph Section/

> Page 3-11

Item 16

3.3.4.3

risks posed by compounds exceeding SALs at the

1		

l			

- Footnotes were added to Section 3.0 tables and
- figures to indicate that only detected compounds

were included.

toluene, ethylbenzene, xylenes). Similar situations

The summary of detected results does not list

Table 3-8

3-24

2

3.3.5.3

3-13

17

benzene under the heading of BTEX (benzene,

following this table. The same omission occurs for

exist for other samples listed on other tables

figure 3-1. The contractor should correct or

clarify.

- Benzene was not detected in Valve Box soil samples.

- irrelevant to the revised final report.

- A tabular CSM based on AFCEE guidelines is included in the revised final report.

- Concur, text modified.

- The contractor should not present an evaluation of the exposure scenarios for sites which were

The contractor should present a CSM in this section

AFCEE Handbook specifies a CSM in tabular format. of the report as required by the WP and SOW. The

The reference to section 3.4 should be corrected to

section 3.3.4.

4.3

4 - 1

19

5.0

າ ທ

20

5.0

 α S I

2

- determined not to be sources.
- Note: shaded items designate the comments/responses relevant to the Revised Final Site Assessment and Characterization of the RV Fam Camp report.



RESPONSE TO AFCEE REVIEW COMMENTS (MAY 1, 1997) ON THE DRAFT SITE ASSESSMENT, INVESTIGATION, AND CHARACTERIZATION OF THE RECREATIONAL VEHICLE (RV) FAMILY CAMPING (FAM CAMP) AND PIPELINE AREAS AT NAVAL AIR STATION (NAS) FORT WORTH, TEXAS

		Section/		
ltem	Page	Paragraph	Comment	Response and/or Action Taken
52	2 - 2	5.1.2	The contractor indicates that the selection of potential human receptors was based in part on the migration potential evaluation in section 4.0; however, the migration potentials of the Unnamed Stream and the West Fork of the Trinity River were not discussed in section 4.0 since the pipelines did not contribute to the contamination.	Concur, text modified.
23	ය	5.1.2	The contractor infers that the Unnamed Stream is located next to the golf course; however, the Unnamed Stream is separated from the golf course by a significant distance and buildings, roads and undeveloped land not associated with the golf course. The contractor should delete or clarify the manner in which the Unnamed Stream could be associated with the golf course.	Concur, text deleted.
24	5 - 3	5.1.2	If potential beneficial use of the groundwater at the Unnamed Stream and RV Fam Camp is designated Category I due to the potential to impact groundwater, this reasoning and designation would also apply to the West Fork of the Trinity River area. Seepage to the river in this area has already been noted (section 1.4.1.3).	Eliminated discussion of the Unnamed Stream and West Fork of the Trinity River areas because investigations of these areas are addressed under separate contracts.
25	5 - 4	5,1.3	The contractor should eliminate use of the term "expanded golf club" or include reference to the Unnamed Stream and RV Fam Camp.	Concur, reference eliminated.
				3

Note: shaded items designate the comments/responses relevant to the Revised Final Site Assessment and Characterization of the RV Fam Camp report.

9

RESPONSE TO AFCEE REVIEW COMMENTS (MAY 1, 1997) ON THE DRAFT SITE ASSESSMENT, INVESTIGATION, AND CHARACTERIZATION OF THE RECREATIONAL VEHICLE (RV) FAMILY CAMPING (FAM CAMP) AND PIPELINE AREAS AT NAVAL AIR STATION (NAS) FORT WORTH, TEXAS

Te m	Page	Section/ Paragraph	Comment	Response and/or Action Taken
56	5 - 4	5.1.3	The contractor begins the fourth paragraph indicating that the only environmental media of concern for this risk evaluation is substituted soil. This is an inaccurate statement which seems to indicate an incomplete risk evaluation. This section on exposure pathway evaluation must evaluate all practical potential for exposure. Only after the evaluation of each potential pathway can the complete pathways be identified. The pathways must also consider future transport to other media of concern. The contractor indicates that no exposure exists for surface soils; however, no surface soil samples were obtained.	Text was modified to reflect results of Sections 3.0 and 4.0, which conclude that chemicals of concern were only detected in subsurface soil and future contaminant migration to other media is not expected. Surface soil was screened using PID Because PID results indicated no surface soil contamination and the pipelines are located below the ground surface, no surface soil samples were collected for faboratory analysis.
27	ი 4	5.1.3	The contractor indicates that groundwater is not likely to be impacted by sources identified in this study, as indicated in section 4.0. Section 4.0 clearly indicates the groundwater contamination exists in the area of the Unnamed Stream and the West Fork of the Trinity River. If the contractor is attempting to indicate the groundwater is not impacted by the sources investigated for this report, the pipeline areas, why are they being evaluated in this section?	Based on AFCEE's general comments, discussion of these areas was eliminated from the exposure pathway analysis.

and the second

RESPONSE TO AFCEE REVIEW COMMENTS (MAY 1, 1997) ON THE DRAFT SITE ASSESSMENT, INVESTIGATION, AND CHARACTERIZATION OF THE RECREATIONAL VEHICLE (RV) FAMILY CAMPING (FAM CAMP) AND PIPELINE AREAS AT NAVAL AIR STATION (NAS) FORT WORTH, TEXAS

Response and/or Action Taken	Cleanup levels in the revised final report were based on TNRCC's 1998 implementation of RRSN guidance memorandum. The RRSNZ values provided in this guidance incorporate dermal and inhalation exposures under a residential scenario.	Arsenic was not detected at the RV Fam Camp area.
Comment	The future exposure scenarios have failed to consider dermal exposure to the construction worker. The recreational visitor should not contact or ingest subsurface soils	The contractor should clarify the status of arsenic Was arsenic detected or evaluated?
Section/ Paragraph	5.1.3	Table 5-5
Page	5 - 5	5-17
Item	28	29

DRAFT SITE ASSESSMENT, INVESTIGATION, AND CHARACTERIZATION OF THE RECREATIONAL VEHICLE (RV) FAMILY CAMPING (FAM CAMP) AND PIPELINE AREAS AT NAVAL AIR STATION (NAS) FORT WORTH, TEXAS RESPONSE TO EPA REVIEW COMMENTS (SEPTEMBER 23, 1997) ON THE

General Comments

l	000000000000000
	0.0000000000000000000000000000000000000
ľ	(G
	တ
≅	5
e	¥
िक	≌
] ├	
ے ا	ð l
₽	
cţi	8
일	Ö
•	
<u> </u>	<u> </u>
ᆝᇰ	
ᅋ	, W
Ē	
nse and/or	8
ě	<u> </u>
Ë	
_	≝
Ses po	***
نة	Ω
ď	유금
	불호
	æ <u>≖</u>
	75 T
	2 2
	I
	<u> </u>
	22
	m
	ద్ద
	9
	- S
	<u> </u>
	ĕφ
	25 00
	inte oria
	nt inte ropria
	nent inte ipropria
	ument inte appropria
int	ocument inte f appropria
nent	document inte i if appropria
_	100000000000000000000000000000000000000
_	10
_	100000000000000000000000000000000000000
Comment	olude a d ements
_	100000000000000000000000000000000000000
_	olude a d ements
_	dude a d ements
_	dude a d ements
_	dude a d ements
_	dude a d ements
_	dude a d ements
_	dude a d ements
_	olude a d ements
_	dude a d ements
Comm	dude a d ements
Comm	USAF's Draft SC Report should include a diffulfiling deed recordation requirements
_	dude a d ements

Specific Comments

Response and/or Action Taken	Textractoed.	A stratigraphic map is included in the revised final report (Figure, 1-4).	
Comment	USAF recommends that the RV Fam Camp be managed under Category 1 (no further action). USAF should include a statement that specifies which of the TNRCC's Risk Reduction Standards are	USAF provided a brief description of the regional geology.	USAF should include a stratigraphic map in the Draft SC Report that represents the subsurface at the RV Fam Camp. This detailed cross-section of the study area should utilize the information obtained from the field investigations.
Section/ Paragraph	Executive Summary	1.2.4	
Page		რ 	
ltem	Œ	Ø	-



DRAFT SITE ASSESSMENT, INVESTIGATION, AND CHARACTERIZATION OF THE RECREATIONAL VEHICLE (RV) FAMILY CAMPING (FAM CAMP) AND PIPELINE AREAS AT NAVAL AIR STATION (NAS) FORT WORTH, TEXAS RESPONSE TO EPA REVIEW COMMENTS (SEPTEMBER 23, 1997) ON THE

Response and/or Action Taken	Background upper tolerance limit (UTL) concentrations from Jacobs Engineering draft Basewide Background Study (Jacobs Engineering 1997) were used as screening levels in the revised final report. Some of the UTLs were revised subsequent to release of the study report (Jacobs personal communication 1998). These revised values were used as screening levels. POLs were not used as screening levels in the revised final report.	j
Comment	USAF states that the screening action levels (SALS) for the RV Fam Camp area were based on the maximum background concentrations measured during the Oll/Water Separator Assessment and RCRA Facility Investigation conducted by Law Environmental, Inc. in 1994. USAF adds that the background soil samples were obtained from five boreholes drilled within the vicinity of the investigation area to depths ranging from 4 to 14 feet below the ground's surface. Table 2-5 (Basis for TNRCC Screening Action Levels (SALS) for the RV Fam Camp Site Investigation) lists the SALs chosen by USAF for the RV Fam Camp.	SC Report that justifies the selection of background concentrations. EPA does not believe that the use of maximum concentrations of inorganics is appropriate for use as background concentrations and comparison to soil analytical data or TNRCC's media-specific concentrations (MSCs). The technical issues that should be addressed by USAF include selection of background sampling locations, considerations in selection of sampling procedures, and statistical analyses.
Section/ Paragraph	2.4.3.1	
Page	2-19	
ltem	a	

Note: shaded items designate the comments/responses relevant to the Revised Final Site Assessment and Characterization of the RV Fam Camp report.

DRAFT SITE ASSESSMENT, INVESTIGATION, AND CHARACTERIZATION OF THE RECREATIONAL VEHICLE (RV) FAMILY CAMPING (FAM CAMP) AND PIPELINE AREAS AT NAVAL AIR STATION (NAS) FORT WORTH, TEXAS RESPONSE TO EPA REVIEW COMMENTS (SEPTEMBER 23, 1997) ON THE

Response and/or Action Taken			
Comment	USAE should consider the protocols described in the following EPA guidance documents in the establishment of background for all environmental media of concern. These documents, not all inclusive, are titled Statistical Analysis of Ground Water Monitoring Data at RCRA Facilities. (Addendum to Interfin Final Guidance, June 1992), "Statistical Analysis of Ground Water Monitoring Data at RCRA Facilities" (Interfin Final Guidance, April 1989, EPA/530-SW-89-026), and "Determination of Background Concentrations of Intoganics in Soils and Sediments at Hazardous Waste Sites." (December 1995, EPA/540/5-96/500)	Although the document has not been approved by TNRCC, USAF should also consider USAF's "Draft Base-Wide Background Study" (January 1997) in the development background for the RV Fam Camp. The Draft SC Report may require amendment based on TNRCC's comments concerning this background study.	For clarification purposes, the objective of the HCRA Facility investigation is to delineate the full vertical and horizontal extent of contamination to background conditions. Therefore, it is imperative that true background conditions are established for the RV Fam Camp.
Section/ Paragraph	2.4.3.1	•	
Page	2-19		
Item	Ccont)		

RESPONSE TO EPA REVIEW COMMENTS (SEPTEMBER 23, 1997) ON THE DRAFT SITE ASSESSMENT, INVESTIGATION, AND CHARACTERIZATION OF THE RECREATIONAL VEHICLE (RV) FAMILY CAMPING (FAM CAMP) AND PIPELINE AREAS AT NAVAL AIR STATION (NAS) FORT WORTH, TEXAS

Response and/or Action Taken		Screening of site concentrations at the RV Fam Camp area is based on Risk Reduction Standard Number 1, which relies on background concentrations for determining compliance Because the focus is on background, risk-based concentrations are not considered in the screening step for this study area.
Comment	Once background conditions are established, USAF should determine whether the analytical data collected to date are representative of the full vertical and horizontal extent of confamination, if present, at the RV Fam Camp EPA realizes that in some cases delineating the extent of contamination to unaffected background may not be possible or practical, USAF should discuss this issue with EPA and TNRCC if this is the case at NAS FW. Additionally, USAF must demonstrate in the Draft SC Report that lower levels of quantitation are not possible if Practical Quantitation Limits are used as the basis for the selection of action levels (e.g., the PQLs are greater than their respective background and/or MSCS)	Table 3-12 provides a comparison of the soil sampling results with the TNRCC screening levels. USAF should also consider EPA's Region 6 Human Health. Media-Specific Screening Levels in the comparison to the soil analytical results and background concentrations.
Section/ Paragraph	2.4.3.1	Table 3-12
Page	2.19	ດ. ເຄ
ltem	D. (cont)	Ш

Note: shaded items designate the comments/responses relevant to the Revised Final Site Assessment and Characterization of the RV Fam Camp report.

16

RESPONSE TO EPA REVIEW COMMENTS (SEPTEMBER 23, 1997) ON THE DRAFT SITE ASSESSMENT, INVESTIGATION, AND CHARACTERIZATION OF THE RECREATIONAL VEHICLE (RV) FAMILY CAMPING (FAM CAMP) AND PIPELINE AREAS AT NAVAL AIR STATION (NAS) FORT WORTH, TEXAS

Response and/or Action Taken	Irrelevant for the revised final report because MSCs obtained from TNRCC's 1998 implementation of RRSN2 guidance memorandum.				
Comment	USAF provided Table 5-3 (Action Levels for COPC at the RV Fam Camp Area) which lists the MSCs applicable to the RV Fam Camp.	USAF modified the residential MSCs to generate regressional and industrial soil scenarios by	multiplying the values by a factor to account for the lower exposure frequency. This modification may be	reasonable for noncarcinogens but is not recommended for cardinogens since the non-	threshold assumption for estimating carcinogenic risk does not allow for the modification based on exposure frequency.
Section/ Paragraph	5.1.5				
Page	ය - ය				
Item	u.'				

RESPONSE TO TNRCC REVIEW COMMENTS (FEBRUARY 9, 1998) ON THE DRAFT SITE ASSESSMENT, INVESTIGATION, AND CHARACTERIZATION OF THE RECREATIONAL VEHICLE (RV) FAMILY CAMPING (FAM CAMP) AND PIPELINE AREAS AT NAVAL AIR STATION (NAS) FORT WORTH, TEXAS

Cener	General Comments	
-	Comment	Response and/or Action Taken
11011		CO) softe TOO I state and a second se
٧		Added LPST ID numbers hext to LPST sites (eg.
۲_	CHOO IS SHOULD BE A SHOULD BE	Dec Dec throughout report ner Antonio Pena
	Figure should be made to identify any Leaking Petroleum Storage Tank (FPST) 555, 555) unoughout lepon, por	ם מים, שנים ליוסקפו ומשפווסת ומים לסים לסים
		(HNDO) (1008)
	leites that are referenced in the report (BSG, BSS, etc.) which provide	(INACC, replacely 23, 1930).
	מופס ווש שופ ופוסוסוסים יו יויס וסלסי (חסים)	
	l oxidence to the final findings of the investigation.	
	dyladica to the man mange of the man grant and t	

Specific Comments

Response and/or Action Taken	Concur. Text added.		A stratigraphic map is included in the revised final report (Figure 1-4).	
Comment	USAF states that no further action status is recommended because no significant impact to human health and environment exists.	USAF should also state that no potential for significant impact exists under future exposure scenarios for the sub-population chosen in Section 5.0 (Risk Evaluation).	USAF should include a geologic stratigraphic map that represents the subsurface along the pipeline areas. Information from fleid investigations in combination with regional geologic knowledge should be utilized to prepare such a map.	
Section/ Paragraph	Executive Summary		1.2.4	
Page			1-3	
te m	ď		ш	

RESPONSE TO TNRCC REVIEW COMMENTS (February 9, 1998) ON THE DRAFICE (RV) DRAFT SITE ASSESSMENT, INVESTIGATION, AND CHARACTERIZATION OF THE RECREATIONAL VEHICLE (RV) FAMILY CAMPING (FAM CAMP) AND PIPELINE AREAS AT NAVAL AIR STATION (NAS) FORT WORTH, TEXAS

Response and/or Action Taken	Concur. Text added.	dded.	Background upper tolerance limit (UTL) concentrations from Jacobs Engineering draft Basewide Background Study (Jacobs 1997) were used as screening levels in the revised final report. Some of the UTLs were revised subsequent to release of the study report (Jacobs personal communication 1998) These revised values were used as screening levels.
Comment	USAF should make efforts to include the most up-to-date information obtained through the latest field investigations at the BSS. Also, SC report should mention that the sources at this location have been removed/eliminated.	Please identify the references TNRCC PST Division Text added, documents utilized for risk evaluation/methodology as RG-175 and RG-36 respectively.	Different methodologies were used to set SALs for conce organics and inorganics due to some chemicals not conce being in Table A-1 of Beneficial Groundwater Use Basew Category 1 Levels. For SALs set to background levels, additional justification should be provided firral refor the selection of background concentrations as maximum concentrations obtained during 1994 field (Jacot Investigations of other areas. Characterization of These background conditions should be determined by placement of borings outside the area of potential contamination. Because direct sampling data from the area of concern prior to waste management activities is seldom available, the use of nearby, non-impacted sampling data in conjunction with statistical/geostatistical estimation techniques
Section/ Paragraph	1.4.1.3 USAF date inves menti	2.4.3 Please ider documents as RG-175	2.4.3.2 Difference organization being Category C
Page	o	2-17	2 .0
ltem	Ů.	Q	ш

RESPONSE TO TNRCC REVIEW (February 9, 1998) COMMENTS ON THE DRAFT SITE ASSESSMENT, INVESTIGATION, AND CHARACTERIZATION OF THE RECREATIONAL VEHICLE (RV) FAMILY CAMPING (FAM CAMP) AND PIPELINE AREAS AT NAVAL AIR STATION (NAS) FORT WORTH, TEXAS

ltem	Page	Section/ Paragraph	Comment	Response and/or Action Taken
ட்	2 - 1 9	2.4.3.2	USAF should provide the basis (ex: TDS, receptors, groundwater depth, etc) for selecting the more stringent Beneficial Groundwater Use Category I target levels over Category II, which is the denomination currently applied to other PSTD areas at the Base. Information about the probable well yield, based on nearby and/or regional experience, at the depths of concern is critical to a risk-based approach.	Assumption of Category I was a conservative measure for screening purposes (i.e. in development of screening action levels), before an exposure analysis was performed. In addition, beneficial use of the groundwater in the vicinity of the Unnamed Stream and RV Family Camp areas is designated as Category I by TNRCC because of potential contaminant migration into local surface water (Parsons Engineering 1996). Therefore, Category I was assumed in the screening step of the Risk Evaluation.
O	-	Section 5.0	An attempt should be made to identify all complete exposure pathways. The ingestion of COPCs in subsurface soil pathway for the industrial worker population appears to be incomplete due to unlikely excavation activities. TNRCC PSTD recommends the inclusion of the future construction worker scenario because the possibility for repairs/maintenance of the active Pride Petroleum pipeline appears to be likely. Also, target risk for the future pipeline construction/repair/maintenance worker scenario would be protective of the industrial worker. USAF should specify the target risk in the SC report, for PSTD areas, the permissible risk for future exposure scenario is 1x10°4.	Irrelevant; no COPCs were identified in the revised final report.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 6 1445 ROSS AVENUE, SUITE 1200 DALLAS, TX 75202-2733

July 20, 1998

Mr. Rafael Vazquez, AFBCA Regional Operating Location 3711 Outlaw Country Drive Austin, Texas 78719-2557

Dear Mr. Vazquez:

The Environmental-Protection Agency (EPA) has reviewed the documents, "Site Assessment and Characterization of the Fuel Pipeland Area and Site Assessment and Characterization of the Recreational Vehicle Family Camping Area", Carswell Air Force Base June 1, 1998. Although specific comments may not be required, the reports are being used by the Air Force to categorize property as uncontaminated for eventual transfer. Based upon a review of the data in this report, additional concerns are noted below.

The conclusions reached in these reports are based upon analytical data from Inchcape Testing Service. Due to concert with validation of data from Inchcape, the data should be considered suspect. I cannot concur with the listing of the property as Category 1, based upon this data.

Please contact me at (214)665-8306 should you wish to discuss this further.

Sincerely,

Gary W. Miller

Senior Project Manager

Base Closure Team

cc: Mark Weegar, TNRCC
Antonio Pena, TNRCC
Charles A. Rice, AFCEE

Barry R. McBee, Chairman
R. B. "Ralph" Marquez, Commissioner

1 M. Baker, Commissioner

Ley A. Saitas, Executive Director



TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

Protecting Texas by Reducing and Preventing Pollution

· July 27, 1998

Mr. Charles A. Rice
Base Closure Restoration Division
HQ AFCEE/ERB
3207 North Road, Bldg. 532
Brooks AFB, Texas 78235-5363

Re:

Final Site Characterization Report for the Recreational Vehicle Family Camping and Fuel Pipeline Areas, NAS Fort Worth JRB- Carswell Field, Fort Worth (Tarrant County), Texas (Facility ID No. 009696)

Dear Mr. Rice:

We have received and reviewed the Final Site Characterization (SC) Report for the Vehicle Family Camping and Fuel Pipeline Areas (June 1998) for NAS Fort Worth JRB (formerly Carswell AFB). The reports are being utilized by the Air Force/U.S. Navy to categorize property as uncontaminated under the PST Chapter 334 regulations for eventual transfer and future use.

It is noted that all Texas Natural Resource Conservation Commission (TNRCC) conclusions reached in these reports (workplan, draft and final version) have been based upon analytical laboratory data from Inchcape Testing Service (ITS). Due to current concerns with the validity of data from ITS, prior to consideration of your No Further Action recommendation, we request reprocessing of the data from ITS. We suggest you contact ITS about the reprocessing process they plan to implement to offset the concerns raised with validation of data from 1994 through January 1998.

We appreciate reviewing this regulatory document. Should you have any questions concerning our conclusions or wish to discuss this matter further, please contact me at 512/239-2186.

Sincerely,

Antonio Pena, P.E.

Federal Facilities Coordinator

Responsible Party Remediation Section

Remediation Division

ARP/keh scpipela.fnn

cc:

Mr. Alvin Brown (AFBCA/OL-H)

(6550 White Settlement Road, Ft. Worth, Texas 76114-3520)

Ann Strahl, TNRCC I&HW, MC-141

Sam Barrett, TNRCC Region 4 Field Office

(1101 East Arkansas Lane, Arlington, Texas 76010-6499)

P.O. Box 13087 • Austin, Texas 78711-3087 • 512/239-1000 • Internet address: www.tnrcc.state.tx.us

printed on recycled paper using we-based ink-

REPORT DOX	CUMENTATION PAGE	_		Form Approved OMB
Public reporting burden for this collection of info		Per respenden	including the time for reviewing it	No. 0704-0188 Instructions, searching existing data sources
gathering and maintaining the data needed, and o			-	· -
collection of information, including suggestions t	_			•
Davis Highway, Suite 1204, Arlington, VA 2220		nt and Budge	t, Paperwork Reduction Project (0	7704-0188), Washington, DC 20503.
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE		REPORT TYPE AND DATES CO	OVERED
	March 1999		Revised Final 1999	
4. TITLE AND SUBTITLE		<u> </u>	5. FUNDING NUMBE	PS
REVISED FINAL REPORT			F41624-95-D-	
SITE ASSESSMENT AND CHARACTER	RIZATION OF THE		Delivery Order	- · · -
RECREATIONAL VEHICLE FAMILY CA	,			
NAVAL AIR STATION (NAS) FORT WO JOINT RESERVE BASE (JRB)	ORTH			
CARSWELL FIELD, TEXAS				
]	
6. AUTHOR(S)				
The Environmental Company, Inc.				
7. PERFORMING ORGANIZATION NAME(S) A	ND ADDRESS(ES)		8. PERFORMING OR	
The Environmental Company, Inc.			REPORT NUMBER	
2496 Old Ivy Road, Suite 300 Post Office Box 5127			. [[]NA	
Charlottesville, Virginia 22905				
L				
9. SPONSORING/MONITORING AGENCY NAM	ME(S) AND ADDRESS(ES)		10. SPONSORING/M	ONITORING
HO AFCEE/ERB			AGENCY REPOR	TNUMBER
Air Force Center for Environmental E	xcellence		NA	_
Base Closure Division				
Brooks AFB, TX 78235				
11. SUPPLEMENTARY NOTES			<u>_</u>	
12a. DISTRIBUTION/AVAILABILITY STATEM	ENT		12b. DISTRIBUTION	CODE
				<u> </u>
13. ABSTRACT (Maximum 200 words)				
This technical report provides a sum	mary of investigation activities	s that inclu	ided a Site Assessment a	and Site Characterization of the area in the
vicinity of the Recreational Vehicle Fi	amily Camping Area at Naval i	Air Station	Fort Worth, Joint Reserve	e Base, Carswell Field, Texas. No contamination
	a source associated with the	RV Fam	Camp. It was recommen-	ded that the site be managed under Category I:
No Further Action.				
.1				
]				
<u> </u>				
14. SUBJECT TERMS				15. NUMBER OF PAGES
TECHNICAL REPORT		_		
1				16. PRICE CODE
			<u> </u>	
17. SECURITY CLASSIFICATION 18	. SECURITY CLASSIFICATION	19. SEC	CURITY CLASSIFICATION	20. LIMITATION OF ABSTRACT
OF REPORT	OF THIS PAGE			_
Unclassified	Unclassified	Uncla	assified	<u></u>

DISTRIBUTION

Controlled distribution of the report is as follows:

RECIPIENT	NO. OF COPIES	COPY NUMBER
AFCEE		
Charles Pringle, Contracting Officer's Representative	2	1-2
AFBCA		
Rafael Vazquez, AFBCA	<u> </u>	3-4
TNRCC		
Mark Weeger	1	5
<u>USEPA</u>		
Gary Miller		6
IEC		
Jack E. Wilson Project Director	1	7
Project Director		
Uncontrolled original distributio	n is as follows:	
TEC Project File	3	

COPY NO. _

PREFACE

A site assessment (SA) and a site characterization (SC) of the area in the vicinity of the Recreational Vehicle (RV) Family Camping (Fam Camp) Area at Naval Air Station (NAS) Fort Worth, Joint Reserve Base, Carswell Field, Texas (identified as Project No. 95-8021) was conducted to determine the presence or absence of contamination and to define the nature and extent of such contamination if present.

This report was prepared by The Environmental Company, Inc. (TEC) under contract No. F41624-95-D-8002, Delivery Order 0003 for Project No. 95-8021.

This report provides a summary of the SA and SC investigation activities, including a risk evaluation and conclusions of the investigation.

This report was written under the direction of Mr. Bob Duffner, TEC Project Manager. The Contracting Officer's Representative for this project is Mr. Charles Pringle, Air Force Center for Environmental Excellence (AFCEE), Environmental Restoration Branch (ERB), Brooks Air Force Base (AFB), Texas.

Approved:

Approved:

Bob Duffner, P.E.

The Environmental Company, Inc.

TEC Project Manager

Jack E. Wilson, P.E.

The Environmental Company, Inc.

TEC Project Director

pate: 🛨/_

D-4-

NOTICE

This report has been prepared for the United States Air Force by The Environmental Company, Inc. (TEC) for the purpose of aiding in the implementation of a final remedial action plan under the Air Force Installation Restoration Program (IRP).

Although the area of study was investigated in accordance with IRP guidance, the area has not been identified as an IRP site. NAS Fort Worth (formerly Carswell Air Force Base) is undergoing property disposal/reuse pursuant to the Defense Base Closure and Realignment Act of 1990 and Round II of the Base Closure Commission deliberations. The area of study is being considered for property disposal or reuse and the Air Force Base Conversion Agency (AFBCA) desires to investigate the area to confirm or deny the presence of contamination.

As the report relates to actual or possible releases of potentially hazardous substances, its release prior to a United States Air Force final decision on remedial action may be in the public's interest. The limited objectives of this report and the ongoing nature of the IRP, along with the evolving knowledge of site conditions and chemical effects on the environment and health, must be considered when evaluating this report because subsequent facts may become known that may make this report premature or inaccurate.

Acceptance of this report in performance of the contract under which it is prepared does not mean that the Air Force adopts the conclusions, recommendations, or other views expressed herein, which are those of the contractor only and do not necessarily reflect the official position of the United States Air Force.

Copies of this report may be purchased from:

a. Government agencies and their contractors registered with the Defense Technical Information Center (DTIC) should direct requests for copies of this report to:

Defense Technical Information Center Cameron Station Alexandria, VA 22304-6145.

b. Non-Government agencies may purchase copies of this document from:

National Technical Information Service 5285 Port Royal Road Springfield, VA 22161.

EXECUTIVE SUMMARY

A two-phase investigation was conducted at the Naval Air Station (NAS) Fort Worth, Joint Reserve Base, Carswell Field, Texas. The investigation focused on the Recreational Vehicle Family Camping (RV Fam Camp) area. The investigation was conducted in support of ongoing disposal/reuse efforts pursuant to the Defense Base Closure and Realignment Act of 1990 and Round II of the Base Closure Commission deliberations.

During the initial site assessment phase, background information including historic observations and investigation reports for adjacent and/or associated sites was collected. During this initial effort, it was indicated that a leach field may have been used for disposal of RV Fam Camp domestic wastewater. Results of this assessment were combined with those from a geophysical survey conducted during the site characterization phase to identify potential areas of concern within the RV Fam Camp area. The subsurface soil in portions of the RV Fam Camp area associated with a potential leach field was characterized during the final phase of the investigation.

A total of five boreholes were advanced in the RV Fam Camp area. Six subsurface samples (including a field duplicate) collected from the boreholes were analyzed for volatile organics, semivolatile organics, pesticides/polychlorinated biphenyls, and inorganics.

The investigation found no evidence indicating that a leach field was present at the RV Fam Camp area. Limited low-level metal and volatile organic contamination was identified at concentrations below levels of concern for human health or the environment. These contaminants were above background and were therefore evaluated using TNRCC Risk Reduction Standard Number 2. However, the standard is not considered applicable to the site with respect to closure because these low-level contaminants are not believed to be associated with RV Fam Camp historic activities.

Based on the results of this investigation, it is recommended that the RV Fam Camp area be managed under Category 1. The Air Force Center for Environmental Excellence defines Category 1 management as no further action because no significant impact to human health or the environment exists.

TABLE OF CONTENTS

LIST	OF FIG	GURES.		iv
LIST	OF TA	BLES		v
LIST	OF AC	RONYM	IS AND ABBREVIATIONS	vi
1.0	INTR	ODUCTI	ON	1 - 1
	1.1	THE All	R FORCE INSTALLATION RESTORATION PROGRAM	1 - 1
	1.2	NAS FO	ORT WORTH DESCRIPTION	1 - 2
		1.2.1	Installation Location	1 - 2
		1.2.2	Installation History	1 - 2
		1.2.3	Regional Topography and Surface Hydrology	1 - 5
		1.2.4	Regional Geology and Hydrogeology	1 - 5
		1.2.5	Climate	1 - 8
	1.3	SITE D	ESCRIPTION	1 - 8
	1.4	PAST	DBSERVATIONS AND INVESTIGATIONS	1 - 9
2.0	PRO	JECT AC	CTIVITIES	2 - 1
	2.1	PROJE	CT OBJECTIVES	2 - 1
		2.1.1	Overall Objectives and Approach	2 - 1
		2.1.2	SA Phase Objectives and Approach	2 - 2
		2.1.3	SC Phase Objectives and Approach	2 - 2
	2.2	FIELD .	ACTIVITIES	2 - 2
		2.2.1	SA Phase Field Program	2 - 3
			2.2.1.1 Land Survey	2 - 3
			2.2.1.2 Site Reconnaissance	2 - 4
		2.2.2	SC Phase Field Program	2 - 4
			2.2.2.1 Geophysical Survey	2 - 4
		-	2.2.2.2 Subsurface Characterization	2 - 6
		2.2.3	General Record Keeping	2 - 9
			Project Team Members	
		2.2.5	Chronology of Field Work	2 - 1 1
		2.2.6	Field Quality Assurance/Quality Control	2-11
			2.2.6.1 Quality Control Activities	
			2.2.6.2 Quality Assurance Activities	2-13

A	5	3	2	8
a.	. 1	J		

TABLE OF CONTENTS, continued

		2.2.6.3 Problems Detected and Corrective Actions Taken.	2 - 1 3	
	2.3	LABORATORY ANALYSIS	2 - 13	
		2.3.1 Analytical Program	2 - 1 4	
		2.3.2 Chronology of Laboratory Analyses	2 - 1 4	
		2.3.3 Quality Assurance/Quality Control Program	2 - 1 4	
	2.4	DATA EVALUATION	2 - 1 4	
		2.4.1 Methodology for Data Quality Assessment	2 - 1 6	
		2.4.2 Data Analysis and Interpretation	2-16	
		2.4.3 Methodology for Risk Evaluation	2 - 17	
		2.4.3.1 Development of RRSN1 Concentrations	2 - 18	
		2.4.3.2 Development of RRSN2 Cleanup Levels	2 - 18	
3.0	PROJECT INVESTIGATIONS			
	3.1	SITE ASSESSMENT	3 - 1	
	3.2	SITE CHARACTERIZATION	3 - 1	
		3.2.1 Field and Laboratory Data Quality Assessment	3 - 1	
		3.2.2 SC Results	3 - 3	
		3.2.2.1 Geophysical Survey	3 - 3	
		3.2.2.2 Borehole Location	3 - 3	
		3.2.2.3 Lithology Characterization	3 - 5	
		3.2.2.4 Subsurface Soil Screening and Analytical Sample Selection	3 - 5	
		3.2.2.5 Data Summary	3 - 5	
4.0	POT	ENTIAL CONTAMINANT SOURCE AND MIGRATION PATHWAYS	4 - 1	
5.0	RISK	EVALUATION	5 - 1	
	5.1	HUMAN HEALTH EVALUATION	5 - 1	
		5.1.1 Identification of Chemicals of Potential Concern	5 - 1	
		5.1.2 Potential Human Receptors	5 - 3	
		5.1.3 Human Exposure Pathway Evaluation	5 - 4	
		5.1.4 Development of Cleanup Levels	5 - 5	
		5.1.5 Cleanup Level Comparison	5 - 7	
	5.2	ECOLOGICAL EVALUATION	5 - 7	
		5.2.1 Biological Resources	5 - 8	
		5.2.1.1 Vegetation	5 - 8	
		5 2 1 2 Wildlife	5.8	

TABLE OF CONTENTS, continued

	5.2.1.3 Threatened and Endangered Species	5 - 8			
5.3	2.2 Potential Receptors and Exposure Pathways	5 - 9			
5.3	2.3 Screening Benchmark Comparison	5 - 9			
5.3 RIS	SK EVALUATION SUMMARY	5 - 1 0			
6.0 CONCLU	ISIONS AND RECOMMENDATIONS	6 - 1			
7.0 REFERE	VCES	7 - 1			
Appendix A	RV Fam Camp Utility Drawing				
Appendix B	Geophysical Report				
Appendix C	Sample Identification Cross-Reference				
Appendix D	Surveying Data				
Appendix E	Borehole Logs				
Appendix F	Field Data Forms				
Appendix G	Chain-of-Custody Forms				
Appendix H	Soil Borehole Sampling Analyte List				
Appendix 1	Summary of Extraction and Analysis Time				
Appendix J	Laboratory Analyses Data Sheets				
Appendix K	Grain Size Analyses				
Appendix L	Quality Assurance/Quality Control Sample Summary				
Appendix M	Investigation Derived Waste Management Documentation				

LIST OF FIGURES

Figure 1-1 NAS Fort Worth Vicinity Map

Figure 1-2 NAS Fort Worth Location Map

Figure 1-3 Site Map

Figure 1-4 Generalized Geologic Cross-Section

Figure 2-1 Site Assessment and Characterization Area

Figure 3-1 RV Fam Camp Area Subsurface Soil Organic Analytical Results

LIST OF TABLES

Table	2-1	SA Phase Data Quality Objectives
Table	2-2	SC Phase Data Quality Objectives
Table	2-3	SC Phase Sample Collection and Analysis Summary
Table	2-4	Summary of Calibration and QC Procedures for Screening Method
Table	2-5	TNRCC RRSN1 Concentrations for the RV Fam Camp Area
Table	3-1	Summary of Quality Control Samples Detected Results
Table	3-2	Organic Vapor Soil Screening Summary for the RV Fam Camp Area
Table	3-3	Subsurface Soil Sample Summary for the RV Fam Camp Area
Table	3-4	Summary of RV Fam Camp Subsurface Soil Sample Results
Table	5-1	Conceptual Site Model Summary
Table	5-2	Chemicals of Potential Concern (COPCs) for the RV Fam Camp Area
Table	5-3	Potential RRSN2 Cleanup Levels for COPCs in the RV Fam Camp Area
Table	5-4	Comparison of RV Fam Camp Area Concentrations with RRSN2 Cleanup Levels
Table	5-5	Ecological Benchmark Screening for the RV Fam Camp Area

LIST OF ACRONYMS AND ABBREVIATIONS

AA Atomic Absorption

ACC Air Combat Command

AFB Air Force Base

AFBCA Air Force Base Conversion Agency

AFCEE Air Force Center for Environmental Excellence

AL Action Level

ARAR Applicable or Relevant and Appropriate Requirement

ASTM American Society of Testing and Materials

bgs below ground surface

BHB Baird, Hampton & Brown, Inc.

BHC Benzene Hexachloride

BTEX Benzene, Toluene, Ethylbenzene, and Xylene

°C degrees Celsius

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

cm centimeter

COPC Chemical of Potential Concern

CPG Certified Professional Geologist

CSF Cancer Slope Factor

CUL cleanup level

i

DBCRA Defense Base Closure Realignment Act

DEQPPM Defense Environmental Quality Program Policy Memorandum

DOD Department of Defense

DOT Department of Transportation

DPT Direct-Push Technology

LIST OF ACRONYMS AND ABBREVIATIONS, continued 453 33

DQO Data Quality Objective

DTIC Defense Technical Information Center

EM Electromagnetic

EMIMD Electromagnetic Induction Metal Detection

EMPCL Electromagnetic Pipe and Cable Location

EPA U.S. Environmental Protection Agency

ERB Environmental Restoration Branch

°F degrees Fahrenheit

Fam Camp Family Camping

FOD Frequency of Detect

FSP Field Sampling Plan

GC/MS Gas Chromatography/Mass Spectroscopy

GPR Ground Penetrating Radar

HQ Headquarters

HSA Hollow-Stem Auger

ICP Inductively Coupled Plasma

IRP Installation Restoration Program

IRPIMS Installation Restoration Program Information Management System

Kg Kilogram

L liter

LCS Laboratory Control Samples

LSTP Leaking Storage Tank Program

MCL Maximum Concentration Level

MDL Method Detection Limit

LIST OF ACRONYMS AND ABBREVIATIONS, continued

mg milligram

MIBK Methyl Isobutyl Ketone

MS Matrix Spike

MSC Medium-Specific Concentration

MSD Matrix Spike Duplicate

MSSL Media-Specific Screening Levels

NAS Naval Air Station

NCP National Contingency Plan

ND Not Detected

NOAEL No-observed-adverse-effect-level

PCB Polychlorinated Biphenyl

P.E. Professional Engineer

PID Photoionization Detector

ppm parts per million

PQL Practical Quantitation Limit

PVC Polyvinyl Chloride

QA/QC Quality Assurance/Quality Control

QAPP Quality Assurance Project Plan

QC Quality Control

RBC Risk-Based Concentration

RfD Reference Dose

RI/FS Remedial Investigation/Feasibility Study

RME Reasonable Maximum Exposure

RRSN Risk Reduction Standard Number

LIST OF ACRONYMS AND ABBREVIATIONS, continued

453

35

RV Recreational Vehicle

SA/SI Site Assessment/Site Investigation

SAC Strategic Air Command

SAL Screening Action Level

SARA Superfund Amendments and Reauthorization Act

SB Soil Boring

SC Site Characterization

SOP Standard Operating Procedures

SOW Statement of Work

spp. species

SVOC Semivolatile Organic Compound

TAC Texas Administrative Code

TEC The Environmental Company, Inc.

TNRCC Texas Natural Resource Conservation Commission

TPH Total Petroleum Hydrocarbons

μg microgram

USAF United States Air Force

USEPA United States Environmental Protection Agency

UTL Upper Tolerance Limit

UTL_{95,95} UTL with 95percent confidence and 95percent coverage

VOC Volatile Organic Compound

WP Work Plan

YMCA Young Men's Christian Association

TAB

1.0 INTRODUCTION

This Site Characterization (SC) report has been prepared by The Environmental Company, Inc. (TEC) under U.S. Air Force Center for Environmental Excellence (AFCEE) Contract No. F41624-95-D-8002, Delivery Order 0003, project number 95-8021. The SC report summarizes the results of an investigative effort conducted at the Naval Air Station (NAS) Fort Worth, Joint Reserve Base, Carswell Field, Texas. Areas investigated during this project include the following:

- Fuel distribution lines between Highway 183 and Ascol Drive, in the vicinity of the Unnamed Stream and along the West Fork of the Trinity River west of Jennings Drive; and
- Recreational Vehicle (RV) Family Camping area (Fam Camp).

The RV Fam Camp project consisted of a two-phase data collection effort that included an initial Site Assessment (SA) and SC. This SC report provides a summary of the activities that took place in these phases and their results for the RV Fam Camp area. The investigation activities and results associated with the fuel pipeline areas are presented in a separate report (TEC, 1999a).

All efforts were completed in accordance with guidelines provided in the Headquarters (HQ) AFCEE Handbook for the Installation Restoration Program (IRP) Remedial Investigations and Feasibility Studies (RI/FS), dated September 1993 (hereafter referred to as the Handbook). Although the RV Fam Camp area was investigated in accordance with IRP guidance, it has not been identified as a Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) site. NAS Fort Worth (formerly Carswell Air Force Base) is undergoing property disposal/reuse pursuant to the Defense Base Closure and Realignment Act (DBCRA) of 1990 and Round II of the Base Closure Commission deliberations. The study area is being considered for property disposal or reuse.

1.1 THE AIR FORCE INSTALLATION RESTORATION PROGRAM

The objective of the U.S. Air Force IRP is to assess past hazardous waste disposal and spill sites at U.S. Air Force (USAF) installations and to develop remedial actions for those sites. The IRP is the basis for assessments and response actions consistent with the National Contingency Plan (NCP); the CERCLA of 1980; and the Superfund Amendments and Reauthorization Act (SARA) of 1986 for sites that pose a threat to human health and welfare or the environment.

Executive Order 12580, adopted in 1987, gave various Federal agencies, including the Department of Defense (DOD), the responsibility to act as lead agencies for conducting investigations and implementing remediation efforts when they are the sole or co-contributor to contamination on or off their properties.

To ensure compliance with CERCLA and Executive Order 12580, the DOD developed the IRP under the Defense Environmental Restoration Program to identify potentially contaminated sites, investigate these sites, and evaluate and select remedial actions for contaminated sites. The DOD issued Defense Environmental Quality Program Policy Memorandum (DEQPPM) 80-6 regarding the IRP program, dated June 1980. The DOD

formally revised and expanded IRP directives, and amplified all previous directives and memoranda concerning the IRP, through DEQPPM 81-5, dated 11 December 1981. The memorandum was implemented by a USAF message dated 21 January 1982.

The IRP is the primary mechanism for implementing response actions on USAF installations affected by the provisions of SARA. In November 1986, in response to SARA and other United States Environmental Protection Agency (EPA) interim guidance, the U.S. Air Force modified the IRP to provide for an RI/FS program. The IRP was modified so that RI/FS could be conducted as parallel activities rather than serial activities. The IRP now encompasses Applicable or Relevant and Appropriate Requirement (ARAR) determinations, identification and screening of remedial technologies, and the development of remedial alternatives. A project conducted under the IRP may include multiple field activities and studies prior to a detailed final analysis of remedial alternatives.

1.2 NAS FORT WORTH DESCRIPTION

1.2.1 Installation Location


NAS Fort Worth, Joint Reserve Base, Carswell Field (hereafter referred to as NAS Fort Worth) is located in north-central Texas in Tarrant County, approximately 8 miles west of the downtown area of the City of Fort Worth (Figure 1-1). NAS Fort Worth property totals 2,555 acres and consists of a main station and two noncontiguous land parcels. The area surrounding NAS Fort Worth is predominantly suburban, including the residential areas of the City of Fort Worth, Westworth Village, River Oaks, and White Settlement (Figure 1-2).

The main station consists of 2,264 acres and is bordered on the north by Lake Worth, on the east by the Trinity River and Westworth Village, on the northeast and southeast by the City of Fort Worth, on the west and southwest by White Settlement, and on the west by Air Force Plant 4 (Lockheed).

Public and recreational land surrounds Lake Worth north of the station; however, public access along the southern shore of the lake is restricted due to NAS Fort Worth activities. Private recreation lands, a fish hatchery, and a Young Men's Christian Association (YMCA) camp are located along the West Fork of the Trinity River northeast of the station. East and southeast of the station are various types of residential development; a commercial area is located south of the station at the interchange of Interstate Highway I-30 and State Highway 183. This commercial area includes a discount retail center, a shopping mall, and a convenience store. Land uses west of the station are primarily residential and industrial and include single-family residences, Air Force Plant 4, commercial centers, and an industrial complex in White Settlement.

1.2.2 Installation History

The land area currently known as NAS Fort Worth was originally an earthen runway constructed to service an aircraft manufacturing facility. When established in 1942, the installation was referred to as the Tarrant Field Airdrome and was under the jurisdiction of the Gulf Coast Army Air Field Training Command. The installation mission was to provide transition training for B-24 bomber pilots.






Figure 1-2 -- NAS For Worth Location Map

4.1

The Strategic Air Command (SAC) assumed control of Tarrant Field Airdrome in 1946, and the installation served as the HQ for the Eighth Air Force and as a heavy bomber base. In 1948, the installation was renamed Carswell Air Force Base (AFB) in honor of Major Horace S. Carswell, a Fort Worth native. HQ 19th Air Division was located at Carswell AFB in 1951 and the installation became home base for B-52s and KC-135s in 1956. The Air Combat Command (ACC) assumed control of Carswell AFB in 1992 concurrent with the disestablishment of the SAC.

Carswell AFB was selected for closure and associated property disposal/reuse during Round II of Base Closure Commission deliberations pursuant to the DBCRA of 1990. The planning process for closure and property disposal/reuse at Carswell AFB was initiated in 1992 and Carswell AFB officially closed on 30 September 1993.

The U.S. Navy assumed control of Carswell AFB on 1 October 1994 and renamed the installation NAS Fort Worth.

1.2.3 Regional Topography and Surface Hydrology


NAS Fort Worth is situated in the Grand Prairie Section of the Central Lowlands Physiographic Province. The area is characterized by gently sloping broad terraces that incline to the east and are separated by west-facing escarpments. The surface is typically grass covered with isolated stands of timber on some of the uplands. Within the base, the land surface slopes gently northeast toward Lake Worth and east toward the West Fork of the Trinity River, which flows along the eastern border. Elevations range between 550 and 690 feet above sea level.

NAS Fort Worth is located in the Trinity River Basin immediately south of Lake Worth (Figure 1-2). Surface water generated on the base is discharged through a series of storm drains and natural drainage ways, such as Farmers Branch Creek. Farmers Branch Creek begins near the community of White Settlement and flows to the east. This creek drains the majority of the area included in this investigation. Portions of the base are directly adjacent to Lake Worth and the West Fork of the Trinity River. Surface runoff from adjacent areas discharges directly into these water bodies (Figure 1-3).

1.2.4 Regional Geology and Hydrogeology

A layer of Quaternary sediments covers most of the surface of NAS Fort Worth. This material is thin to absent in some areas where a thin layer of organic soil caps near-surface bedrock. Cretaceous limestones and limy shales of the Goodland Limestone and the Walnut Formation form the bedrock in the areas investigated. These units are a portion of the stable Texas shelf. Bedding is essentially horizontal with regional dips of approximately 35 to 40 feet per mile toward the southeast. No major fracture zones or faults have been mapped in the proximity of the base.

Soils encountered in the present investigation range from organic-rich silty clays to fine-grained sediments of the Trinity River alluvial terraces. Typically, borings - drilled in the uplands portion of the base encountered a thin profile of topsoil followed by clay-rich silts containing abundant limestone fragments. All borings met refusal against bedrock. Refusal depths ranged from 4 to 7.5 feet in the subsurface of the RV Fam Camp area. A stratigraphic cross-section of the area is shown in Figure 1-4.



453 44

The principal hydrogeologic units underlying NAS Fort Worth include the Terrace Alluvium Aquifer and the Upper, Middle, and Lower Paluxy Aquifers. The Paluxy Aquifers are bedrock hosted. The Terrace Alluvium Aquifer is the uppermost aquifer and occurs in unconsolidated material and in the Goodland Formation. The unconsolidated material constituting the Terrace Alluvium is predominantly alluvial and fluvial deposits of clay, silt, sand, and gravel. The Goodland Formation is a thinly to massively bedded fossiliferous limestone. The Terrace Alluvium Aquifer is only partially saturated and is not used as a source of drinking water. Recharge of the aquifer is from precipitation and leaking water supply lines, sewer lines, and storm drains. Discharge seeps into small streams and the Trinity River. Groundwater was not encountered in boreholes drilled at the RV Fam Camp Area.

The Paluxy Aquifers are hosted by fine- to medium-grained sandstone separated by clays and shales of the Paluxy Formation. The Middle Paluxy Aquifer serves as a water supply source for the community of White Settlement. The Paluxy Aquifers are hydraulically separated from the Terrace Alluvium Aquifer by the Walnut Formation, a limestone coquina. The Walnut Formation has been subjected to subaerial erosion, suggesting the possibility of local hydraulic communication between the Terrace Formation Aquifer and the deeper Paluxy Aquifers.

1.2.5 Climate

Sub-tropical humid summers and dry winters characterize the climate of NAS Fort Worth, which is situated at 33°N latitude. The average annual air temperature is 66 degrees Fahrenheit (°F). July is the warmest month, with an average monthly air temperature of 86°F. January is the coldest month, with an average monthly air temperature of 45°F. Temperature changes can be rapid in the region, often changing 20° to 30°F in a matter of hours. During calendar year 1995, temperatures averaged 66°F and varied from 48°F in February to 97°F in July. Freezing temperatures occurred during 34 days in 1995. The average annual relative humidity is 63 percent.

The average annual precipitation is 31.5 inches, with the majority of precipitation falling between April and October. There were 31.4 inches of precipitation during 1995, with the wettest month being May. The period from October to February was the driest of the year. Thunderstorms, clustering between March and July, occurred during 61 days in 1995. The maximum recorded precipitation in 1995 was 2.14 inches during one 24-hour period (May 5th). During the present investigation, two major precipitation events occurred on October 21 and 27, causing flash flooding coupled with wind and hail damage.

Prevailing winds are primarily southerly from March through November and northerly from December through February. The average wind speed is 8 knots. Thunderstorms with wind speeds in excess of 65 knots as well as hail storms are common in the region. Climate conditions in summer make tornado formations possible.

1.3 SITE DESCRIPTION

The Air Force Base Conversion Agency (AFBCA) has labeled this site on DD Form 1391 as the "RV parking area (Fam Camp)." The RV Fam Camp area is located northwest of the Roaring Springs Road/Highway 183 intersection (Figure 1-3). The area encompasses approximately 3 acres (250 feet by 550 feet). Entrance drives into the

area are located off Highway 183 and Roaring Springs Road; however, they are currently blocked. The RV Fam Camp provided a camping area for Carswell AFB military personnel. The exact operational period of the area is not known; however, the area has not been used since base closure in 1993.

The camping area consisted of nine parking stalls. A utility drawing dated 1972 indicates that the area was served by individual sanitary waste dump stations and water supply (Appendix A). A central sanitary waste dump station is also shown on the service road. The individual and central sanitary stations are connected to a sewer collection pipe running from the southwest to the northeast. Remnants of these services are still present. Four-inch diameter polyvinyl chloride (PVC) sewer pipe inlets protrude from the ground surface at each parking stall. Water pipes with hose valves are also present at each stall.

1.4 PAST OBSERVATIONS AND INVESTIGATIONS

There have been no past observations or investigations related to potential environmental threat or hazards at the RV Fam Camp area. However, concern was generated following reports by past base public works personnel that the RV Fam Camp sanitary waste stations may have been connected to a leach field (Long 1996). It is not known whether the leach field would have been associated with the sewer lines shown on the 1972 drawing provided in Appendix A. Use of the area as a camp was unrestricted. Therefore, non-domestic wastes could have been disposed of by past users of the RV Fam Camp area. If a leach field system was in service at the time, such uncontrolled disposals could have impacted soil and/or groundwater in the area.

No past remedial actions have been completed within the RV Fam Camp investigation area.

TAB

2

2.0 PROJECT ACTIVITIES

This section provides a synopsis of the objectives, activities, and methods used in the assessment, investigation, and characterization of the RV Fam Camp Investigation Area at NAS Fort Worth. The overall goals for the project are described, as are the phase-specific objectives, an overall summary of the project field activities, laboratory analytical program, and data evaluation activities and methods. Results of each phase of the project are described in Section 3.0.

2.1 PROJECT OBJECTIVES

2.1.1 Overall Objectives and Approach

The overall goal of this project, as defined in the AFCEE Statement of Work (SOW) for Project Number 95-8021 (Contract Number F41624-95-D-8002, Delivery Order Number 3) dated January 25, 1996, is to "determine the presence or absence and nature and extent of contamination in the RV Fam Camp Area at NAS Fort Worth, Texas" (USAF, 1996). To accomplish this goal, TEC was directed to perform a phased evaluation consisting of an SA and SC.

As the initial steps in planning the project, several delivery order scoping and plan development tasks were performed. To begin with, all available background information pertaining to the study area was compiled and reviewed. Results of this effort, presented in Sections 1.2 through 1.4 of this report, were used to develop a preliminary conceptual model of the study area and its environs to help identify critical decision points and associated data gaps related to the overall project goal. For each gap identified, specific types of information needed to fill the gap were then defined, anticipated uses of the data were described, and media-specific field characterization tasks were developed to ensure that the proper quantity and quality of information were generated to support future decision-making.

The quantity and quality of data required to fill the data gaps and to confidently accomplish the project objectives were determined based primarily on the intended data use(s), expected contaminants and levels of concern, required analytical detection limits, and preferred analytical quality levels. With respect to data quality, AFCEE defines two general data quality levels: screening and definitive. Screening data are generated by rapid methods of analysis with less rigorous sample preparation, calibration, and/or quality control (QC) requirements than are necessary to produce definitive data. Definitive data are produced using rigorous analytical methods, such as EPA reference methods. Definitive data are used in support of decisions of the highest relative importance to the project.

The RV Fam Camp area initially was characterized in conjunction with a field sampling effort conducted in October 1996. All of the analytical chemistry data generated from this effort, however, were determined to be unusable due to laboratory error. These data, which related directly to determination of a source at the RV Fam Camp, included benzene, toluene, ethylbenzene, and xylene (BTEX), volatile organic compounds (VOCs), semivolatile organic compounds (SVOCs), and pesticide/polychlorinated biphenyl (PCB) analytical results. After considering the quality of these analytical results, representatives of the EPA and the Texas Natural Resource Conservation Commission (TNRCC) determined that project data from this effort are not sufficient to support the

"No Further Action" conclusion presented in the final project report (TEC, 1998a). Therefore, a limited supplemental sampling effort was conducted in October 1998 to provide data needed to complete the characterization of the RV Fam Camp area. The analytical data from this effort, together with the other data and information collected during the SA/SI and SC phases of the investigation, are presented in this report.

Results of the initial project scoping and planning efforts are documented in TEC's project Work Plan (WP), dated July 1996 (TEC, 1996c). Two primary companion documents also were developed and used in conjunction with the WP to implement the RV Fam Camp SC: the Field Sampling Plan (FSP) (TEC, 1996a) and the Quality Assurance Project Plan (QAPP) (TEC, 1996b). The activities associated with the supplemental sampling are documented in the Draft Work Plan Addendum (TEC, 1998c). The remainder of Section 2.1 summarizes the specific objectives and approach of each project phase. Project samples, types, numbers, and quality requirements for the supplemental sampling are summarized in Section 2.2.

2.1.2 SA Phase Objectives and Approach

The AFCEE/TEC contract SOW defined three primary goals for the SA phases of the project. They were to:

- · identify all potentially contaminated areas;
- · identify areas that potentially require emergency response; and
- develop a conceptual site model of the RV Fam Camp investigation area.

Two site assessment field tasks were identified in the WP to satisfy these objectives. These tasks included a land survey and a visual reconnaissance of site conditions. An SI, which consisted of a soil gas survey of the Fuel Pipeline Investigation areas (TEC, 1998a), was not conducted in the RV Fam Camp area.

2.1.3 SC Phase Objectives and Approach

Results from the SA phase were used to define areas within the RV Fam Camp area that needed further attention during the SC phase. Accordingly, the SC phase was intended to characterize environmental conditions, to define the nature and extent of contamination, and to estimate the risk to human health and the environment through the collection, analysis, and evaluation of site-specific environmental media samples.

To accomplish the SC phase objectives, a geophysical survey was performed in areas targeted for subsurface characterization, and subsurface soil samples were collected for physical/chemical analyses.

2.2 FIELD ACTIVITIES

This section summarizes the field activities performed in both the SA (Section 2.2.1) and SC (Section 2.2.2) phases of the project. Included are brief descriptions of the sample/ measurement types, numbers, locations, methods, and rationale. Also included is a brief discussion of the project record keeping procedures (Section 2.2.3), a listing of the major responsibilities of field team members and subcontractors in implementing the field program

(Section 2.2.4), a chronology of the field activities (Section 2.2.5), and a synopsis of key aspects of the field quality assessment/quality control (QA/QC) program (Section 2.2.6). Results of the field activities are discussed in Section 3.0.

All field investigative and support activities were performed as outlined in the SOW for Project No. 95-8021 and as described in the TEC WP, WP Addendum, FSP, and QAPP (TEC, 1996a,b,c and 1998b), unless otherwise noted in this report. The work was conducted in accordance with the guidelines provided in the HQ AFCEE Handbook for the Installation Restoration Program (IRP) Remedial Investigations and Feasibility Studies (RI/FS), dated September 1993 (hereafter referred to as the AFCEE Handbook).

The investigation of the RV Fam Camp area was performed consistent with Texas Administrative Code (TAC), Title 30, Chapter 335. Chapter 335 was referenced because the site is not regulated as a Leaking Storage Tank Program (LSTP) site, and potential contaminants associated with the area could include hazardous constituents other than those related to petroleum products.

2.2.1 SA Phase Field Program

Two field activities were performed during the SA. These include:

- Land Survey; and
- Site Reconnaissance.

Based on results of these activities, a geophysical survey and subsurface soil characterization were performed in the SC. A geophysical survey was conducted during the SC to aid in identifying the most appropriate locations for soil borings and subsurface soil sampling. Table 2-1 summarizes the data quality objectives (DQOs) for each SA task as presented in the project WP. The locations, types, numbers, and methods of collecting field measurements and samples during each task are described below.

Table 2-1 SA Phase Data Quality Objectives

Activity	Data Type	Intended U	Jse	Quality	Category
Land Survey	State Plane Coordinates	Precisely Locate E Sample Loca			
Site Reconnaissance	Visual Observations	Qualitatively Identif Stress or Ot Abnormalit	ther	Scre	eening

2.2.1.1 Land Survey

A land survey was performed throughout the study area to identify existing easements, property boundaries, and adjacent landowners in anticipation of future field activities. The survey was performed by Baird, Hampton & Brown, Inc. (BHB), a State of Texas-registered land surveyor. BHB field staked and surveyed property boundaries and soil boring locations evaluated during SC activities.

2.2.1.2 Site Reconnaissance

A visual reconnaissance of the overall study area was performed to note areas of stressed vegetation, discolored soils, and/or other indicators of contamination. These observations were used to focus subsurface characterization activities. The visual reconnaissance consisted of a walk-over of key site areas suspected of being actual or potential sources of contamination. Observations of stressed conditions and also of overall site accessibility, use, sampling restrictions, security, and other logistical factors were recorded in the field log books.

2.2.2 SC Phase Field Program

Background research conducted as part of the project scoping activities indicated that, in the early history of the RV Fam Camp area, sewage receptacles reportedly were connected to a septic tank and leach field. However, the precise location of the leach field could not be verified during the SA phase of the investigation. Therefore, it was determined that the RV Fam Camp area needed additional study during the SC phase. Two SC phase field activities were performed:

- Geophysical Study; and
- Subsurface Soil Characterization.

Table 2-2 summarizes the SC DQOs for each task as presented in the project WP. The locations, types, numbers, and methods of collecting SC phase field measurements and samples are described below.

2.2.2.1 Geophysical Survey

A geophysical survey was performed in the RV Fam Camp area to determine whether the alleged leach field existed and to confirm the location of underground utilities. The results of the survey were intended to be used to identify appropriate borehole drilling locations for the subsurface soil investigation.

The geophysical survey was performed by ULS Services Company in October 1996 using a combination of analog and digital electromagnetic (EM) techniques, as well as ground penetrating radar (GPR) methods. Analog EM methods included electromagnetic pipe and cable location (EMPCL) and electromagnetic induction metal detection (EMIMD). The EMPCL technique, including passive, ground induction, and connection modes, was used to identify conductive utilities. In addition, the EMIMD technique (air to ground induction mode) was used to detect broad metal mass anomalies that may represent USTs or vaults that were not previously known to exist (ULS, 1996). EMIMD was also used to detect high conductive soil or metallic residual soil areas that may be indicative of former UST or septic tank pit areas.

Survey results were read using a high-watt signal generator with multifrequency receiver and bar-suspended transmitter and receiver type unit. EM line signals representing utilities were marked on the ground surface and field drawings were prepared for the field sampling effort. Digital data were downloaded into Surfer for Windows and Autocad LT software for analysis and presentation. Appendix B presents a copy of the ULS Services letter report, dated November 12, 1996, documenting the objectives, activities, methods, and results of the SC phase

Table 2-2 SC Phase Data Quality Objectives

Activity	Data Type	Intended Use	Characterization	Quality Category
			Event	
Utility Location Survey	Geophysical Instrument	General Locations of Underground Utilities	Initial October 1996	Screening
	Readings at Field Reference Points			
Geophysical Survey	Geophysical Instrument	General Location of Potential Abandoned Leach Field	Initial October 1996	Screening
	Readings at Field Reference Points		· · ·	
Surface Soll Screen	Photoionization Detector (PID) Measurements	General Presence or Absence of VOCs	Initial October 1996	Screening
	Physical Parameters	Characterize Geology and Contaminant Migration Potential	Initial October 1996	Screening
Subsurface Soil Characterization	Chemica Parameters	Magnitude and Extent of Chemical Contamination, Risk Assessment	September, October 1996	Screening

453 52

geophysical surveys. Appendix B also provides a copy of a site map, prepared by ULS Services, depicting survey results.

As an added precaution, Little Bear Construction verified the location of the utilities prior to collection of the subsurface soil samples during the supplemental sampling effort in October 1998.

2.2.2.2 Subsurface Characterization

Based on the cumulative results of all of the above-noted SA and SC phase activities, a subsurface soil investigation was performed at the RV Fam Camp area to characterize the near-surface lithology, to confirm the presence or absence of a leach field, and identify potential contamination associated with the RV Fam Camp area. Five soil borings were established during the initial SC field event. Samples collected from these borings were screened for VOCs and characterized with respect to lithology. Samples were then collected for definitive chemical analysis based on the PID screening. As indicated in Section 2.1.1, these definitive data were determined to be unusable. Therefore, additional samples were collected from co-located soil borings in a supplemental SC field effort.


Five soil borings were drilled at the five sample locations established during the initial field sampling event using the utilities survey results generated by ULS Services Company. The areas around each location were cleared for utilities. Coordinates and elevations of all subsurface soil sampling locations for the project are provided in Appendix D. Figure 2-1 depicts the soil boring locations.

In October 1996, the initial boreholes were advanced using the hollow-stem auger (HSA) drilling technique by Rone Engineers, Inc. The HSA method offers greater lithologic control during sample collection because sampling tools (e.g., split-spoon sampler) can be inserted while the augers are in place supporting the borehole walls. All drilling activities conformed with state and local regulations and were supervised by a state-licensed geologist/engineer.

Supplemented characterization soil samples were collected in October 1998 by Maxim Technologies using split-spoon samplers driven by direct-push technology (DPT). Subsurface soil samples were collected continuously to depths equivalent to:

- · the deepest October 1996 soil sample interval; or
- refusal (whichever is encountered first).

As indicated above, the soil samples collected during the initial SC sampling effort were screened for organic vapors using the PID. Field screening was performed by filling a precleaned glass jar approximately half full with a soil sample, quickly covering the jar top with aluminum foil, and securing the foil seal with the screw cap. The soil samples were then vigorously shaken for approximately 30 seconds and allowed to equilibrate a minimum of 15 minutes and a maximum of 2 hours (120 minutes) to a temperature of approximately 25°C. The jar headspace was then screened for organic vapors by puncturing the foil seal with the PID probe, inserting the tip to a distance approximately one-half the headspace depth, and recording the highest reading displayed on the instrument meter. The PID results were used to determine the



The Environmental Company, Inc.

Characterization Area

Prepared By: Project No: P-3101 appropriate soil column intervals from which to collect soil samples for definitive analysis. This information was also considered in the supplemental sampling event when selecting sample intervals.

A total of five subsurface soil samples, excluding QA/QC samples, were collected as part of the supplemental SC effort. Table 2-3 summarizes the type and number of subsurface soil samples collected and lists the general analytical requirements for each sample type. Appendix C provides a comprehensive summary and cross-reference of all sample identification information collected during the SC phase of the project.

Table 2-3. SC Phase Sample Collection and Analysis Summary

		Number of Analyses				
		VOCs	SVOCs	Inorganics	Pest./PCBs	
Sample Element	No. of Samples	8260	8270	6010/7471	8081/8082	
Field Samples	5 %	5	5	5	5 ===	
Duplicates	1	1	1	1	1	
Trip Blanks	1	1				
Ambient Blanks	1	1				
Equipment Blanks	1	1	1	na in conserv a proporte in proporte in the second	Andreas Control Section 1. Sectio	

Note: Only one ambient sample was collected; it applies to all areas.

One to two samples from each borehole were collected for definitive chemical analysis. The samples generally were collected at intervals that would aid in identifying any potential source and characterizing contamination.

Split-spoon soil samples selected for definitive VOC analyses were placed in appropriate sample containers in accordance with procedures defined in the FSP. These containers were filled to minimize headspace, affixed with a completed sample label, placed in a plastic bag, and placed in an iced cooler held at a temperature below 4°C. VOC samples were not composited.

Samples collected for other definitive analyses (i.e., SVOCs, inorganics, pesticides/PCBs as shown in Table 2-3) were collected concurrently with the VOC samples. Sample handling, packaging, and shipping procedures were as defined in the FSP. In some cases, composites were formed to provide sufficient sample volume for a particular analysis. The composite procedure involved mixing and homogenizing the soil from identical depths from adjacent borehole using a stainless steel bowl and stainless steel trowel or scoop. The composite sample was then transferred into the appropriate sample container, sealed, labeled, and placed in an iced cooler at 4 degrees Celsius (°C). Samples were delivered to the laboratory and analyzed for selected compounds (Section 2.3.1).

All initial SC event screening data (field headspace screening results, soil texture, density, consistency, and color) was recorded on soil boring logs. These logs are presented in Appendix E. Initial SC event PID screening results are discussed in Section 3.0.

Throughout the drilling and sampling process, all drilling equipment that contacted samples was decontaminated in a designated decontamination station using procedures outlined in the FSP. The station consisted of a pad that was lined with heavy-gauge plastic sheeting and designed with a collection system to capture decontamination waters. The drilling rigs and associated drilling equipment were steam-cleaned between borings to minimize the potential for cross-contamination. All decontamination fluids were contained and temporarily stored on Carswell AFB property. Other investigation-derived waste included soil cuttings generated during drilling, which were also collected and stored on AFB property. These wastes were characterized and disposed of as non-hazardous wastes in accordance with TNRCC regulations (Appendix M).

2.2.3 General Record Keeping

Field records were maintained in sufficient detail to recreate all sampling and measurement activities and to meet all Installation Restoration Program Information Management System (IRPIMS) data loading and HQ AFCEE requirements. The types of hard copy field records developed included:

- Project log books, including the master Site Log Book, the Health and Safety Log Book, and the Geologic Log Book;
- Field Sampling/Data Forms; and
- Sample Chain-of-Custody forms.

The Site Log Book is the master field investigation document that is a bound book with a hard cover and sequentially numbered pages. The primary objective of the Site Log Book is to maintain, within one document, the actual field data or references to other field documents that contain a specific description of every activity that has occurred in the field on any given day. Any administrative occurrences, conditions, or activities that affected the field work were recorded in the Site Log Book. All field activities entered into the Site Log Book were signed and dated by the responsible party. Other appropriate information, as specified in the FSP, was also recorded in the Site Log Book.

The purpose of the Health and Safety Log Book is to document the proper use, maintenance, and calibration of health and safety instrumentation, record results of regular safety briefings, and describe conditions relating to potential worker and/or site visitor health-and-safety-related issues during the performance of field work. The Geologic Log Book is used to document drilling procedures, site conditions, lithologic observations, subcontractor performance, and other issues related to the subsurface soil characterization effort.

The log books contain all of the information specified in the FSP, including:

- Location;
- Date and time;
- · Persons performing activity;

- Weather conditions;
- Sample type and sampling method;
- Sample identity and depth(s);
- Amount of each sample;
- Sample description (e.g., color, odor, clarity);
- · Identification of sampling devices; and
- Identification of conditions that might affect the representativeness of a sample (e.g., refueling operations, damaged casing).

For field measurements, the numerical value and units of each measurement and the identity of and calibration results for each field instrument were also recorded.

In addition to the above-referenced log books, standardized field data forms for all field activities were maintained. As specified in the FSP, the forms consist of the following:

- · Boring Log;
- · Waste Inventory Tracking Form;
- · Field Sampling Report;
- Chain-of-Custody Form;
- · Health and Safety Monitoring Sheet;
- · Instrument Calibration Log; and
- Equipment Decontamination Log Sheet.

Completed field data forms are presented in Appendix F. Chain-of-Custody forms are provided in Appendix G. Original copies of all field records and project log books are maintained at TEC's Issaquah, Washington office. These log books are in an easily accessible form that can be made immediately available to the Air Force upon request.

Procedures for completing and maintaining field records were as specified in the FSP (TEC, 1996a). Records were kept for all field activities as a means to maintain full documentation of project QA/QC procedures and compliance. Errors in records were corrected by crossing them out with a single line and then dating and initialing. The documents used during the SA/SI and SC field investigations remained on site during the entire effort so that they could be reviewed by interested parties. Forms were organized and kept in a central file also located on site.

2.2.4 Project Team Members

The site assessment and characterization efforts were performed by TEC personnel, as well as task-specific subcontractor specialists operating under the direct supervision of the TEC Project Manager. Key project personnel and specialty subcontractors included in this effort are identified below along with their respective project responsibilities.

- . Project Director Jack Wilson, P.E.
- Project Manager Bob Duffner, P.E.
- Principal Geologist King Troensegaard, CPG
- · Senior Chemist Glenn Metzler

- Senior Toxicologist Dawn Nelson
- Surveying Subcontractor Baird, Hampton & Brown
- Analytical Subcontractor Severn Trent Laboratories
- Drilling Subcontractor Rone Engineers, Inc. and Maxim Technologies
- Geophysical Subcontractor ULS Services Company and Little Bear Construction

2.2.5 Chronology of Field Work

Field work associated with the RV Fam Camp Investigation occurred in August and October 1996 and October 1998. The chronology of specific SA and SC phase field tasks is as follows:

- Land Survey August 14, 1996 to August 16, 1996
- Site Reconnaissance August 14, 1996 to August 16, 1996
- Geophysical Survey October 21, 1996
- Initial Subsurface Soil Characterization October 22, 1996 to October 30, 1996
- Supplemental Subsurface Soil Characterization October 23, 1998

2.2.6 Field Quality Assurance/Quality Control

To ensure that sampling and monitoring activities regularly meet the prescribed DQOs, TEC maintains a formal, comprehensive field QA/QC program for field measurements and environmental sampling and analysis. Key components of the program include developing a project-specific QA Project Plan in accordance with EPA and AFCEE guidance; establishing DQOs; applying pre-defined standard operating procedures (SOPs) for field sampling, record keeping, and laboratory analysis; conducting multiple levels of technical review of project activities, results, and deliverables; and implementing independent QA audits/corrective actions.

For this project, QC responsibility rested primarily with the project manager and field task leaders. These individuals were closest to the field tasks and were therefore most capable of controlling the overall quality of the work. They implemented their QC responsibility through five primary methods: clear and accurate instructions, integrated planning, close coordination/communication with the client, spot checking of work in progress, and review of all products and deliverables.

QA, in comparison, is oriented toward ensuring that quality products are developed. QA is therefore best applied by personnel who are not directly connected to the specific activities being evaluated. For the RV Fam Camp Investigation, QA was the responsibility of TEC's Project Director. He ensured that all AFCEE policies, procedures, and objectives were met in all project tasks. To accomplish this, he received and reviewed copies of all written correspondence, audited office-based activities as appropriate, documented audit findings, and recommended corrective actions. Additional detail pertaining to specific QA/QC program activities, problems encountered, and corrective actions taken is provided below.

2.2.6.1 Quality Control Activities

To ensure that samples of appropriate quality and reliability were obtained, all RV Fam Camp Investigation field activities included the following QC elements:

- Use of AFCEE- and EPA-approved sample collections, field measurement methods, and containers:
- Use of properly calibrated and maintained field instruments appropriate for the anticipated task and DQO;
- Calibration of field instruments to within acceptable limits according to EPA and/or manufacturers' recommendations before, during, and after use in the field;
- Routine periodic inspection and maintenance of all equipment and instruments in accordance with manufacturer's recommendations;
- Use of EPA-accepted sample-handling, preparation, and preservation methods;
- Collection of all important associated environmental data (e.g., weather conditions, sample location observations, unique or abnormal conditions) using acceptable and applicable methods and equipment;
- Use of Department of Transportation (DOT)-approved sample shipment procedures;
- Use of formal chain-of-custody procedures in the field and during shipment;
- Collection of appropriate numbers and types of field QC samples; and
- Maintenance of adequate records and logs of all field-related activity.

In addition to adhering to well-defined SOPs, a number of equipment and/or field measurement-specific QC checks were performed. These included periodic calibration of field instruments and operational checks performed according to the manufacturer's instrument manuals and the AFCEE IRP *Handbook* (1993).

All field instruments were calibrated on a daily basis while in use. The PID was calibrated at least twice per day. In some instances, calibration was performed more frequently. Calibration, repair, and service records were kept in individual site log books as described above, and on Instrument Calibration Log Sheets (Appendix F). Each instrument's individual identification number was transcribed on field data records when it was used for a sampling event. Calibration data were compared to the manufacturer's equipment calibration control limits. Field equipment that consistently failed to meet calibration standards or exceeded the manufacturer's control limits was promptly repaired or replaced.

Field QC samples included equipment blanks, trip blanks, and ambient blanks. **Table 2-3** summarizes the type and number of field QC samples collected during the October 1998 supplemental soil sampling. All of the field QC samples were applied to all of the environmental samples collected (Appendix L).

Equipment blanks were collected to assess the effectiveness of equipment decontamination procedures. One equipment blank was collected (Table 2-3) during subsurface characterization activities at the RV Fam Camp area. The equipment blank was created by pouring a sample of American Society of Testing and Materials (ASTM) Type II reagent grade water into or over the decontaminated split spoon sampler, collecting the water in an appropriate sample container, and packaging/transporting the sample to the laboratory for analysis. The equipment blank was analyzed for all laboratory parameters requested for the environmental samples collected at the study area.

Trip blanks were used to assess potential cross-contamination of environmental samples during transportation and storage. One trip blank was submitted (Table 2-3) with the cooler of samples

sent to the laboratory for analysis of VOCs. The trip blank consisted of a VOC sample vial filled in the laboratory with ASTM Type II reagent grade water, transported to the sampling site, handled like an environmental sample, and returned to the laboratory for analysis. The trip blank was not opened in the field and was prepared only when environmental samples were collected and submitted for VOC analysis. Consequently, the trip blank sample was analyzed only for VOC analytes.

Ambient blanks were used to assess the potential introduction of contaminants from ambient sources to the samples during collection (e.g., active runways, engine test cells, internal combustion motors in operation). A single ambient blank was collected during the supplemental SC field investigation for both the RV Fam Camp and Fuel Pipeline studies. The sample was collected downwind of potential VOC sources that could have impacted the field samples. This location was at the Farmers Branch Creek area, just south of Ascol Drive (TEC, 1999). Because the study area is located in a commercial area of the City of Fort Worth, numerous potential sources of airborne contamination are possible. The ambient blank consisted of ASTM Type II reagent grade water poured into a VOC sample vial at the sampling site. It was handled like an environmental sample and transported to the laboratory for VOC analysis.

2.2.6.2 Quality Assurance Activities

Two types of QA audits typically are performed as a part of TEC's overall QA program: generic and project-specific. Generic audits are performed periodically for each engineering or environmental program and technical services area in the company. Their frequency is determined by the results of previous audits, with a minimum of one per environmental program/technical service area per year. The need for more frequent audits is determined based on the following considerations:

- The importance of the activity to the successful completion of stated corporate objectives;
- Significant changes in the functional areas of the quality assurance program, such as significant reorganization or procedural revisions;
- A suspected nonconformance in an item or service; or
- The necessity to verify implementation of required corrective action.

Project-specific audits are performed at a frequency dictated by contractual agreements and as noted in the project QAPPs. No project-specific audit was performed for this investigation.

2.2.6.3 Problems Detected and Corrective Actions Taken

Comparison of equipment calibration records (Appendix F) with manufacturer-specified calibration control limits indicated no significant problems with field equipment and/or instrumentation that required corrective action.

2.3 LABORATORY ANALYSIS

This section describes the analytical program developed to accomplish the objectives of the RV Fam Camp Investigation SA and SC project. Included are brief descriptions of the overall analytical program including the laboratories involved, and the analytical parameters and methods specified, the chronology of the laboratory analyses, and the QA/QC program that supported the analytical program.

2.3.1 Analytical Program

As noted previously, two types of analytical data quality levels were identified for this project: screening and definitive. Screening analytical data included field measurements of organic vapors in the headspace of subsurface soil samples and particle size distributions for subsurface soil samples. Definitive data consisted of chemical characteristics of subsurface soil samples.

The subsurface soil samples collected for definitive characterization during the supplemental field effort were analyzed for VOCs, SVOCs, inorganic compounds, pesticides, and PCBs.

The analytical work was performed utilizing the *United States Environmental Protection Agency* (USEPA) Test Methods for Evaluating Solid Waste, Physical/Chemical Methods (SW-846, Third Edition). Appendix H provides a comprehensive list of the analytical parameters and analytical methods for each sample. Table 2-3 summarizes the general analytical requirements for each subsurface soil sample. All laboratory analyses for definitive quality level data associated with samples collected during the supplemental field effort were performed by Severn Trent Laboratories (formerly RECRA Labnet). A summary of extraction and analysis dates listed by field sample number and laboratory number is provided in Appendix I. Raw data are provided in Appendix J.

In addition to the above analyses, grain size analyses (Appendix K) were performed on selected samples collected during the initial SC sampling event to provide data regarding contaminant migration potential and to support preliminary development of remedial options.

2.3.2 Chronology of Laboratory Analyses

Environmental samples associated with definitive chemical analyses were collected in October 1998. Appendix I provides a comprehensive chronology of associated laboratory extraction and analysis dates for each field sample.

2.3.3 Quality Assurance/Quality Control Program

For all analytical work, whether carried out in the laboratory or in the field, strict adherence to established analytical program QA/QC is required. Analytical QC checks for both screening and definitive data are defined in the project QAPP and included blank, spike surrogate, replicate, and matrix spike duplicates samples in accordance with a predetermined schedule. The results are tabulated and placed on control charts so that any deviations from routine analytical performance can be identified and rectified. Procedures for routine instrument tuning, calibration, and maintenance are also carefully applied and documented.

Appendix L provides a summary of laboratory QA/QC samples collected for this project. QC procedures for screening samples are summarized in Table 2-4. Included are lists of the types of QC samples collected, the frequency of QC sample analyses, problems detected, and corrective actions taken.

2.4 DATA EVALUATION

This section briefly discusses the procedures used to identify, reduce, interpret, and use field and analytical data generated during the project. Included are discussions of the methodology for data quality assessment, methodology for risk evaluation, and data analysis and interpretation.

Summary of Calibration and QC Procedures for Screening Method Table 2-4.

Corrective Action ^a	Response ± 20% of Recalibrate; replace if expected value	Correct problem, recalibrate
Acceptance Criteria	Response ± 20% of expected value	Response ± 20% of expected value
Minimum Frequency	Monthly Monthl	Daily at beginning and end of day
QC Check	2 point calibration	Calibration verification and check
Applicable Parameter	Org. vapor conc. (FID and PID)	·
Method	None	

^a All corrective actions were documented in field records.

2.4.1 Methodology for Data Quality Assessment

QC field samples (i.e., trip, equipment, and ambient) were collected and analyzed to support a quality assessment review of the field screening and definitive laboratory data. A review of the analytical data was performed to ensure that all analyses were performed within the control limits identified in the project QAPP.

2.4.2 Data Analysis and Interpretation

Data collected during the SA phase included background information primarily obtained through a review of existing investigation documents, records, and other undocumented reports. This information was reviewed to identify potential areas of concern associated with the RV Fam Camp area.

The general quality and reliability of these data sources were evaluated through examining items such as the relative age of the data, considering the methods by which the data were obtained, and assessing of the degree of comparability of data from different sources.

As necessary and appropriate, data generated during this project were evaluated by preparing descriptive statistics, charts, graphs, tables, and other interpretive tools, many of which are presented in this report. These included:

- Boring logs;
- · Vertical cross sections depicting geologic conditions; and
- Tabulated data summarizing sample physical/chemical evaluations, trends, spatial relationships, and statistics.

Data collected during the SC phase included geophysical survey results, lithologic characteristics, subsurface soil organic vapor readings, and subsurface soil analytical results. Geophysical results were analyzed by comparing instrument readings collected from the investigation area to readings collected from adjacent background areas. Deviations or anomalies in the data were interpreted as indications of potential source areas. Source areas in this context are potential underground utilities, undifferentiated metal mass, and the suspected abandoned leach field. These potential source areas were further investigated during the subsurface soil investigation.

During the SC subsurface soil investigation, samples were collected and characterized with respect to lithology, organic vapors, and chemical constituents. Lithologic data were plotted as geologic cross sections and interpreted with respect to the location of contaminants detected through organic vapors and/or chemical analyses. Chemical data were compared to background levels (Section 2.4.3). Results of these evaluations, discussed in Section 3.0, were used to refine the conceptual model of the site and to identify potential contaminant release and migration routes (Section 4.0).

Organic vapor readings were analyzed relative to background and ambient conditions. Organic vapor readings of ambient conditions collected by the PID meter were found to be influenced by soil moisture. Subsurface soil organic vapor readings exceeding background and/or ambient conditions were interpreted as indications of contamination. These readings were used directly in selecting samples for chemical characterization as described in Section 2.2.2.2.

2.4.3 Methodology for Risk Evaluation

The risk evaluation for the RV Fam Camp Investigation was performed to meet the objectives of the project, which were to identify the nature and magnitude of contamination associated with the suspected leach field and to evaluate corresponding potential risks. Because of the supporting nature of the SC to other investigations at NAS Fort Worth, a streamlined approach for the risk evaluation was taken in an effort to focus on potential contamination that was not previously identified in the other studies.

Human health risks were evaluated for the RV Fam Camp Investigation area through development of risk-based cleanup levels (CULs) for subsurface soil. These CULs were compared with the site concentrations to characterize human health risks. Ecological risks were semi-quantitatively evaluated using a conservative screening level assessment as part of a tiered approach. In this approach, site concentrations were compared to established ecological benchmark concentrations to evaluate the potential impact of the detected compounds on ecological receptors.

Although the RV Fam Camp area is not currently regulated, potential risks associated with the subsurface soil in this area were evaluated using protocols specified in TAC Chapter 335, Subchapter S, "Risk Reduction Standard Numbers 1 and 2" (RRSN1 and RRSN2). This approach was employed because the site is not regulated as an LSTP site, and potential constituents associated with the area could include those not related to petroleum products.

The risk evaluation presented in this report is consistent with the requirements and procedures outlined in TAC Chapter 335, Subchapter S (TNRCC, 1993) and *Implementation of the Existing Risk Reduction Rule* memorandum (TNRCC, 1998). Both of these references, as well as this risk evaluation, generally follow standard risk assessment procedures, which include identifying chemicals of potential concern (COPCs), identifying potential receptors and exposure pathways, evaluating the toxicity of the COPCs, and characterizing risks (EPA, 1989b). The ecological risk evaluation approach is consistent with methods provided in the *Framework for Ecological Risk Assessment* (EPA, 1992) and the *Draft Guidance for Conducting Ecological Risk Assessment Under The Texas Risk Reduction Program* (McBee et al., 1996).

The Subchapter S methods rely on a multi-tiered approach to evaluating potential threats to human health and the environment. The first tier, identified as RRSN1 can be used as a simple screening tool. Under RRSN1, detected concentrations of site-related compounds are compared to background levels. Attainment of CULs, represented by background concentrations, is demonstrated if site concentrations are below these levels. If exceedances exist, RRSN2 or RRSN3 procedures may be used to develop CULs based on promulgated standards/criteria or risk-based concentrations (RBCs).

RRSN1 methods were employed as a screening tool in Section 3.0 to identify chemicals needing further evaluation of their potential human health impacts and eliminate those that would not contribute to overall human health risks. Chemicals that were not screened out were carried forward in the risk evaluation and development of RRSN2 cleanup levels (Section 5.0).

The general purpose of the RRSN1 screening step is to clean sites to levels that ensure adequate protection of human health and the environment without the use of institutional controls and to provide a mechanism for eliminating a more costly and time-consuming site-specific risk assessment if site concentrations are below the RRSN1 concentrations. RRSN1 provides little

flexibility in developing cleanup levels, but helps eliminate the time and expense needed to conduct a full-scale risk assessment.

The methods for developing the RRSN1 concentrations are discussed in the section below. Section 2.4.3.2 describes the development of RRSN2 cleanup levels and how they were used in the risk evaluation to characterize risk.

2.4.3.1 Development of RRSN1 Concentrations

This section describes the RRSN1 concentrations determined for the RV Fam Camp area. Table 2-5 summarizes the RRSN1 values for each detected analyte. These concentrations were used in Section 3.0 to identify a list of inorganic compounds to be carried forward to the risk evaluation. Background levels were not determined for organic compounds. Therefore, all detected organic compounds were carried forward to the risk evaluation.

The RRSN1 concentrations for the RV Fam Camp area were based on upper tolerance limits (UTLs) of distributions of background soil data populations estimated for Carswell AFB in the Draft NAS Fort Worth JRB, Texas Basewide Background Study Volume I (Jacobs, 1997). UTLs for some of the metals were subsequently revised when samples were reanalyzed (Jacobs, 1998). The UTLs for metals in soil were accepted by TNRCC and can be used in this study (Jacobs, 1998). Both surface (defined as Horizon A, ground surface to a depth of 2 feet) and subsurface (defined as Horizon B, second encountered soil type below the organically rich surface soil) soil were sampled and analyzed for inorganic constituents. Jacobs (1997) collected 30 samples from each horizon. The analytical results were used to calculate background concentrations using the tolerance interval method to estimate UTLs with 95 percent confidence and 95 percent coverage (UTL_{95 95}). This value represents a 95 percent confidence that 95 percent of the background population lies below the UTL_{95,95}. A site value greater than the UTL has only a 5 percent probability of being from the background population and therefore may Indicate site-related contamination (Jacobs, 1997).

2.4.3.2 Development of RRSN2 Cleanup Levels

Although there is no evidence indicating that the RV Fam Camp is a source of contamination, compounds with site concentrations exceeding background UTLs were identified as COPCs in order to complete the evaluation. Following standard risk assessment methodology and RRSN2 regulations, the following steps were taken to evaluate human health risks associated with the COPCs: identify potential receptors and exposure pathways, assess the toxicity of the COPCs, and evaluate risks through development of CULs. The RRSN2 protocols rely on a hierarchical approach to developing appropriate values for CULs. Specifically, when available, Texas state or Federal promulgated health-based standards or criteria represent the primary basis for site CULs. When these values were not available for a COPC or they are not sufficiently protective, risk-based concentrations were used as the CULs.

Human health CULs for exposure scenarios identified in the risk evaluation were obtained from the most recent TNRCC interoffice memorandum guidance on implementing the existing Subchapter S Risk Reduction Rule (TNRCC, 1998). No other sources of CULs for these media were necessary

Table 2-5. TNRCC RRSN1 Concentrations for the RV Fam Camp Area

Compound	TNRCC RRSN1" (mg/kg)	
Metals	, , ,	
Aluminum	20,260	
Arsenic	6.58	
Barium	128.1	
Beryllium	1.13	
Calcium	272,000	XX.
Chromium	16.31	
Cobalt	6.19	
Copper	13.72	
Jron - Jr	17,469	
Lead	12.66	
Magnesium	2,420	14
Manganese	351.7	
Mercury	0.035U -	
Molybdenum	1.46	
Nickel	19.76	
Potassium	1,717	TE IFI
Sodium	53,200	
Thallium	1.5	
Vanadium	3/4	
Zinc	31.3	ana an
Volatile Organic Compounds		
Toluene	BND	
mpXylene	BND	÷-const
oXylene	BND	30
Methylene Chloride	BND	
Trichlorofluoromethane	BND THE PARTY HERE AND THE PARTY OF THE PART	
Semivolatiles		221
Bis(2-ethylhexyl)phthalate	BND	WV)

BND-background not determined

U-not detected above the method detection limit

^a Based on procedures specified in TNRCC Chapter 335, Subchapter S for Risk Reduction Standard Number 1 (TNRCC, 1993), Values represent background UTL95.95 for Horizon B (> 2 ft bgs) soils determined by Jacobs (1997, 1998).

because the standards incorporate the most current EPA-approved exposure algorithms, and toxicity factors and values for all COPCs, with a few exceptions, were provided.

Maximum site concentrations were compared to the CULs to characterize potential human health risks that may exist in site media. Statistically derived exposure concentrations were not generated for the comparison because of the limited number of samples collected from the RV Fam Camp area. Chemicals with maximum detected concentrations exceeding the CULs may need further evaluation. Conversely, chemicals with concentrations below the CULs were determined to be present at levels that are not expected to adversely impact human health. The results of the risk evaluation provided the basis for the recommendations and conclusions presented in Section 6.0.

TAB

3

3.0 PROJECT INVESTIGATIONS

The sections below present the findings of the project investigations. Findings of the SA were used to define the site environmental setting and identify potentially contaminated areas.

An SC was performed in areas identified in the SA as having potential contamination associated with the suspected leach field. The objective of this phase of the field investigation was to identify potential contamination and, if present, to delineate its nature and magnitude of contamination, identify the sources of contamination, and characterize environmental site conditions.

3.1 SITE ASSESSMENT

The SA consisted of two activities. The first activity was a land survey. The land survey reports included a site drawing showing prominent study area features and boundaries, as well as the sampling locations identified above, and tabulated summaries of state plane coordinates for the surveyed features. The site drawing is presented in Appendix D. The site drawing includes information related to the Pipeline Investigation areas, which are described in a separate report (TEC, 1999).

The second activity was a walk-through survey of the site to document visual observations of potential soil contamination. There was no visible evidence of surface soil contamination in the RV Fam Camp area. A background search conducted as part of the project scoping activities indicated that sewage receptacles at the RV Fam Camp area may have been connected to a septic tank and leach field (Long, 1996).

3.2 SITE CHARACTERIZATION

Based on the results of the SA, an SC was conducted in areas identified as needing additional investigation. The SC consisted of a subsurface soil investigation performed through the advancement of boreholes and the collection of samples for organic vapor screening, lithologic characterization, and chemical characterization. The section below provides a description of the field and laboratory data, followed by discussions of the SC results. The SC results include a description of the borehole location and lithology, a summary of screening and analytical results of the soil boring sampling, and a comparison of analytical results with RRSN1 concentrations (i.e., background UTL_{95,95}).

3.2.1 Field and Laboratory Data Quality Assessment

Field and laboratory data quality assessment was performed through collection of field QC samples and analysis of laboratory QC samples. This section summarizes the results of field blanks (trip, equipment, and ambient), which are presented in Table 3-1. A summary table that identifies individual field samples associated with each blank sample is provided in Appendix L.

The equipment blank included with the RV Fam Camp samples was analyzed for inorganics, SVOCs, VOCs, BTEX, and pesticides/PCBs (see Table 2-3). Five inorganics (barium, calcium, molybdenum, sodium, and zinc) were detected in the blank, one of which was positively identified but was detected below the practical quantitation limit (PQL). The only organic compound detected in the equipment blank was toluene, which is considered by EPA to be a common laboratory contaminant (EPA, 1989). Therefore, the toluene detects may have

Table 3-1. Summary of Quality Control Samples Detected Results

453 69% 60%

TB-100 TB-101 Sample Number: **AB-100 EB-100** Parameters^a Inorganics-(mg/L) NA NA NA Barium 0.0083 Calcium 0.35 Molybdenum 0.012 Sodium 0.93 Zinc 0.016 F Volatiles-(ug/L Chloroform 0.4 F 0.7 U 0.7 U Methylene chloride 0.4 F 1 U ΤŪ Toluene 0.8 U 0.8 U نحسوا BTEX- (ug/L) Toluene 0.16 U 0.84 0.16 U NA NA ND NA

F - The compound was positively identified, but the associated numerical value is below the PQL.

NA - not analyzed

ND - not detected

U - The compound was analyzed for, but not detected. The associated numerical value is at or below the method detection limit.

^aParameters limited to those detected in at least one sample.

been introduced during extraction and analysis. No SVOCs, other VOCs, or pesticides/PCBs were detected.

One trip blank (TB-100) was analyzed by the VOC (8260) and BTEX (8021) methods. No analytes were detected in TB-100.

Two VOCs were positively identified in the ambient blank, but were detected below the PQLs. These compounds are chloroform and methylene chloride. Toluene was reported in the ambient blank at a concentration above the PQL. Potential sources include emissions from nearby vehicles and laboratory contamination.

3.2.2 SC Results

The potential misuse of the sewer receptacles for disposal of hazardous substances, resulting in possible contamination of surrounding subsurface soil, was the basis for conducting a subsurface soil investigation in this area. Prior to drilling boreholes, a geophysical survey was conducted to identify any anomalies in the subsurface that may represent leach field trenches. The findings of the geophysical survey and the soil borehole sampling are discussed in the sections below.

3.2.2.1 Geophysical Survey


After discussions with Carswell AFBCA personnel and surveying the RV Fam Camp area, it was concluded that the area to the northeast provided the only viable space for a leach field (see Appendix B). The area to the southeast was topographically upgradient from the parking areas and offered limited space for leach field drainage. Spaces to the northwest and southwest are also limited, as the surface drops approximately 10 feet in each direction (see Figure 2-1).

EM and GPR methods were used in an area approximately 35,000 square feet in size extending 185 feet along the area's paved road and extending approximately 190 feet to the northwest. A complete report of the geophysical survey, along with a detailed map showing survey area and results, is provided in Appendix B.

The EM method used in the survey located a low-grade high conductive anomaly within the area southwest of the tree hedge, which lies between two graveled RV parking stalls located perpendicular to the paved road (ULS, 1996). Although GPR was used to further characterize the anomaly, the reflector data were weak and nonconclusive, likely due to poor soil conductivity conditions. Utilities were detected during the survey and marked for use during drilling of boreholes.

3.2.2.2 Borehole Location

Five boreholes were strategically advanced in the RV Fam Camp area to characterize any potential leach field as shown in Figure 3-1. These boreholes were identified as SB-16 to SB-20 during the October 1996 sampling event. The lithology information and PID readings presented in this report are associated with these borehole identifications. The boreholes colocated during the supplemental sampling event at the locations established in October 1996 were identified as SB-116 to SB-120.



Borehole SB-16 was drilled directly in the subsurface anomaly identified by the geophysical survey. Boreholes SB-17 through SB-19 were advanced to the northeast to intersect potential leach field discharge from this area.

During the SC field investigation, two 6-inch-deep depressions in the surface to the northwest of the area were noted. The depressions were approximately 1 foot wide and 50 feet long. SB-20 was advanced between the depressions in order to characterize this area. Boring SB-20 was advanced in an entirely different soil regime. It was situated on the southeasterly flank of Farmers Branch Creek in alluvial fill deposits.

3.2.2.3 Lithology Characterization

Drill cuttings at SB-16 indicated the subsurface anomaly identified within the parking area to be shallow soil covering limestone bedrock. No visible signs of a leach field or contamination associated with a leach field were noted during drilling operations at any of the boreholes.

A thin soil profile was also encountered at locations SB-17, SB-18, and SB-19. Refusals against shaley limestone were met at depths between 4 and 7.5 feet. A well-developed organic silty-clay topsoil, typical of prairie grasslands, was encountered in all borings. Beneath it were dry silts containing limestone fragments that became more abundant as bedrock was encountered.

Soil boring SB-20 encountered silts and clay-rich silts to a depth of 21 feet, where refusal was met against limestone.

3.2.2.4 Subsurface Soil Screening and Analytical Sample Selection

As shown in Table 3-2, organic vapor soil screening readings remained fairly consistent with ambient conditions throughout soil boreholes SB-16, SB-17, and SB-18. Readings above ambient conditions were recorded at depths of 2 to 4 feet and 5 to 10 feet below ground surface (bgs) in borings SB-19 and SB-20, respectively. Based on this screening, Table 3-3 presents the depths selected for soil boring sample collection and the laboratory analyses specified for each sample. One sample was collected from each borehole (SB-116 to SB-120) at depths corresponding to the relatively higher PID readings. A total of five samples and one duplicate were collected and submitted for laboratory analysis of inorganics, VOCs, SVOCs, and pesticides/PCBs. Collection of additional deeper samples during the supplemental sampling event was not accomplished because of shallow refusals in boreholes SB-116 to SB-120. Grain size analysis was conducted on two of the samples collected in October 1996.

3.2.2.5 Data Summary

A summary of the subsurface soil analytical results of compounds detected in the samples collected in the RV Fam Camp area is presented in Table 3-4. The detected organic compound results are also shown in Figure 3-1. The VOCs (methylene chloride, toluene, and trichlorofluoromethane) and bis(2-ethylhexyl)phthalate were reported in samples at concentrations below the PQL, indicating that detected concentrations are estimates associated with uncertainty. Methylene chloride and toluene both were reported in the field blank samples at concentrations that are more than two orders of magnitude greater than the soil sample concentrations. Therefore, these constituents in the soil samples were determined

Table 3-2. Organic Vapor Soil Screening Summary For The RV Fam Camp Area

,	Analytical			Organic
Location	Sample Number	Sample Depth Interval (feet)	Relative Moisture Content ^a	Vapor ^b (ppm)
SB-16	NS	0.0 to 2.5		0.0
	-01	2.5 to 5.0	D	0.0
The second secon	-02	5.0 to 7.2	D	3.4
SB-17	NS	0.0 to 2.5	M	3.6
	-01	2.5 to 5.0	D	3.8
SB-18	NS	0.0 to 2.5	<u>M</u>	1.0
	-01	2.5 to 5.0	D.	2.0
	-02	5.0 to 6.0	D	3.4
SB-19	NS	0.0 to 2.2	M	0.0
	-01	2.2 to 4.0	D	11.0
SB-20	NS	0.0 to 2.5	D	9.0
	NS	2.5 to 5.0	D	0.0
	-01	5.0 to 10.0	D The state of the	22.4
	NS	10.0 to 12.5	D	4.4
	NS	12.5 to 15.0		7.7
	-02	15.0 to 17.5	M	5.0
	NS	17.5 to 20.0	M	6.3

NS: No sample collected for chemical characterization

Table 3-3. Subsurface Soil Sample Summary for the RV Fam Camp Area

Analytical Sa	ample Sam	ple Dept	h Interval				Pest./	
Number	•	(fee	t)	Inorganics	VOCs	SVOCs	PCBs	Grain Size ^a
SB-116 -01	2.5	t o ===	5.0	√ :	. √	$\sqrt{-\delta}$	\sqrt{c}	distribution of
SB-117 -01	2.5	to	3.7	√	٧	٧	_ \	
SB-118 -01	1.0	to	3.2	1 1	√	$\sqrt{}$	√	
SB-119 -01	- 1.5	to	2.5	√ <u> </u>	√	√	√	
-02	(Dup.)1.5	to were the	2.5	V	V 127	ty aut. 🗸 in its	. √ <u>.</u>	
SB-120 -01	5.0	to	6.5	√		√	√	

Pest.: Pesticides

SVOCs: Semivolatile Organic Compounds

VOCs: Volatile Organic Compounds

in August and October 1996.

^aRelative Moisture Content: D=Dry, M=Slightly to very moist.

^bMeasured with a photoionization detector (PID).

^aAnalyzed for in samples SB-16-02 and SB-20-02 collected during the initial soil sampling event

Table 3-4. Summary of RV Fam Camp Subsurface Soil Sample Results

453 74

Location:	SB-116	SB-117	SB-118	SB-1	119	SB-120
Sample Number:	SB-116-01	SB-117-01	SB-118-01	SB-119-01	SB-119-02	SB-120-01
Depth (ft bgs):	2.5 to 5.0	2.5 to 3.7	1.0 to 3.2	1.5 to 2.5	1.5 to 2.5	5.0 to 6.5
Parameters ^a					DUP	
Inorganics-(mg/kg)						
Aluminum	4640	11200	12200 🐺	10700	11300	8800
Arsenic	2.6	1.3 F	1.1 F	1.3 F	3.1	1.2 F
3arium	24	37.7	43.1	42.1	55	33.2
Beryllium	0.39	0.51	0.54	0.46	0.52	0.39
Calcium	276000	259000	236000	222000	193000	193000
Chromium	16.5	22.1	21.6	17.5	20.2	16.6
Cobalt	1.4	2.8	3.2	2.5	4.1	2.1
Copper	3.6	2.4	3.6	5.2	4.5	3
ron	5310	7380	8890	8030	8800	6840
Lead	3.2	6.4	9.6	10.7	11.4	4.2
Magnesium	2110	2340	2640	2060	√ 2290 <u>.</u>	2070
Manganese	117	124	196	150	250	156
Mercury	0.039 U	0.039 U	0.04 U	7 0.04 ∪	0.1	0.036 U
Molybdenum	0.24 U	0.24 U	0.26 U	0.24 U	7.2	0.22 U
Nickel	4.4	6.8	7.6	6	8.1	-5.2
Potassium	1150	2020	2360	2600	2620	1640
Socium_	733	823	819	1020	843	856
Thallium	0.59 U	0.61 U	0.64 U	0.62 Ư	1.3 F	0.56 U
Vanadium -	17.8	26.4	23.5	18516.5	21.1	15.2
Zinc	105	21.3	27.3	27.8	23.3	17
I CONTRACTOR OF THE PARTY OF TH				And the second s		
Semivolatiles-(mg/kg)						
Bis(2-ethylhexyl) phthalate	0.18 U_	0.18 U	0.19 U	11.18 ∪	0.27 F	0.2 F
Volatiles-(mg/kg)						
m-Xylene	0.002 U	0,0024 U	0.002 U	0.0022 U	0.002 U	0.0021 10
Methylene chloride	0.00095 U	0.0011 U	0.00094 U	0.001 U	0.00096 U	0.0027 F
p-Xylene	0.002 U	0.0024 U	0.002 U	0.0022 U	0.002 U	0.0021 10
Toluene	0.0012 U	0.0019 F	0.0012 U	0.0013 U	0.0012 U	0.0013 U
Trichlorofluoromethane	0.0018 U	0.0021 U	0.0 <u>023</u> F	0.0019 U	0.0018 U	0.0019 U
Pesticides	ND	ND	ND	ND	ND	ND 2

F - The compound was positively identified, but the associated numerical value is below the PQL.

NA - not analyzed

ND - not detected

U - The compound was analyzed for, but not detected. The associated numerical value is at or below the method detection limit

^{*}Parameters limited to those detected in at least one sample (see Appendix H).

Note - Boxed inorganic concentrations exceed background UTL95, 95. Boxed organic values are detected results.

453 75

to be attributable to sampling- or laboratory-introduced contamination. Bis(2-ethylhexyl)phthalate is considered a common laboratory contaminant by EPA (EPA, 1989). It was likely introduced in the laboratory; however, no method blanks were available with which to compare the concentrations. Figure 3-1 does not suggest any pattern in the locations of the detected compounds.

A limited number of inorganic compounds were detected in all samples. Some of the compounds, such as calcium, magnesium, and potassium, are due to the limestone that was encountered during borehole drilling. Therefore, the concentrations are attributed to localized geological conditions and not site-related contamination. Other metals detected above the background levels include chromium, mercury, and molybdenum. Chromium was detected at less than 1.5 times in any one sample. Mercury and molybdenum both were detected in only one sample, the duplicate of SB-119-01.

Chromium, mercury, molybdenum, bis(2-ethylhexyl)phthalate, and trichlorofluoromethane were carried forward in the risk evaluation. The potential sources and migration pathway of these compounds are discussed in Section 4.0.

4

4.0 POTENTIAL CONTAMINANT SOURCE AND MIGRATION PATHWAYS

The SA and SC results and findings presented in Section 3.0 are interpreted in this section to identify potential sources of the detected constituents in subsurface soil and describe any potential for migration.

No visible signs of a leach field or contamination associated with a leach field were noted during drilling operations at any of the boreholes. The inorganic compounds that exceeded background concentrations and organics detected in samples collected from the RV Fam Camp area may be a result of above ground activities that were not associated with a leach field, such as application of pesticides or leaks from lawn maintenance machinery. Potential risks associated with these compounds are evaluated in Section 5.0.

As discussed in Section 3.3.5.1, groundwater was not encountered in the area. The silty soil layer above limestone varied from 5 feet to 20 feet bgs. The lack of groundwater and low permeability of the soils will limit the contaminant migration potential of the site.

5.0 RISK EVALUATION

Although contaminants reported in Section 3.0 are not believed to be attributable to an RV Fam Camp source such as a leach field, potential risks were evaluated in order to ensure that human health and the environment are protected. The risk evaluation focuses on risks associated with subsurface soil in the RV Fam Camp area. The evaluation is divided into the Human Health Evaluation (Section 5.1) and the Ecological Evaluation (Section 5.2). Section 5.1 identifies COPCs and potential human receptor and exposure pathways and develops cleanup levels for protection of human health. Section 5.2 presents the biological resources present in the study area and evaluates potential ecological impact using toxicological benchmarks.

5.1 HUMAN HEALTH EVALUATION

In this section, human health risks are evaluated through development of CULs based on exposure scenarios, acceptable risk levels, risk based concentrations, and standards identified in the Risk Evaluation. These CULs were compared to site-specific exposure concentrations as a means to identify potential impacts to human health. Chemicals for which CULs were developed were identified through the background screening evaluation conducted in Section 3.0.

A human exposure conceptual site model in tabular format is presented in Table 5-1. It summarizes the contaminants, contaminated media, and migration and exposure pathways for the study area based on the findings of the site characterization and risk evaluation.

5.1.1 Identification of Chemicals of Potential Concern

As described in Section 3.0, subsurface soil samples were collected at various depths for laboratory analysis according to PID readings. Surface soils were not collected because PID screening indicated a lack of contamination in the top 2 feet of soil in the RV Fam Camp area. Groundwater was not encountered in this area and therefore was not sampled. The potential for future migration is limited by geological barriers or lack of significant subsurface contamination. Therefore, the only environmental medium of concern for this risk evaluation is subsurface soil.

In Section 3.0, detected site concentrations in subsurface soil were compared with regional-specific background UTL_{95,95}. With a few exceptions, metals with at least one concentration exceeding these levels were carried forward in this risk evaluation. The few exceptions include calcium, potassium, and magnesium. As discussed in Section 3.2.2.4, detects of these compounds, which exceed the background UTL_{95,95}, are due to the limestone that was encountered during borehole drilling. Therefore, the concentrations are attributed to localized geological conditions and these compounds were not carried forward in the risk evaluation. These compounds are not expected to pose a risk to human health because they have low toxicity and/or are essential dietary minerals. All detected organic compounds were carried forward, except those attributable to laboratory or sampling contamination (methylene chloride and toluene).

	Exposure Pathway	Ingestion of and dermal contact with soil; inhalation of particulates/volatiles
	Potentla! Receptors	Current and future recreational visitors, future construction workers
	Potential Migration Pathway	Not expected
ite Model Summary	COPCs	Chromium, mercury, molybdenum, TCFM, bis(2- ethylhexy!)- phthalate
Conceptual Site Mode	Contaminated Media and Detected Compounds	Subsurface soil: metals, VOCs, bis(2- ethylhexyl)phthalate
Table 5-1.	Site Description	Campground with alleged abandoned leach field

COPC - chemical of potential concern; identified in Section 3.0 screening TCFM - trichlorofluoromethane VOCs - volatile organic compounds

Exceedances of the background UTL_{95,95} or detected organics are identified with boxes around the concentrations in Table 3-4. Exceedances other than those discussed in the preceding paragraph were limited to three inorganics, one semivolatile, and one VOC. No compounds believed to be released from an RV Fam Camp source such as a leach field exceeded background levels. Table 5-2 summarizes the COPCs and frequency of background exceedances for the RV Fam Camp area.

Chemicals of Potential Concern (COPCs) for the RV Fam Table 5-2. Camp Area

COPC	Frequency of RRSN1 Exceedance
Chromium	5/5
Mercury	1/5
₽Molybdenum	1/5
Bis(2-ethylhexyl)phthalate	2/5
Trichlorofluoromethane	1/5

RRSN1 - risk reduction standard number 1

5.1.2 Potential Human Receptors

Potential human receptors present in the vicinity of the RV Fam Camp area are identified in this section. Potential human receptors were identified based on current and future land use, beneficial groundwater use, and the migration potential evaluation (Section 4.0).

As discussed in Section 1.0, the RV Fam Camp area is located on NAS Fort Worth property, which consists of multiple land uses including industrial, commercial, recreational, and residential. A portion of this property will be transferred to the public as part of the NAS Fort Worth property disposal/reuse process. The RV Fam Camp area is located on the portion of property to be transferred. Currently, the RV Fam Camp area, located to the west of the Carswell Golf Club property, is an open area with no development. The property on which the golf club is located is expected to remain a golf club under private ownership after the property transfer. Camp area is expected to be developed as an extension of the golf club (Long, 1996).

Although the RV Fam Camp area is not currently being used for its intended purpose, it is accessible to the public. Therefore, current potential human receptors include NAS personnel and residents intermittently using the RV Fam Camp area for recreational purposes. The potential receptors are expected to remain the same after the property transfer, although the individuals using the golf club likely will include non-NAS residents.

^aRepresents the number of RRSN1 exceedances/total number of samples; also represents the number of detects/total number of samples for organic compounds.

Because some development is expected in the portion of the property being transferred (e.g., extension of the golf course), construction workers are also potential future receptors.

Potential beneficial use of the groundwater in the vicinity of the RV Fam Camp area is designated as Category I groundwater by TNRCC because of potential contaminant migration into local surface water (Benson, 1997). No receptors are currently using this groundwater as a water supply. There are no known planned uses of the groundwater as a future water supply for domestic or industrial purposes.

5.1.3 Human Exposure Pathway Evaluation

Exposure pathways describe the mechanisms through which chemicals released from the source(s) reach potential receptors. Exposure pathways are defined by the following elements, all of which must be present to have a complete exposure pathway:

- contaminated environmental media;
- receptor;
- point of contact with the contaminated medium; and
- feasible route of exposure at the contact point.

As discussed in the previous section, potential receptors in the study area include:

- current and future recreational visitors to the RV Fam Camp area;
 and
- future construction workers in the transferred property.

COPCs in the RV Fam Camp area were identified in subsurface soil. No other environmental media have been identified as being contaminated, and future contaminant migration to other media is not expected based on the reasons discussed in Sections 4.0 and 5.1.1. Current visitors to the RV Fam Camp area do not directly contact subsurface contamination because the SC results indicate that the contamination is greater than 2 feet bgs. Therefore, no complete exposure pathways exist for current potential receptors.

Similar to the conditions for the current receptors, future visitors to the golf club are not expected to directly contact the subsurface contamination. However, 15 feet of the soil column represents a reasonable depth above which soil could be excavated and brought to the ground surface during construction and excavation activities. Thus, future receptors in the vicinity of the development of the RV Fam Camp area may be exposed to potential contamination in subsurface soil brought to the ground surface. Future visitors may be exposed to contaminants in subsurface soil brought to the surface via inhalation of volatiles/particulates; they are not expected to directly contact the soil because it will be in a construction zone. Because the future visitor may be a local resident, visitation to the RV Fam Camp area may be long-term. Therefore, the exposures associated with the future visitor are assumed to occur for 30 years, which is the standard default exposure duration for residents. Future construction workers may be exposed to contaminants in subsurface soil via ingestion of and dermal contact with soil and inhalation of volatiles/particulates. Due to the short-term nature of

construction work, construction workers are assumed to have an exposure duration of 2 years.

Although groundwater use in these areas is unlikely to occur in the future and contaminant migration is limited, the soil to groundwater cross-media protection pathway was evaluated to be consistent with TNRCC Subchapter S standards. This approach is consistent with other risk assessments being conducted at the NAS Fort Worth (Benson, 1997).

As presented in Section 5.1, the human exposure CSM summarizing the exposure information for the RV Fam Camp area is shown in Table 5-1. In summary, the future exposure scenarios used to develop cleanup levels are as follows:

- Recreational visitor to the RV Fam Camp area potentially exposed via inhalation of volatile COPCs and particulates in excavated subsurface soil.
- Construction worker potentially exposed via ingestion of, inhalation of, and dermal contact with COPCs in subsurface soil at the RV Fam Camp area.
- Residents potentially exposed via groundwater Ingestion due to contaminants migrating from subsurface soil to groundwater.

5.1.4 Development of Cleanup Levels

CULs for soil were obtained from the most recent TNRCC interoffice memorandum guidance on implementing the existing Subchapter S Risk Reduction Rule (TNRCC, 1998). No other sources of cleanup levels for these media were necessary because the medium-specific concentrations (MSCs) provided in this guidance reflect newly promulgated standards (e.g., MCLs), current toxicity factors, current inhalation emission factor methodologies, and the dermal absorption exposure pathway (TNRCC, 1998). In addition, several compounds that did not have RRSN2 MSCs in the original Appendix II of Subchapter S (TNRCC, 1993) are listed with values in the memorandum (e.g., molybdenum). TNRCC standards are not specifically available for the exposure scenarios identified as appropriate for this site (construction worker and recreational visitor). Instead, MSCs for residential and industrial direct contact of soil were compiled as potential CULs. The residential MSCs are considered highly conservative for the site given the likely future use of the area, as discussed in Sections 5.1.2 and 5.1.3. Exposure frequencies and durations for the receptors identified for the site would be much lower than for residential populations, resulting in lower risk.

TNRCC (1998) soil MSCs for both residential and industrial direct contact and soil to groundwater migration were evaluated as CULs in this risk evaluation. The direct contact MSCs are risk-based and reflect three exposure routes: ingestion, inhalation of volatiles and particulates, and dermal contact. The soil to groundwater migration MSCs were derived by TNRCC (1998) by multiplying the respective risk-based target groundwater concentration by a dilution factor of 100.

The MSCs were derived using reasonable maximum exposure (RME) assumptions and algorithms. Residential RME assumptions reflect a combined early childhood (6 years)

and adult exposure for both carcinogens and noncarcinogens in soil and adult exposures only (30 years) for COPCs in groundwater. For the industrial scenario, adult exposure assumptions, consistent with appropriate work conditions, were used to generate the industrial direct soil contact soil MSCs. These MSCs reflect a standard default exposure frequency of 250 days/year for 25 years. Target risk levels corresponding to the MSCs are consistent with EPA guidelines (EPA, 1989) and TNRCC standards, which define the noncarcinogenic risk level as a hazard quotient (HQ) of 1; and the carcinogenic risk level as 1x10-6 for Class A and B carcinogens and 1x10-5 for Class C carcinogens.

The MSCs considered as potential CULs for both the residential and industrial scenarios are summarized in Table 5-3. The lowest concentrations for each medium are boxed. These values were used as the final CULs for comparing to site concentrations in Section 5.1.6. As shown in this table, the concentrations corresponding to the groundwater protection pathway are the lowest for all soil COPCs except for mercury. Given that the vertical migration of COPCs from soil to potable groundwater are significantly retarded by the Walnut Formation aquitard and no groundwater was encountered in the study area, using the default MSCs as CULs for the soil to groundwater pathway is a highly conservative approach for this site. Furthermore, as demonstrated in Section 4.2, site contamination is generally limited to the surficial layer of soil and vertical migration is not occurring. As a result, potential exposures and risks are likely to be limited to direct surface soil contact pathways for both current and future receptors and not the groundwater migration pathway.

Table 5-3. Potential RRSN2 Cleanup Levels for COPCs at the RV Fam Camp Area

COPC	Residential Direct Contact ^a (mg/kg)	Industrial Direct Contact ^b (mg/kg)	Groundwater Protection ^c (mg/kg)
Chromium	330 1	1,600	10 ^d
Mercury	0.11	0.15	0.2
Molybdenum	1,100	8,100	18
Bis(2- ethylhexyl)phthalate	19	65	0.6
Trichlorofluoromethane	82,000	610,000	1,100

Box value is the final RRSN2 cleanup level for the RV Fam Camp Area

COPC - Chemical of Potential Concern

^aSource: TNRCC (1998). Assumes residential soil ingestion, inhalation, and dermal contact.

Source: TNRCC (1998). Assumes industrial soil ingestion, inhalation, and dermal contact.

. Source: TNRCC (1998). For protection of groundwater from vertical migration of contaminant.

^aBecause the groundwater protection MSC is less than the background UTL_{95,95} (16.3 mg/kg), the latter value was established as the RRSN2 CUL for the site

5.1.5 Cleanup Level Comparison

COPC concentrations are compared with the selected CULs in Table 5-4. Maximum site concentrations, rather than statistically derived exposure concentrations, were used for comparison because of the limited number of subsurface soil samples (i.e., five samples) collected from the RV Fam Camp area. This approach is consistent with TAC Chapter 335, Subchapter S (TNRCC, 1993).

The COPC concentrations are below CULs, except for chromium. The maximum detected concentration of chromium only slightly exceeds the CUL, which is the chemical-specific background UTL_{95,95}. The maximum chromium concentration is less than 1.4 times the background UTL_{95,95} and the average (19 mg/kg) only slightly exceeds. Therefore, the site concentrations of chromium are likely representative of natural variation in site-specific background levels. The average concentration of a larger data set for the RV Fam Camp area would likely yield a value that is within the background range established for Carswell AFB.

Table 5-4. Comparison of RV Fam Camp Area Concentrations with RRSN2 Cleanup Levels

COPC	Maximum Site Concentration (mg/kg)	RRSN2 Cleanup Level ^b (mg/kg)	Exceedance of Cleanup Level?
_Chromium	22.1	16.3	Yes
Mercury	0.1	0.11	No.
≣Molybdenum	7.2	.,	No.
Bis(2- ethylhexyl)phthalate	0.2	0.6	No
Trichlorofluoro- methane	0.0023	1,100	No =

COPC - chemical of potential concern

5.2 ECOLOGICAL EVALUATION

Potential ecological risks were evaluated using a screening level assessment in which site concentrations were compared to established ecological benchmarks. This approach is consistent with methods outlined in the *Framework for Ecological Risk Assessment* (EPA, 1992) and the *Draft Guidance for Conducting Ecological Risk Assessment Under The Texas Risk Reduction Program* (McBee et al. 1996).

The sections below describe the biological resources in the vicinity of the study area, identify potential receptors and exposure pathways, and compare study area concentrations with screening benchmarks.

^{*}From Table 3-4.

^bFrom Table 5-3.

5.2.1 Biological Resources

Biological resources in the RV Fam Camp area are expected to be limited because of their industrial or disturbed nature. However, vegetated areas within or adjacent to the study area may provide habitat for wildlife.

5.2.1.1 Vegetation

NAS Fort Worth and the study area are located in the Grand Prairie portion of the Black Prairies section of the Central Lowlands Physiographic Province. This province is characterized by broad terraces that slope to the east. The topography in the vicinity is relatively flat.

Vegetated areas in the study area are predominantly mowed grasses and weedy herbaceous species. Most of the native habitat and species have been replaced by introduced ornamental or invasive weedy species. Grasses in the area are typical of undeveloped industrial areas. According to ETC (1994), these grasses include little bluestem (Schizachyrium scoparium), Indian grass (Sorghastrum avenaceum), big bluestem (Andropogon gerardi), and buffalo grass (Buchloe dactyloides). Introduced trees in the area include catalpa (Catalpa bignonioides) and chinaberry (Melia azedarach).

5.2.1.2 Wildlife

Wildlife in the vicinity of the study area includes a variety of birds, mammals, and reptiles. Wildlife typically found in the grassy areas includes common bird species such as grackle (*Quiscalus quiscula*), starling (*Starnus vulgaris*), western meadowlark (*Sturnella neglecta*), and mourning dove (*Zenaidura macroura*). Mammals that may use the general area are coyote (*Canis latrans*) and black-tailed hare (*Lepus californicus*). Other mammals that could be found in the study area include raccoon (*Procyon lotor*), striped skunk (*Mephitis mephitis*), nine-banded armadillo (*Dasypus novemcinctus*), red fox (*Vulpes fulva*), and gray fox (*Urocyon cinereargenteus*) (ETC, 1994).

The study area may also provide habitat for reptiles and amphibians. Reptiles may include snakes, including Western cottonmouth (*Agkistrodon piscivorus*), Western diamondback (*Crotalus atrox*), Western milk (*Lampropeltis triangulum gentillis*), and Western ribbon (*Thamnophis proximus*).

5.2.1.3 Threatened and Endangered Species

There are no known Federal or state threatened or endangered plant or wildlife species or sensitive habitats within or adjacent to the RV Fam Camp area. However, NAS Fort Worth is located in the Central North American Migratory Flyway, through which several threatened and endangered species migrate, including the Arctic peregrine falcon (Falco peregrinus tundrius), bald eagle (Haliaeetus), and whooping crane (Grus americana) (ETC, 1994). These species are attracted to Lake Worth, which is located approximately 1.5 miles north of the study area. These species are migratory and are not expected to reside in the vicinity of the study area.

The Silver Creek heron rookery is located along the northeast side of the lake, approximately 5 to 6 miles north of the study area. The rookery is protected as a sensitive wildlife area by the Texas Parks and Wildlife Department.

Two federally listed candidate reptiles may exist in Tarrant County. They are the Texas horned lizard (*Phrynosoma cornutum*) and the Texas garter snake (*Thamnophis sirtailis annectens*). The Texas horned lizard prefers grassy upland areas, while the Texas garter snake prefers seeps and wet grass areas. Either of these species could inhabit the grassy areas surrounding the RV Fam Camp. However, to date they have not been identified on NAS Fort Worth or in the project vicinity. Suitable habitat in the study area is fragmented and routinely maintained by mowing and herbicides. Therefore, it is not anticipated that these species exist within or adjacent to the study area.

5.2.2 Potential Receptors and Exposure Pathways

Inorganics, VOCs, and one SVOC were detected within the root zone (2.2 to 5 feet bgs) of the RV Fam Camp area. Thus, ecological receptors could contact these chemicals. Ecological receptors could include deep-rooted trees and shrubs if their root systems contact the contaminants. The contaminants are within 5 feet of the ground surface; therefore, burrowing animals such as raccoon, striped skunk, and nine-banded armadillo could contact the contaminants. If the burrowing animals were to contact the contaminants, a predator such as a coyote or raptor foraging on these species could become an ecological receptor for chemicals that bioaccumulate (e.g., lindane). Based on these conditions, potential ecological receptors could be exposed to subsurface contaminants in the RV Fam Camp area via plant uptake, ingestion, inhalation, and dermal contact.

The mobility of an ecological receptor is typically considered when evaluating its potential for exposure (Will and Suter, 1995). The mobility of a specific receptor is directly correlated to the average foraging range of an individual within the species under consideration (Sample et al., 1996). Flightless invertebrates and vegetation are considered stationary due to the small area they occupy. Small invertebrates such as amphibians, reptiles, small arboreal, and burrowing animals are considered mobile receptors. These mobile receptors can have foraging ranges up to several acres. Transient receptors include larger invertebrates such as coyote, fox, and raccoon, and migratory avifauna or raptors. Foraging ranges for these transient species could cover several square miles, reducing the amount of time spent in the RV Fam Camp area and, therefore, the amount of exposure.

5.2.3 Screening Benchmark Comparison

Maximum concentrations of COPCs for ecological receptors in the RV Fam Camp area were compared to soil screening benchmarks obtained from McBee et al. (1996) and Sample et al. (1996). This comparison is shown in Table 5-5. COPCs are the same as those identified for human health.

As shown in Table 5-5, the maximum concentrations of COPCs for which benchmarks were available are at or below levels of concern, except for chromium. The benchmark for chromium, however, is more than an order of magnitude below the background UTL_{95,95} (16.3 mg/kg) developed by Jacobs (1997, 1998). In addition, the maximum chromium concentration is less than 1.4 times the background UTL_{95,95} and the average (19 mg/kg) only slightly exceeds it. Therefore, the site concentrations of chromium are likely representative of natural variation in site-specific background levels. The average concentration of a larger data set for the RV Fam Camp area would likely yield a value that is within the background range established for Carswell AFB.

No ecological benchmarks for trichlorofluoromethane were available. However, this compound was detected in only one sample at a concentration (0.0023 mg/kg) slightly above the highest reported method detection limit (0.0021 mg/kg). This compound has a relatively low toxicity according to the human health MSC for residential direct soil contact (82,000 mg/kg). Its presence, if it is site-related, is not likely to be a threat to environmental receptors that are intermittently exposed to RV Fam Camp area soils.

Table 5-5 Ecological Benchmark Screening for the RV Fam Camp Area

COPC	Maximum Detected Concentration* (mg/kg)	Ecological Screening Benchmarks ^b (mg/kg)
Chromium	22.1	0.4/10
Mercury	0.1	0.1/0.3
Molybdenum	7.2	90/30
Bis (2- ethylhexyl)phthalate	0.2	10 ^d
Trichlorofluoromethane	0.0023	NA _e

^{*}From Table 3-4.

5.3 RISK EVALUATION SUMMARY

CULs were developed for COPCs detected in the RV Fam Camp area. The COPCs include chromium, mercury, molybdenum, bis(2-ethylhexyl)phthalate, and trichlorofluoromethane. Although COPCs were identified for this area, these compounds are not indicative of a contaminant source at the RV Fam Camp such as a leach field (as discussed in Section 4.5).

Concentrations of all the COPCs are below human health CULs, which were based on groundwater protection of residential drinking water, residential direct contact with soil (mercury), and background (chromium). Similarly, concentrations of the detected compounds in the RV Fam Camp area either are at or below ecological screening benchmarks, measured background levels, or are not considered of concern to ecological receptors.

In addition, the RV Fam Camp area has limited habitat for wildlife because the vegetation is regularly maintained by mowing and/or spraying with herbicides. In addition, the area is isolated from other suitable habitat by several secondary roads and a four-lane highway. Therefore, the results of this risk evaluation demonstrate that the

^{*}Source: McBee et al. (1996) and Sample et al. (1996). The first value is for invertebrates; the second value is for plants.

[&]quot;Value represents an avian reproductive study NOAEL (Sample et al. [1996]).

^dNA - not available

These values are more than an order of magnitude below the Jacobs (1997, 1998) background UTL.

concentrations of compounds present in subsurface soil at the RV Fam Camp area are not expected to adversely impact human health or the environment.

6

6.0 CONCLUSIONS AND RECOMMENDATIONS

The investigation found no evidence indicating that a source of contamination such as a leach field was present at the RV Fam Camp area. However, limited low-level contamination was identified at concentrations below those that would impact human health or the environment based on evaluations using RRSN2 procedures (TAC Chapter 335, Subchapter S [TNRCC, 1993]).

Three site categories are identified in AFCEE guidance with respect to further action at a site. These categories are defined below.

- Category 1 No further action because no significant impact to human health or the environment exists.
- Category 2 Further study is required to categorize the site.
- Category 3 Remedial action is required.

Based on the results of this investigation, it is recommended that the RV Fam Camp area be managed under Category 1.

7.0 REFERENCES

- Benson, L. 1997. Personal Communication (telephone conversation with D. Nelson, The Environmental Company, Issaquah, WA, on January 31, 1997 regarding Site SD-13 risk assessment and groundwater categories). Parsons Engineering Science, Inc., Denver, CO.
- EPA. 1989 (July). Risk Assessment Guidance for Superfund, Volume 1: Human Health Evaluation Manual, EPA/540/1-89/002. United States Environmental Protection Agency.
- EPA. 1992. Framework for Ecological Risk Assessment. Risk Assessment Forum, Washington, DC. EPA/630/R-02/011. United States Environmental Protection Agency.
- ETC. 1994. Final Environmental Impact Statement Disposal and Reuse of Carswell Air Force Base, Texas. Prepared for the US Department of the Air Force, Carswell AFB, Fort Worth, TX. The Earth Technology Corporation.
- Jacobs. 1997 (January). Draft NAS Fort Worth JRB, Texas (Formerly Carswell AFB, Texas) Basewide Background Study, Volume I. Jacobs Engineering Group, Inc., Denver, CO, for the United States Air Force, Air Force Base Conversion Agency.
- Jacobs. 1998 (February). Personal Communication (telephone conversation between D. Nelson, The Environmental Company, Inc., and L. Schuetter, Jacobs Engineering Group and facsimile, on February 23, 1998 regarding revised background upper tolerance limits from the NAS Fort Worth JRB, Texas Basewide Background Study). Jacobs Engineering Group, Inc., Denver, CO, for the United States Air Force, Air Force Base Conversion Agency.
- Long, O. 1996. Personal Communication (conversation with G. Metzler, The Environmental Company, Charlottesville, VA, and B. Duffner, The Environmental Company, Issaquah, WA, during project assessment phase). Carswell Air Force Base Conversion Agency.
- McBee, B.R, R.B. Marquez, and D. Pearson. 1996. Draft: Guidance for Conducting Ecological Risk Assessment Under the Texas Risk Reduction Program. Texas Natural Resource Conservation Commission, Austin, TX.
- Sample, B.E, D.M. Opresko, and G.W. Suter II. 1996. *Toxicological Benchmarks for Wildlife: 1996 Revision*. Prepared by the Risk Assessment Program Health Sciences Research Division for the US Department of Energy, Oak Ridge, TN.
- TEC. 1995 (February). Proposal to Conduct Site Assessment, Investigation, and Characterization of the Recreational Vehicle (RV) Family Camping (Fam Camp) Area, Naval Air Station (NAS) Fort Worth Joint Reserve Base, Carswell Field, Texas. Contract No. F41624-95-D-8002, Delivery Order 0003. The Environmental Company, Charlottesville, VA.

- TEC. 1996a (July). Field Sampling Plan, Site Assessment, Investigation, and Characterization of the Recreational Vehicle (RV) Family Camping (Fam Camp) Area, Naval Air Station (NAS) Fort Worth, Joint Reserve Base, Carswell Field, Texas. Contract No. F41624-95-D-8002, Delivery Order 0003. The Environmental Company, Charlottesville, VA.
- TEC. 1996b (July). Quality Assurance Project Plan, Site Assessment, Investigation, and Characterization of the Recreational Vehicle (RV) Family Camping (Fam Camp) Area, Naval Air Station (NAS) Fort Worth, Joint Reserve Base, Carswell Field, Texas. Contract No. F41624-95-D-8002, Delivery Order 0003. The Environmental Company, Charlottesville, VA.
- TEC. 1996c (July). Work Plan, Site Assessment, Investigation, and Characterization of the Recreational Vehicle (RV) Family Camping (Fam Camp) Area, Naval Air Station (NAS) Fort Worth, Joint Reserve Base, Carswell Field, Texas. Contract No. F41624-95-D-8002, Delivery Order 0003. The Environmental Company, Charlottesville, VA.
- TEC. 1998a. Revised Final Site Characterization Report for the Pipeline Investigation Area, Naval Air Station Fort Worth, (NAS) Fort Worth, Joint Reserve Base, Carswell Field, Texas. The Environmental Company, Charlottesville, VA.
- TEC. 1998b. Final Site Characterization Report for the Recreational Vehicle Family Camping (RV Fam Camp) Area, Naval Air Station (NAS) Fort Worth, Joint Reserve Base, Carswell Field, Texas. The Environmental Company, Charlottesville, VA.
- TEC. 1998c. Draft Work Plan Addendum, Site Assessment, Investigation, and Characterization of the Recreational Vehicle (RV) Family Camping (Fam Camp) Area, Naval Air Station (NAS) Fort Worth, Joint Reserve Base, Carswell Field, Texas. Contract No. F41624-95-D-8002, Delivery Order 0003. The Environmental Company, Charlottesville, VA.
- TNRCC. 1993. Subchapter S: Risk Reduction Standards, Texas Natural Resource Conservation Commission, Chapter 335 - Industrial Solid Waste and Municipal Hazardous Waste. Texas Natural Resource Conservation Commission, Austin, TX.
- TNRCC. 1998. Implementation of the Existing Risk Reduction Rule. Interoffice memorandum from R.R. Pedde, P.E. Division Director, Remediation Division, Office of Waste Management, July 23, 1998. Texas Natural Resource Conservation Commission, Austin, TX.
- ULS. 1996 (November 12). Letter Report on Utility Location Survey-Proposed Borehole Locations and Leach Field Search and Location (Fam Camp Area), NAS Fort Worth (Carswell Field). ULS Services Company, Pocatello, ID.
- USAF. 1993 (September). Handbook for the Installation Restoration Program (IRP) Remedial Investigations and Feasibility Studies (RI/FS). Headquarters, Air Force Center for Environmental Excellence, Brooks Air Force Base, TX. United States Air Force.

- USAF. 1996 (January). Scope of Work, Site Assessment, Investigation, and Characterization of the Recreational Vehicle (RV) Family Camping (Fam Camp) Area, Naval Air Station (NAS) Fort Worth, Joint Reserve Base, Carswell Field, Texas. Project No. 95-8021. Department of the United States Air Force.
- Will, M.E. and G.W. Suter II. 1995. Toxicological Benchmarks for Screening Potential Contaminants of Concern for Effects on Terrestrial Plants: 1995 Revision.

 Prepared by the Environmental Restoration Risk Assessment Program, Lockheed Martin Energy System, Inc., for the United States Department of Energy, Oak Ridge, TN.

A

APPENDIX A

RV FAM CAMP UTILITY DRAWING

B

GEOPHYSICAL REPORT



453 101

November 12, 1996

Mr.Bob Duffner The Environmental Company, Inc. 24997 S.E. 155 Place S.W. Issaquah, WA. 98027 PH: (206) 391 - 2785

Subject:

Field Documentation - Letter Report

Utility Location Survey-Proposed Borehole Locations And Leach Field Search and Location (FamCamp Area)

NAS Ft. Worth (Carswell Field)

Reference:

TEC Subcontract No. IDIQ9610

Project No. 3103

Subcontract Delivery Order (SDO) 001

Dear Mr. Duffner,

Representatives of ULS Services Corporation were present at the referenced site on the dates of October 21 thru 24, 1996 to perform underground utility location at twenty proposed borehole locations as well as search and location of a reported abandoned sewer leach field at NAS FT. Worth.

METHODS

Analog and Digital Electromagnetic as well as Ground Penetrating Radar (EM) methods were used. Analog EM methods include: Electromagnetic Pipe and Cable Location (EMPCL) and Electromagnetic Induction Metal Detection (EMIMD). Conductive Utility Clearance Work was accomplished utilizing EMPCL methods which include passive, ground induction, and connection modes.

453 1102

TEC-CARSWELL REPORT PAGE-2

A high watt signal generator with multi-frequency receiver was used. In addition, EMIMD air to ground induction mode was employed to detect broad metal mass anomalies that may be reflective of potential USTs or vaults not reported or known to exist. EMIMD was also utilized to detect high conductive soil or metallic residual soil areas that may be indicative of former UST or septic tank pit areas. A bar suspended transmitter and receiver type unit was utilized. Observed EM line signals (utilities) and metal mass anomalies were painted on the ground surface and field drawings were prepared for TEC crew and for translation into CAD format. Drawings for the utility survey work along the fuel pipeline were not requested.

Digital EM methods include use of a Geonics EM-31 Terrain Conductivity Meter. A survey grid with transect spacing interval of 10 feet was laid out across the reported leach field area designated by TEC field staff. Digital data was collected at 10 foot intervals along each transect line and loaded onto Surfer for Windows Software for analysis as well as Autocad LT Software.

Ground Penetrating Radar (GPR) was also utilized to attempt to identify potential utilities constructed of non-conductive materials and to further characterize EM anomalies found in the reported leach field area.

OBSERVATIONS

<u>Utility Survey</u> Front Gate Area:

Ground surface consists mostly grass. No obvious surface expressions or USTs are observed. No metal mass anomalies are observed. A total of five Survey Zones were investigated, three on the east side of the creek and two on the west side. A large diameter storm water pump station transfer pipe, appears to trend from west side southwest of vault in a northwest direction towards Base. An EM line signal anomaly (utility) was also observed trending in same direction in the same trench. Actual pipe location was not verified. Location of pipe was confirmed with Base facilities and staff. Ground Penetrating Radar (GPR) pilot tests were performed to determine feasibility. Due to the soil composition or other variables, reflective data was not obtained. Results proved to be non-feasible in this area. Multiple utilities were observed trending in same direction including: Fuel, Natural Gas, Electric and Telephone. One EM signal (utility) was observed on the west side of creek trending east and west through survey zones. EM signal is consistent with reported Fuel line location. One anomaly (utility) possibly telephone was also observed trending in same direction.



OBSERVATIONS

Utility Survey

Water Fall Area:

Ground surface consists of grass, gravel and heavy brush in places. No obvious surface expressions of USTs are observed. No metal mass anomalies are observed. A total of five Survey Zones were investigated in this area. Two large diameter Fuel lines are exposed crossing a small creek bed that flows into river. Fuel lines are parallel and are trending approximately northeast to southwest through survey zones. One EM signal anomaly (utility) is observed trending east and west at the north end of the survey zones. Observation of the trend appears to originate from a storm drain manhole to another manhole.

Flood Control Area:

Ground surface consists of grass. No obvious surface expressions of USTs are observed. No metal mass anomalies are observed. A total of five Survey Zones were investigated along the West bank of the channel. One EM signal (utility) is observed trending East and West thru all five survey zones. EM signal observed is consistent with reported Fuel line location.

Roaring Spring Road:

A total of two Survey Zones were investigated in this area. Ground surface consists of grass. No obvious surface expressions of USTs are observed. No metal mass anomalies are observed. One EM signal anomaly (utility) is observed trending East and West from a concrete vault. Trend is consistent with reported Fuel line location.

Work was confined to these areas and no intrusive work should be done outside of the marked Survey Zones. Utilities that have been located and identified are marked accordingly in and immediately around the Survey Zones. Areas between ULS Survey Zones have been interpolated based upon trend direction of observed utilities. Detailed utility work has not been performed in these areas, outside of the ULS Survey Zone.

TEC-CARSWELL REPORT PAGE-4

Leach Field Search Leach Field Area:

The reported leach field survey area designated by TEC field staff is at an abandoned RV Park referred to locally as FamCamp area. The survey area consists of approximately 35,000 square feet of generally flat low-cut grassy area that is separated by a tree-hedge. The area north of the hedge is a low-cut open grass area with some scattered large trees. The area south of the hedge, also of low-cut grass, lyes between two graveled RV parking strip areas located perpendicular to a asphalt road that trends east-west through the RV Park. The northern side of the road (curb) is the southern boundary of the leach field survey zone. Ground surface within the southern half of the survey zone is relatively uneven and hummock and appears to have been disturbed.

A general utility survey was performed through the survey zone to ascertain existence of utilities and possible metallic piping associated with the reported leach and septic system. Results of the EMPCL survey indicates presence of utilities. Two EM signals (utilities) are observed trending east and west parallel with each other approximately five feet apart on the north edge of the asphalt road. One EM signal (utility) is observed on the east edge of Lot #3 trending north forty nine feet then east twenty seven feet to end of signal. Another utility was observed approximately fifty-five feet from the west side of survey zone trending north and south thru the entire zone(Plat 1).

Results of the Leach Field Septic Tank Search and Location work utilizing EMIMD methods indicate the presence of multiple low-grade high conductive anomalies within the area south of the tree hedge. Anomalies form a L- shaped pattern and fall within the hummocky, possibly disturbed ground surface area referenced above. Ground Penetrating Radar (GPR) was utilized to further characterize the EMIMD anomalies, however reflector data obtained was washed out and non-conclusive, probably due to poor soil conductivity conditions (GPR proved non-feasible). Results of the EM-31 survey confirmed the presence of one utility trending north-south through the survey zone, previously found during the EMPCL survey. Conductivity contour maps do not indicate any anomalous features other than the lineated anomaly (utility) referenced above (Plat-2). An overlay of Plats 1 and 2 are shown on Plat 3.

Conclusions

Of the two utilities trending parallel to one another and east to west along north side of the curb, the northern most utility appears to be a natural gas service line as this line traced back to Roaring Springs road where the Gas Company had marked the line. A lateral service pipe, which appears to be in connection with the main pipe, reference above, trends northward into the survey zone, where it is observed to form a 90 degree elbow turn to the south, at which point the lateral terminates, approximately 50 feet east of the disturbed ground and EMIMD anomalies. This termination point may have been a natural gas main location for a former building associated with the reported leach - septic system.



The EMIMD anomalies and disturbed ground may be associated with the reported former septic tank system. Based on the low-grade strength of these anomalies it does not appear that the septic tank exists, however, the anomalies may be resultant from remnant pieces or residue from demolition and removal. Further historical information may be needed to ascertain the location of this system.

Utility Location

Five proposed borehole locations were designated by TEC field staff based on the results of the Leach Field location work and EMPCL methods were utilized to determine the presence of conductive utilities within these zones. None were observed (Plat 1).

LIMITATIONS

This work was performed to industry standards, however, not all utilities, facilities, and debris, conductive or non-conductive may be detected, observed, and shown due to known or unknown variables. Multiple methods and search sweeps as well as visual methods are employed. Results are very dependent upon surface and subsurface soil conditions and data collected as well as observations may vary. It is not always feasible to obtain useful data. Interpretations made here are based on past experience and typical response to these methods to similar scenarios associated with this work. Other interpretations are always possible and may not be stated.

It is advisable to exhaust all other sources of information before intrusive work begins. This may include and is not limited to additional utility drawing review, historical document-drawing review, facilities-owner review, and public utility notification.

If you have any questions about this report please contact me at (800)528-8206.

Sincerely

ULS SERVICES CORPORATION

Michael W. Benedict

Western and Pacific Regions

C

APPENDIX C

SAMPLE IDENTIFICATION CROSS REFERENCE

	CONTROL NO	A9B00283	A8B09035	A9B00283	A8B09035	A9B00283	A8B09035	A9B00283	A8B09035	A9B00283	A8B09035	A8B09035	A8B09035	A9B00283	A8B09035	A9B00285	A9B00536	A9B00285
	ANALYTICAL METHOD	SW8021	SW8270	SW8021	SW8270	SW8021	SW8270	SW8021	SW8270	SW8021	SW8270	SW8270	SW8270	SW8021	SW8270	SW8021	SW8260	SW8021
	LABORATORY SAMPLE NO	A8477102	A8477102	A8477106	A8477106	A8477107	A8477107	A8477108	A8477108	A8477104	A8477104	A8477104MS	A8477104SD	A8477105	A8477105	A8477103	A8477103	A8477101
IENCE IL AFB)	FIELD LOT	101A	101A	101,4	101A	101,4	101A	101A	101A	101A	101A	101A	101A	T01A	101A	100A	100A	D01A
SAMPLE IDENTIFICATION CROSS REFERENCE PIPELINE AREA DRILLING PROJECT NAS FT WORTH JRB (FORMERLY CARSWELL AFB)	HELD SAMPLE NO	SB-108-01	SB-108-01	SB-109-01	SB-109-01	SB-109-03	SB-109-03	SB-109-02	SB-109-02	SB-110-01	SB-110-01	SB-110-01	SB-110-01	SB-110-02	SB-110-02	AB-100	AB-100	TB-101
TIFICATION E AREA DRI I JRB (FORN	THS (FT)	11.50	11.50	13.00	13.00	13,00	13.00	17.20	17.20	10.00	10.00	10,00	10.00	17.50	17.50	0.00	0.00	0.00
SAMPLE IDEN PIPELIN AS FT WORTH	SAMPLE DEPTHS (FT)	8.50	8.50	10.00	10.00	10.00	10.00	16.00	16,00	7.00	7.00	00.7	2.00	15.00	15.00	00.00	00'0	0.00
ž	SAMPLE	8	8	8	8	8	8	8	8	8	8	8	8	8	8	Q	ğ	ğ
p	SAMPLE	ž	Ξ	Z	Z	ē	8	Z	Z	2	Z	MS1	SOT	Z	Ξ	AB1	AB1	TB1
	SAMPLE	1000	1000	1355	1355	1355	1355	1505	1505	2/2011		1	<u>-</u>			1040	1040	935
	SAMPLE	24-Oct-1998	24-Oct-1998	SB-109 24-Oct-1998	24-Oct-1998	24-Oct-1998	24-Oct-1998	SB-109 24-Oct-1998	24-Oct-1998	24-Oct-1998 1115	24-Oct-1998	SB-110 24-Oct-1998 11.15 MS1	SB-110 24-Oct-1998 11115 SD1	24-Oct-1998	SB-110 24-Oct-1998 1210	FELDOC 24-Oct-1998 1040 AB1	24-Oct-1998	HELDOC 24-Oct-1998 935 TB1 WO
	LOCATION	SB-108	SB-108	SB-109	SB-109	SB-109	SB-109	SB-109	SB-109	SB-110		SB-110	SB-110	SB-110	SB-110	PELDOC	FIELDOC	FIELDOC

TAB

D

APPENDIX D

SURVEYING DATA


Coordinates and Elevations
Site Drawing

Coordinates and Elevations

Soil Borehole Coordinates and Elevations

Location	Northing	Easting	Elevation (ft)
SB-16A	6961506.09	2299191.68	601.61
SB-17	6961587.62	2299268.95	600.09
SB-18	6961562.30	2299299.32	598.89
SB-19	6961615.30	2299236.88	601.09
SB-2 <u>0</u>	6961635.23	2298918.58	599.67

-- Value (... Criming marr) D.



TAB



APPENDIX E

BOREHOLE LOGS

GEOLOGIC BOREHOLE LOG

Borehole (Location) ID: SB16

Page _1_ of _1_

borenoie				<u> </u>				_			rage	· 0 <u></u>
A ^r	CRSW	/ ∟					SitelD			Location Type	Bore	ehole (BH)
Location De	scription	Fam	ily Ca	mpgr	ound						_	
Establishing	Company	The E	nviror	men	tal Co		Geologist	K. Troe	nsegaard	Drilling Company	Ron	e Engineers, Inc.
Drilling Forer	πan	Tim B	ranco				Ground Sud	ace Elevation	601.61 ft	Datum	Mea	n Sea Level
Sampling De	vice	Split 9	Spoor	ı (5 f	t)		Barehale Di	ameter (inches)	7	Total Depth (Feet)		7.2
Date/Time D	rilling Sta	rted	10/25	5/96	. 0	7:55			Date/Time Total De	pth Reached 10/25/9	- 96	08:25
Depth (feet)	Recov (feet)	Sample Depth	pling Blow Counts	PID	USCS	ASTM CCCE	Lithalogic Codes	1	-	escription size, sorting, color, cement/ orosity, permeability/fracturing	Strat- order	Remarks: Drilling Problems, Equipment, Water levels, Weather, Time, Samples
		0- 2.5		0		OL	STCL	and clay moist, slig	with limestone phtly plastic, 5	o brown mixed silt chips, soft, slightly YR 4/1 , light yellow, firm,		Cloudy, misty, cool, ~50 deg. F
4	2.5	2.5- 5		0		ML	SILT	4	e, probably de	composed limestone,		FC-SB16-01 2.5-5': VOA, SVOA TPH-D, TPH-G, inorganics, pesticides/PCB's
6_ 	1.3	5- 7.2		3.4		СМ	LS	6.5-7.2' limestone		ght gray chalky	_	8:25
10 12 14 16 18 20								Note: Rig second a feet. This samples Rig was t third attel feet. This	ttempt made. s hole was labe were collected. hen moved 24 npt made. Re	feet N25E and a Refusal was met at 4 eled SB16Bno feet N46E and a efusal was met at 7 eled SB16Cno		FC-SB16-02 5-7.2': VOA, SVOA TPH-D, TPH-G, inorganics, pesticides/PCB's, grain size analysis No water in boring

GEOLOGIC BOREHOLE LOG

Borehole (Location) ID: Page _1_ of _1_ **CRSWL** Borehole (BH) AF!ID Location Type Family Campground, north of hedge, middle hole Location Description Establishing Company The Environmental Co K. Troensegaard Rone Engineers, Inc. Geologist Drilling Company Tim Branco 600.09 ft Mean Sea Level Drilling Foreman Ground Surface Elevation Datum Split Spoon (5 ft) 5.0 7 Sampling Device Borehole Diameter (inches) Total Depth (Feet) 10/25/96 10:25 10/25/96 10:40 Date/Time Drilling Started Date/Time Total Depth Reached Sampling USCS Depth **ASTM** Lithologic Strat-Lithology Description Remarks: Drifling Problems, (feet) Sample Blow CODE Codes Recov SOIL TYPE, modifiers/grain size, sorting, color, cement/ order Equipment, Water levels, (feet) Depth Counts PID lithification, moisture content, porosity, permeability/fracturing Weather, Time, Samples 0-1.8' Topsoil: organic silt and clay, soft, Cloudy, mild 0-OL STCL slightly moist, slightly plastic, 7.5 YR 3/2 3.6 2.5 1.8-5' Silt: chalk silt and limestone frag-FC-SB17-01 4.4 ments, firm, dry, friable, 10 YR 7/2 2.5-5': VOA, SVOA 2.5-TPH-D, TPH-G, 3.8 SILT 5 ML inorganics, pesticides/PCB's 10:40 Refusal at 5' against limestone No water in boring 8 ____ 10 ___ 18

Borehole (Location) ID: SB18

Page _1_ of _1_

CRSWL Borehole (BH) SiteID Location Type Location Description Family Campground, north of hedge line, easternmost hole Establishing Company The Environmental Co K. Troensegaard Rone Engineers, Inc. Geologist Drilling Company Tim Branco Mean Sea Level 598.89 ft Orilling Foreman Ground Surface Elevation Datum Split Spoon (5 ft) 7 6.0 Sampling Device Borehole Diameter (inches) Total Depth (Feet) 10/25/96 09:50 10/25/96 10:15 Date/Time Drilling Started_ Date/Time Total Depth Reached Depth USCS ASTM Lithologic Strat-Remarks: Drilling Problems, Sampling Lithology Description (feet) Recov Sample Blow CCCE Codes SQIL TYPE, modifiers/grain size, sorting, color, cement/ Equipment, Water levels, Weather, Time, Samples Depth PID lithification, moisture content, porosity, permeability/fracturing (feet) Counts 0-2' Topsoil: Dark brown mixed organic Cloudy, mild 0-OL STCL silt and clay, soft, moist, slightly plastic 2.5 1 2-6' Silt and limestone rubble: Chalk silt FC-SB18-01 3.1 and cobbles of limestone, firm, dry, friable 2.5-5': VOA, SVOA, 2.5-TPH-D, TPH-G, 2 SILT 5 ML inorganics. pesticides/PCB's 10:00 5-1.0 3.4 6 10:15 FC-SB18-02 5-6': VOA, SVOA, Refusal at 6 feet against limestone TPH-D, TPH-G, inorganics, pesticides/PCB's, No water in boring 10 12 <u>16</u> <u>18</u> 20

453 120 GEOLOGIC BOREHOLE LOG

Borehole (Location) ID: SB19

Page _1_ of _1_

							ı —					
AFIID	CRSW	<u>/L</u>					SiteID			Location Type	Bore	ehole (BH)
Location Des	scription_	Fam	ily Ca	ımpgı	round,	north	of hedg	ge line, w	esternmost h	ole		
Establishing (Company	The E	nviror	nmen	tal Co		Geologist	K. Troe	nsegaard	Drilling Company	Ron	e Engineers, Inc.
Drilling Forem	nan	Tim B	ranco	1			Ground Sur	ace Elevation	601.09 ft	Datum	Mea	an Sea Level
Sampling Dev	vice	Split :	Spoor	า (5 f	t)		Borehole Di	ameter (inches)	7	Total Depth (Feet)		4.0
Date/Time D	rilling Sta	ned	10/25	5/96		1:00			Date/Time Total De	pth Reached 10/25/	96	11:10
Depth (feet)	Recov	Sample	npling Blow	_	USCS	ASTM CODE	Lithologic Codes	SOILT	Lithology D YPE, modifiers/grain :	escription size, sorting, color, cement/	Strat- order	Remarks: Drilling Problems, Equipment, Water levels,
(1001)	(feet)	Depth	Counts	PID		0000		lithification	, moisture content, p	orosity, permeability/fracturing		Weather, Time, Samples
					<u> </u>	.	OTO!			silt & clay, slightly	ŀ	Cloudy, mild, windy
-		0- 2		0		OL	STCL	moist, tiri 	m, slightly plas	SUC, 2.5 Y 3/2		FC-SB19-01
2											_	2.2-4': VOA, SVOA,
	3.2]					•	t: chalky silt		7	TPH-D, TPH-G,
_		2-		4.4		1.51	CH T	fragment	s, dry, stiff, fri	able, 2.5 Y 8/2		inorganics,
4		4		11		ML	SILT					pesticides/PCB's 11:10
											1	FC-SB19-02
_								Refusal a	it 4 feet agains	st limestone		Field duplicate of
	}											FC-SB19-01
6		1				l						No water in boring
												On geophysical grid,
8_	1											grid lines bear ~N20E.
-	1							!				11202.
_												
10_												
	ł											· ·
\ -	1	}		 			}					
12	1]	3				}
_	4											
_	-											
14_	1		Ì			1					1	
]									-		
]											
1,,-	-											
16_	1			1								
-												-
]											
18_												
-	1		1									
<u> </u>	1					}						
20	1					<u></u>						
, ,	· • · · · · · · · · · · · · · · · · · ·											

GEOLOGIC BOREHOLE LOG

453 121

Borehole (Location) ID: SB20 <u>1</u> of <u>2</u>

CRSWL Borehole (BH) SiteID Location Type Location Description Family Campground, west of campground, behind dumpster enclosure Establishing Company The Environmental Co Rone Engineers, Inc. Geologist K. Troensegaard Drilling Company Tim Branco 599.67 ft Mean Sea Level Orilling Foreman Ground Surface Elevation Datum Split Spoon (5 ft) 7 21.0 Total Depth (Feet) Sampling Device Borehole Diameter (inches) 10/25/96 11:30 10/25/96 14:40 Date/Time Driffing Started Date/Time Total Depth Reached Sampling USCS ASTM Lithologic Lithology Description Remarks: Drilling Problems, Depth CODE SQIL TYPE, modifiers/grain size, sorting, color, cement/ Equipment, Water levels. (feet) Recov Codes Samole Blow PO lithification, moisture content, porosity, permeability/fracturing Weather, Time, Samples (feet) Depth Counts OL **STCL** 0-0.5' Topsoil: organic silt & clay, 7YR 2/3 Partly cloudy. 0-0.5-2.8' Silt: moderately organic silt warm, breezy, (topsoil transition), firm, dry, friable, with 70's 2.5 9 SILT ~10% limestone fragments and CaCO3 MLOL concretions, 5 YR 4/3 3.6 2.5-2.8-21' Silt: yellow-brown, firm, dry, friable, occasional sand grains, trace CaCO3 5 0 precipitates, fairly abundant limestone fragments and cobbles, 7.5 YR 6/6 11:45 Hard drilling from 5 to 10 feet FC-SB20-01 5-5-10': VOA, SVOA 1.4 TPH-D, TPH-G, 10 22.4 inorganics, pesticides/PCB's <u>10</u> 12:10 10-12.5 4.4 12 SILT ML 12-15' Silt: very fine grained, mixed with 2.8 some clay, yellowish brown, stiff, slightly 12.5moist, slightly to moderately plastic, 7.7 14 15 10 YR 5/4 13:30 FC-SB20-02 <u>16</u> 15-17.5': VOA, 15-TPH-D, TPH-G, 17.5 5 SVOA, inorganics, pesticides/PCB's 3.2 <u>18</u> *MS/MSD also 17.5collected in this 20 interval 6.3 20 13:56

GEOLOGIC BOREHOLE LOG

453 122

Borehole (Location) ID:____SB20

Page 2 of 2

Borehole (BH) CRSWL Location Type AFIIO Location Description Family Campground, west of campground, behind dumpster enclosure Establishing Company The Environmental Co K. Troensegaard Rone Engineers, Inc. Geologist **Drilling Company** 599.67 ft Mean Sea Level Tim Branco Orilling Foreman Ground Surface Elevation Datum 21.0 Split Spoon (5 ft) Borehole Diameter (inches) Total Depth (Feet) Sampling Device 10/25/96 14:40 10/25/96 11:30 Date/Time Drilling Started Date/Time Total Depth Reached USCS ASTM Lithologic Strat. Remarks: Drilling Problems, Depth Sampling Lithology Description CODE Codes Equipment, Water levels, (feet) Sample Blow SOIL TYPE, modifiers/grain size, sorting, color, cement/ Counts PD lithification, moisture content, porosity, permeability/fracturing Weather, Time, Samples Depth Recov No 20-21' As above 6.9 ML, SILT 14:40 1.0 Sample Refusal at 21.0' against limestone No water in boring

TAB

1-

APPENDIX F

FIELD DATA FORMS

Waste Inventory Tracking Forms

Field Sampling Reports

Health ad Safety Monitoring Sheets

Instrument Calibration Logs

Equipment Decontamination Log Sheet

Waste Inventory Tracking Forms

LOCATION: NAS FortWorth JRB CANSWELL Field, TX
PROJECT NAME: RU FAM CIAMID ANEA
ACTIVITIES: Soil Borings 10/22/96-10/26/96

		r i				_		
Date Waste Generated	Activity Generating Waste (borehole #/	Description of Waste	Field Evidence of Contamination	Estimated Volume Factor	Type of Container (storage ID4)	Location of Container	Waste Characterization	Comments
10/22	SBOI		16 -	3 .	_	0~11		5B01 75%
96	<u>5802</u>	Soil	NOWE	20	FC-0-1	SITE		SBUR 25%
10/22	5801 5802	h	odor	50	FC-0-2	11		SBUISBLEON
10/23	5803	<i></i>	odor	50	FC-D-3	11		5803 (cv/;
10/23	SB04 SB05_	4	odor	50	FC-D-4	11		580+1 20% 5805 Est.
10/23 96	SB06	u	NONE	50	FC-0-5			SB06 100%
10/24	5807 5808	u	WOW E	30	FC-U-6	11		SBOT FOR
10/24	5B09 5B10	"	NONE	50	FC 17.7	11		SB09 50% SB10 50%
10/25	58169- 5820	11	None	40	FC-0-8 55641	11		5816-19 5% 58 20 50%
10/26	5B-11 56-12	11	PETOdor	55	FC-D-9	/1		SB 11 - 75/2 SB 12 - 25/
10/26	5812	n	Odon	20	FC-0-10	u u		SBIZ 100%
10/25	58·01-	WATER	NOWE	30	FC-0-11	/(SBI THAU SBIO
10/26	DCCON SB/1212	WATER	NowE	10	FC-D-12	11		SB 11 H
		1	L			-		4

Note: Describe whether soil or water samples have been collected for waste characterization, include date, if known.

Signature:	KW TOO	Rum	and Site	Geologist 4/96	
			Composi re Collecte		196

FIELD S	SAMP	LING	REPO)RT
---------	------	------	------	-----

		_				
LOCATI	ON:	5 F	5-116	•	PROJECT:	3103
SITE:		34 (RV Fam Camp)		<u> </u>	
				SAMPLE INFOR	RMATION	
MATRIX	:		so		SAMPLE ID:	SB- 116-01
SAMPLI	NG MET	HOD:		•	DUP/REP. OF:	
BEGINN	ING DEF	TH:	2.51	.	MATRIX SPIKE	MATRIX SPIKE DUPLICATE
END DE			5.01		YES:	NO: TO LEGISLANCE PAR
GRAB:	<u> x</u>	СОМ	POSITE:		DATE: 10/23	7/9 TIME: 1255
	NTAINE	3	PRESERVATIVE/	EXTRACTION	ANALYTICAL	
SZE.	TYPE	#	PREPARATION	METHOD	METHOD	ANALYSIS
4 oz	Glass	01	Ce	8W5035	5W8280	Volatile Organics
8 0z	Glass	1	ļce	\$W3540	SW8270	Semivolatile Organics
8 oz	Glass	20)	LLM ICE	SW3540	SW8081	Pesticides
B oz	Glass	34		SW3540	SW8082	PCBs
ø oz	Glass	1	rw Ice	SW3050	SW6010/	Inorganics/Mercury
					SW7471	
	** *			NOTABLE OBSE	RVATIONS	-
WAT	ER QUA	ŲTY	SAMP	LE CHARACTER	STICS	MISCELLANEOUS
рН	$\Delta \angle$	_	COLOR;			
Temp	A -		ODOR:			
EC /			OTHER:			 • • • • • • • • • • • • • • • • • • •
				GENERAL INFO	NRMATION	
				ODIAM AMERIA		
WEATH	HER:	SUN	CLEAR CL	OUDY/RAIN	WIND DIRECTION	N TEMPERATURE 60's
SHIPM	IENT VI	A:	FED-X _X_	HAND DELIVER	COURIER	R OTHER
SHIPPI	ED TO:	REC	RA Environmenta	al, Inc.		
СОММ	ENTS:		-		<u> </u>	And the second s
SAMPL	.ER:	1	· Myers		OBSERVER:	
			£.1			

TON:		3B-116		PROJECT:	<u>3103</u>
	34 (RV Fam Camp)			
			SAMPLE INFOR	MATION	
X:	,	so		SAMPLE ID:	SB- 116-02
ING MET	HOD:	88		DUP/REP. OF:	
NING DEF	TH:	5.0			MATRIX SPIKE DUPLICATE
EPTH:	i	5.5		YES:	NO:
X	СОМ	POSITE:		DATE: 10/23	NO: NO Sampl
ONTAINE	٦	PRESERVATIVE/	EXTRACTION	ANALYTICAL	
TYPE	#	PREPARATION	METHOD	METHOD	ANALYSIS
Glase	1	lce	SW5035	SW8260	Volatile Organice
Glass	_ 1	lce	SW3540	SW8270	Semivolatile Organics
Glass	1	tce	SW3540	SW8081	Pesticides
Glass			SW3540	SW8082	PCBs
Gíass	_ 1	ice	SW3050	SW6010/	inorganics/Mercury
				SW7471	
	<u> </u>		,,		
			NOTABLE OBSE	RVATIONS	,
ER QUAL	_HTY_	1	E CHARACTERI	STICS	MISCELLANEOUS
$\overline{}$		†	 		
- A				···	<u> </u>
/_` -		OTHER:			
		<u> </u>	GENERAL INFO		<u> </u>
		٠,			. •
HER:	sinv.	CLEAR CLC	DUDY/RAIN 1	WIND DIRECTION	N TEMPERATURE 605
MENT VIA	\ :	FED-XX 1	HAND DELIVER	COURIER	OTHER
	IX: LING MET NING DEF EPTH: X ONTAINEF TYPE Glass Glass Glass Glass Glass HER: MENT VIA	X: LING METHOD: NING DEPTH: X COM ONTAINER TYPE # Glass 1 Glass 1 Glass 1 Glass 1 MERT VIA:	S4 (RV Fam Camp) X: SO LING METHOD: SS NING DEPTH: S.C EPTH: S.C X COMPOSITE: ONTAINER PRESERVATIVE/ TYPE # PREPARATION Glass 1 Ice THER: SUN/CLEAR COLOR: MENT VIA: FED-X X ICE ONTAINER PRESERVATIVE/ PREPARATION COLOR: ODOR: OTHER:	SAMPLE INFORMATION X: SO LING METHOD: SS NING DEPTH: S.S X COMPOSITE: ONTAINER PRESERVATIVE/ EXTRACTION TYPE # PREPARATION METHOD Glass 1 Ice SW3540 Glass 1 Ice SW3550 NOTABLE OBSE SER QUALITY SAMPLE CHARACTERI COLOR: ODOR: OTHER: SUN/CLEAR CLOUDY/RAIN_ THER: SUN/CLEAR CLOUDY/RAIN_ THER: SUN/CLEAR CLOUDY/RAIN_ COLODY GENERAL INFO	SAMPLE INFORMATION X: SO SAMPLE ID: LING METHOD: SS DUP/REP. OF: NING DEPTH: S.O MATRIX SPIKE/ EPTH: YES: DATE: 10/23 ONTAINER PRESERVATIVE/ EXTRACTION ANALYTICAL TYPE # PREPARATION METHOD METHOD Glass 1 Ice SW5035 SW8260 Glass 1 Ice SW3540 SW8270 Glass 1 Ice SW3540 SW8081 Glass 1 Ice SW3540 SW8081 Glass 1 Ice SW3540 SW8081 Glass 1 Ice SW3540 SW8082 Glass 1 Ice SW3540 SW8082 Glass 1 Ice SW3540 SW8081 Glass 1 Ice SW3540 SW8081 Glass 1 Ice SW3540 SW8081 Glass 1 Ice SW3540 SW8082 Glass 1 Ice SW3540 SW8081 Glass 1 Ice SW3540 SW8081 Glass 1 Ice SW3540 SW8081 Glass 1 Ice SW3540 SW8082 Glass 1 Ice SW3540 SW8081 Glass 1 Ice SW3540 SW8082 Glass 1 Ice SW3540 SW8081 Glass 1 Ice SW3540 SW8082 Glass 1 Ice SW3540 SW8082 Glass 1 Ice SW3540 SW8081 Glass 1 Ice SW3540 SW8082 Glass 1 Ice SW3540 SW8081 Glass 1 Ice SW3540 SW8081 Glass 1 Ice SW3540 SW8082 Glass 1 Ice SW3540 SW8081 Glass 1 Ice SW3540 SW8082 Glass 1 Ice SW3540 SW8081 Glass 1 Ice SW3540

FIELD	SAMF	LING	REP	ORT

LOCATI	ON:	SB -	-117	•	PROJECT:	3103
SITE:	· · · · · · · · · · · · · · · · · · ·	34 (RV Fam Camp)	· • • • • • • • • • • • • • • • • • • •	w	
				SAMPLE INFOR	MATION	
MATRIX	/. 		so		SAMPLE ID:	SB- 117-01
SAMPLI	NG MET	HOD:	98		DUPJREP. OF:	
BEGINN	ING DEF	•:HT	<u>a.s </u>		MATRIX SPIKE	MATRIX SPIĶE DUPLICATE
END DE			3,4		YES:	
GRAB:	<u> </u>	COM	POSITE:		DATE: (0/33	148 TIME: 1425
<u>co</u>	NTAINE	7	PRESERVATIVE/	EXTRACTION	ANALYTICAL	,
SIZE	TYPE	#	PREPARATION _	METHOD	METHOD	ANALYSIS
4 oz	Gless	1	lee	eweose	EW8260	Volatile Organice
8 oz	Glass	1	lce	SW3540	SW8270	Semivolatile Organics
8 oz	Glass	1	lce	SW3540	SW8081	Pesticides
8 oz	Glass	1	lae	SW3540	SW8082	PCBs
5 oz	Glass	1	lce .	SW3050	SW6010/	Inorganics/Mercury
					SW7471	
-	ļ ,					
	<u> </u>					
			<u>.</u> 1	NOTABLE OBSE	RVATIONS	
WAN	ER QUAI	LITY	1	<u>E CHARACTERI</u>	<u>stics</u>	MISCELLANEOUS
рН	$\Delta \angle$		COLOR:		 	
Temp	\mathcal{A}		ODOR:			
EC	/ \		OTHER:	. 		
				OCNEDAL INFO	DAAATIONI	
			س	GENERAL INFO		
WEATH	HER:	SUN	CLEARCLC	DUDY/RAIN	WIND DIRECTION	Y TEMPERATURE 60'S
SHIPM	ENT VI	A :				OTHER
SHIPPE	ED TO:	REC	RA Environmenta	I, Inc.	· -	,
COMM	ENTS:		<u> </u>	<u> </u>	 ,	· · · —
SAMPL	ER:		f. Muers	-	OBSERVER:	•

LOCATI	ON:	SE	3-118		PROJECT:	3103	
SITE:	_ _	34 (RV Fam Camp)				
				SAMPLE INFOR	MATION		
MATRIX		,	so		SAMPLE ID:	SB- 1180)	
			8		DUPJREP. OF:		
BEGINN	ING DEF		15 /20	9	MATRIX SPIKE/	MATRIX SPIKE DUPLICATE	
END DE	PTH:		3,2		YES:		
GRAB:	X	СОМ	POSITE:		DATE: 10/33	198 TIME: 1445	
CO	NTAINE	3	PRESERVATIVE/	EXTRACTION	ANALYTICAL		
SZÉ	TYPE	#	PREPARATION	METHOD	METHOD	ANALYSIS	
4 62	Glass	1	loe	SW5035	6W8260	Volatije Organios	
8 oz	Glass	1	lce	SW3540	SW8270	Semivolatile Organics	
8 oz	Glass	1	lce	SW3540	SW8081	Pesticides	
8 oz	Glass	1	lce	SW3540	SW8082	PCBs	i
8 oz	Glass	1	ice	SW3050	SW6010/	inorganics/Mercury	
					SW7471		
							1
	_						
		V1)	<u> </u>	NOTABLE OBSE	RVATIONS		
	ROUAL	<u> </u>		<u>E CHARACTERI</u>	STICS	MISCELLANEOUS	
pH	- X -		COLOR:				
Temp	+		ODOR:			-	
EC	<u> </u>		OTHER:	A WITHER MARK TO COMM.	CA SUAT		
	_		<u> </u>	GENERAL INFO	RMATION		
1						4 _1.	
WEATH						N TEMPERATURE 30'S	
SHIPM	ENT VIA	v:	FED-X _X_ }	HAND DELIVER	COURIER	COTHER	
SHIPPE	D TO:		RA Environmenta			, r	,
СОММ	ENTS:	*-	n		<u>a 3.9 %</u>	t logs - no second so	tuble.
SAMPL	ER:	7	- Myers	-	OBSERVER:		

COMMENTS: SAMPLER:

453 IUS

FIELD SAMPLING REPORT LOCATION: 3R-118 PROJECT: 3103 34 (RV Fam Camp) SITE: SAMPLE INFORMATION SAMPLE ID: <u>SB-1\9-02</u> MATRIX: SO 88 SAMPLING METHOD: DUP/REP. OF: MATRIX SPIKE/MATRIX SPIKE DUPLICATE BEGINNING DEPTH: 10 sample - Exchibit YES: _____ NO: ____ END DEPTH: DATE: 10/23/98 TIME: GRAB: X COMPOSITE: _____ CONTAINER |PRESERVATIVE/| EXTRACTION | ANALYTICAL SIZE TYPE # PREPARATION METHOD ANALYSIS METHOD 4 oz Glasa Co 8W5035 6W8260 Volatije Organios 1 Semivolatile Organics 8 oz Glass SW3540 SW8270 Ice 8 oz Glass 1 Ce SW3540 SW8081 Pesticides 1 8 óz Glass lce SW3540 SW8082 PCBs Glass SW3050 Inorganics/Mercury 8 oz lce SW6010/ SW7471 NOTABLE OBSERVATIONS WATER QUALITY SAMPLE CHARACTERISTICS MISCELLANEOUS COLOR: pH_ Temp ODOR: OTHER: EC < GENERAL INFORMATION SUN/CLEAR CLOUDY/RAIN WIND DIRECTION TEMPERATURE WEATHER: FED-X _X HAND DELIVER ___ COURIER ___ OTHER ___ SHIPMENT VIA: SHIPPED TO: RECRA Environmental, Inc.

OBSERVER:

4034

LOCATI	ON:	<u>98</u>	-119-01 LIK	7	PROJECT:	3103	
SITE:			RV Fam Camp)]
				SAMPLE INFOR	MATION .		
MATRIX	<u>.</u>		<u> 50</u>		SAMPLE ID:	SB- 119 -01	
SAMPLI	NG MET	HOD:	88		DUPJREP. OF:		
BEGINN	IING DEF	TH:	1.5		MATRIX SPIKE	MATRIX SPIKE DUPLICATE	Posticials,
END DE	PTH:		<u>a.s</u>		YES:	NO:	PCBs,
GRAB:	X	СОМ	POSITE:		DATE: (0)23	198 TIME: 1540	d inorganie
8	NTAINE	3	PRESERVATIVE/	EXTRACTION	ANALYTICAL		only
SŽE	TYPE	#	PREPARATION	METHOD	METHOD	ANALYSIS)
4 02	Glass	_1	loe .	EWE035	eM85eo	Volatile Organice	
8 oz	Glass	1	lce .	SW3540	SW8270	Semivolatile Organics	_
8 oz	Glass	41	lce	SW3540	SW8081	Pesticides	
8 oz	Glass	3/]сө	SW3540	SW8082	PC8s	
oz	Glass	3 %	lce	6W3050	SW6010/	Inorganics/Mercury	_
 					SW7471		4
<u> </u>	<u> </u>						_
<u></u> _		<u> </u>					
	. /	_		NOTABLE OBSE		1 110051141150110	-{
	BR QUA	LITY		<u>LE CHARACTERI</u>	STICS	MISCELLANEOUS	-
pH Tames	- X		COLOR:		1 th 11 th 1 th 1 th 1 th 1 th 1 th 1 t		-
Temp	/-\ -		ODOR:				-
<u> EU </u>	<u> </u>		<u> </u>				
			1	GENERAL INFO	RMATION		
						TO'S	
WEAT						N TEMPERATURE	
1					COUNIE	OTHER	
		REC	CRA Environmenta	ii, Inc.			-
ſ	MENTS:				·	,	
SAMP	LER:	_5	. Myers		OBSERVER:		┥,
L							!

FIELD SAMPLING REPORT SB-119 LOCATION: **801** PROJECT: SITE: 34 (RV Fam Camp) SAMPLE INFORMATION MATRIX: SAMPLEID: SB- 119-02 ŞQ SAMPLING METHOD: 38 DUP/REP. OF: _SB - 119 - 01 MATRIX SPIKE/MATRIX SPIKE DUPLICATE END DEPTH: 0.5 YES: ____ NO: GRAB: X COMPOSITE: ____ DATE: 10/23/98 TIME: 1540 PRESERVATIVE/ EXTRACTION | ANALYTICAL CONTAINER SIZE TYPE # | PREPARATION METHOD METHOD ANALYSIS 4 oz Glass Ice 8W5035 SW8260 Volatile Organics Glass 8 oz SW3540 ice SW8270 Semivolatile Organics 21 4 8 oz Glass Ice SW3540 SW8081 Pesticides Glass 8 oz 1 lçe SW3540 SW8082 PCBs 4 8 OZ Glass Ice SW3050 SW6010/ Inorganics/Mercury \$W7471 **NOTABLE OBSERVATIONS** WATER QUALITY SAMPLE CHARACTERISTICS MISCELLANEOUS рH COLOR:

Temp ODOR:

EC OTHER:

GENERAL INFORMATION

WEATHER: SUN/CLEAR CLOUDY/RAIN_ WIND DIRECTION ___ TEMPERATURE ____O__S

SHIPMENT VIA: FED-X __X HAND DELIVER ___ COURIER ___ OTHER ____

SHIPPED TO: RECRA Environmental, Inc.

Myers

COMMENTS:

SAMPLER:

OBSERVER:

ا سنة والأوا	* *				
MIHI	11	- О ВИ L	LING		7141
1 11-1-	u		THIE STATE	nlar	VIII.

LOCATIO	ON:	یک	3 - 120		PROJECT:	3103	
SITE:		34 (RV Fam Camp)				
				SAMPLE INFOR	MATION		
MATRIX			so '		SAMPLE ID:	SB- (20-01	
			88		DUP/REP. OF:		
BEGINN	NG DEF	TH:	<u> </u>	_		MATRIX SPIKE DUPLICATE	
END DE	PTH:		6.5 CT	5)		NO:	
GRAB:	X	COM	POSITE:		DATE: (C)/23	198 TIME: 1615	
COI	TAINE	3	PRESERVATIVE/	EXTRACTION	ANALYTICAL		
SĪŽĒ	TYPE	#	PREPARATION	METHOD	METHOD	ANALYSIS	
4 oz	Glass	1	loe	5W5036	6W8250	Volatile Organice	
8 oz	Glass	1	Ice	SW3540	SW6270	Semivolatile Organics	
ø oz	Glass	1	ice	SW3540	SW8081	Pesticides	
8 oz	Glass	1	lce	SW3540	SW8082	PC8s	
a) oz	Glass	1	[ce	SW3050	SW6010/	Inorganics/Mercury	
				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	SW7471		
WED_60				<u></u>			
		<u> </u>					
	<u>_</u>			NOTABLE OBSE		· · · · · · · · · · · · · · · · · · ·	
	ROUAL	<u> </u>		E CHARACTERI		MISCELLANEOUS	n
pH Tomp	- X -					one of the moster in	
Temp	/		OTHER: CON	Sexy Come	tim hitm	to collecte : (aco:	Į)
	\sim	<i>a</i>).	D mm ca	diamo		The second	ſ
				GENERAL INFO	•		1
						- You	1
WEATH						Y TEMPERATURE 40's	
1					COURIER	OTHER	
SHIPPE	DTO;	REC	RA Environmenta	, inc.	5 6 2 2 0	1 200 1	
		- ('ε	Shrig Wat C	ser polo		t bas with direct	bush
SAMPL	ER:	<u> </u>	I. Myers	-	OBSERVER:		Depth
L					10001-101	di mual a	1 Oraforti
				Ü	Chrospy.	through augering	•

LOCATI	ON:	FIEL	000	,	PROJECT:	3103					
SITE:	34 (RV F	am Camp & Pipel	lina)							
•				SAMPLE INFOR	MATION						
MATRIX	:		Wg		SAMPLE ID:	TB-100					
SAMPLI	NG MET	HOD:	NA		DUPJREP. OF:						
BEGINN	ING DEF	Ή:	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-	MATRIX SPIKE	MATRIX SPIKE DUPLICATE					
END DE	PTH:				YES: NO:						
GRAB:	x	COM	POSITE:		DATE: 10/23/	98 TIME: 0830					
CO	NTAINE	3	PRESERVATIVE/	EXTRACTION	ANALYTICAL	****					
SZE	TYPE	#	PREPARATION	METHOD	METHOD	ANALYSIS					
Work	Glass		HCL topH < 2		SU8081	ac Uplatiles					
21	Li	ц	11 11		S108360	Volatiles					
,											
				. <u>.</u>							
				•							
			, ,	NOTABLE OBSE	RVATIONS						
	ROUAL	<u>.174</u>	SAMPL	<u>E CHARACTERI</u>	STICS	MISCELLANEOUS					
pΗ	$-$ \/		COLOR:		Administration and the second						
Temp	$-\chi$		ODOR:								
EC	, ,		OTHER:								
-				GENERAL INFO	RMATION						
			/			(est e					
F						TEMPERATURE 60'S					
					COURIER	OTHER					
SHIPPE		REC	RA Environmental	l, Inc.							
COMM			· ·								
SAMPL	ER:		In White	€	OBSERVER:						

LOCATIO	OCATION: FIELDOC PROJECT: 3103								
SITE:	34 (RV F	am Camp & Pipel	ine)					
				SAMPLE INFOR	MATION				
MATRIX	:		WQ		SAMPLE ID:	(B-100			
SAMPLII	NG MET	HOD:	NANA	DUP/REP. OF:					
BEGINN	ING DEF	TH:	NA		MATRIX SPIKE/	MATRIX SPIKE DUPLICATE			
			N V	YES: NO:					
GRAB:	X	СОМ	POSITE:		DATE: 10/23	98 TIME: 1415			
CO			PRESERVATIVE/	EXTRACTION	ANALYTICAL				
			PREPARATION	METHOD		ANALYSIS			
40°F	Glass.	ઢ	HCL topH<2		SW8021A	Volodiler			
40 2	8625	9	HCL 40pH < 2		5w86 8260B	Volatiles			
liter	(3) a95	ع	ICE,		SWSD82	PCBs			
L ¢	11	41	TEE		308 MB	Pesticides			
- 11	11	11	ICE.		SWBZTO	SUDAS			
500ml	Poly	1	HND3 topH<2		HOIDAWS	Total motals,			
, <u> </u>	ر		<u> </u>		SW7471A	nercury			
- H-M1.		L							
				OTABLE OBSE	RVATIONS				
	ROUAL	.ITY		E CHARACTERI	STICS	MISCELLANEOUS			
pH_	\ ./.		COLOR:		3 -3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-	<u> </u>			
Temp	X		ODOR:						
EC			OTHER:						
	· · · · · · · · · · · · · · · · · · ·		<u> </u>	GENERAL INFO	RMATION				
	WEATHER: SUNCLEAR CLOUDY/RAIN_ WIND DIRECTION TEMPERATURES								
SHIPMENT VIA: FED-X _X_ HAND DELIVER COURIER OTHER									
SHIPPED TO: RECRA Environmental, Inc.									
	COMMENTS:								
SAMPL	SAMPLER: 2 Myers OBSERVER:								
t									

LOCATION	ON:	FIELD	ooc		PROJECT:	3103				
SITE:	34 (RV F	am Camp & Pipe	line)						
				SAMPLE INFOR	MATION					
MATRIX	:		WQ	-	SAMPLE ID:	AB-100				
SAMPLI	NG MET	HOD:	- <u>NA</u>		DUP/REP. OF:					
BEGINN	ING DEF	тн:	NA	_	MATRIX SPIKE	MATRIX SPIKE DUPLICATE				
END DE	PTH:		NA	_	YES:					
GRAB:	<u> </u>	COM	IPOSITE:		DATE: 10/24	48 TIME: 1040				
CO	MAINE	2	PRESERVATIVE	EXTRACTION	ANALYTICAL					
SĬZE_	TYPE	#	PREPARATION	METHOD	METHOD	ANALYSIS				
10ml	Cologe	a	HCLtopH < 2		Su28021	GC Volotiles (BTEX)				
Homl	6000	a	10. 10			Volnetiles				
					_					
			ļ							
	ļ									
		<u> </u>								
 			T'	NOTABLE OBSE						
T	R QUAL	LITY	i	LE CHARACTERI	STICS	MISCELLANEOUS				
pH			COLOR:							
Temp			ODOR:							
EC			OTHER:							
			1	GENERAL INFO	RMATION					
			_			1.6%				
•						N TEMPERATURE 60'S				
1					COURIEF	R OTHER				
SHIPPE	DTO:	REC	RA Environmenta	al, Inc.		· · · · · · · · · · · · · · · · · · ·				
COMM	ENTS:		/	от на почто с почто почт	employees and the second of th	<u> </u>				
SAMPL	ER.		L. Myers	<u> </u>	OBSERVER:					
			Ü							

HEALTH & SAFETY EXPOSURE MONITORING

PROJECT #: 3103
PROJECT LOCATION: Fam Camp
PROJECT ACTIVITY: Driving

453 140

DATE OCT.	. 23, 19°	ing zone at Irill	D:-	DRILL RIG TO	YPENO	Hollow	<u>Stin</u>	. A.	iger	
ACTIVITY MONTOR	DCIT	ling to well	ત્વવ			LOCATION:_ ED BY H&S MI	ONITORING	:_4		
TIME (24 hr dock)	BACK- GROUND	MONITOR INTERVAL (Doreholes depth)	FRO (ppm)	(ppm)	74.02 (%)	*LE.	H2'S (ppm)	RALL (ppm)	ОТНЕЯ	SAMPLES INITIALS
0830	<u></u>			0.0			1		:	mm
1030			- -	0.0	,				i 	LUM
1140		b - We f. 1		0.0					!	LLM.
1430				0.01					1	LLM
530		<u> </u>		1601			<u> </u>	L		LUM
		<u> </u>						[
		<u> .</u>		- 6	<u></u>		<u> </u>	<u> </u>	!	<u>!</u>
Fiel			obcu	UI	9 0	wir	101	<u> </u>	<u>ļrs</u>	<u>:</u>
	not	recorded.		<u> </u>			19 —	<u>; </u>	<u> </u>	<u> </u>
				<u> </u>	<u>. </u>	_	1	1	; 	<u> </u>
					<u> </u>	_		 	i	
			i i	<u> </u>			Ì	Ì	i	i
		1	1	1	1		1	ĺ –	1	-
*].	İ
<u>i</u>	1]	1	1]		<u> </u>	<u> </u>
<u> </u>	<u> </u>			1	[1	<u> </u>	<u> </u>	
<u> </u>	<u> </u>	<u> </u>		<u> </u>			<u> </u>	<u> </u>	<u>!</u>	<u> </u>
 	1			<u> </u>	<u> </u>	<u> </u>	 	<u> </u>	<u> </u>	<u> </u>
	<u>:</u>	1	<u> </u>	<u> </u>	<u> </u>	i	 	<u> </u>	1	
	1	<u> </u>	<u> </u>	!	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>!</u>	<u> </u>
 	1	1	1		<u> </u>	<u> </u>	1	<u> </u>	1	<u> </u>
<u> </u>	1	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>!</u>	<u> </u>	<u> </u>	1	<u>!</u>
	•					END OF DA	Y END	OF DAY		
INSTRUMENT	MODEL &	TOWURTERS : LESSENS : LESSEN : LESS		פייכודגאפטעי		CAUBRATIO		FATION		
		35427	1 52 60	ಶಾರಿ ಕ್ರಾಣಿ	<u>LST # _</u>	OHEOX		<u>ECX</u>	7	
FID		· -				*************************************		 -	1	
PID	\						<u> </u>		i I	
2/CS	ļ 								ļ	
WE.			- -	· · 						
H2S	\ 		-				_		1	

FIELD TEAM LEADER SIGNATURE

HEALTH & SAFETY EXPOSURE MONITORING

(24 hr clock) GROUND (boreholes depth) (ppm) (ppm) (X) (X) (ppm) (ppm) OTHER INITIALS	45	3 141	PROJECT #: 3 PROJECT LOCATION PROJECT ACTIVITY:	103 : Fa	س ر	owb					
Refer to the state of the state	DATE: OUL., OCATION MONITORE ACTIVITY MONITORE	24, 199 Breath Drill	6 ing Zone at Drill G	યાં ુ	/ PERSONN	ELAT THIS	LOCATION:	<u>8</u>			در
1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900		j		()	1		· · · · · · · · · · · · · · · · · · ·			OTHER	SAMPLES INITIALS
1305 1900 1.5 Peld activities not concerning during NOW S TO CONTINUE NOW S TO CONTINUE NOTHING CUBRATIONSTACANO CUBRATION STALL FID PO PO NOTE OF DAY CUBRATION TO CUBRATION CUBRATION CUBRATION TO CUBRATION CUBRATION CUBRATION CUBRATION CUBRATION CUBRATION CUBRATION TO CUBRATION CU	0840			1	0.0						LLM
MOUT OF CONTRACT CUBATION CUBA	10451			<u> </u>		1				<u> </u>	LLM
HOUTS NOT COCLETT DUMING HOUTS NOT COCLETT DUMING HOUTS NOT COUBATION STANCARD CAUBATION HISTRUMENT WORD SERVEY DUGS STD pent LET! ONEX ONEX PD PD NGC NGC NGC NGC NGC NGC NGC NG	1305			<u> </u>	0.01			<u> </u>	<u> </u>	!	LLM
NOUS NOT CONTROLS NOUS NOT CONTROLS NOUS NOT CONTROLS END OF DAY BOOK DAY CAUSEATION STACARD CAUSEATION CAUSEATION CAUSEATION FOR PO	1400			<u> </u>	1			<u>!</u>	<u> </u>	<u>i </u>	Trw
INSTRUMENT MODEL SERVEY CUICAS STOPPIN LOT DECX DIEXX PO PO PO NOSE PO PO NOSE PO NOS	1500			1	1.5	- !		<u> </u>	<u> </u>	!	LLM
INSTRUMENT MODEL SETUL CUI GAS STO point LOT OFFICE OFFICE FO PO			·	<u> </u>	1	<u> </u>	<u> </u>	<u> </u>	 -	<u>:</u>	<u> </u>
NOUT STOLEN CUBATION CAUGATION INSTRUMENT MODEL STRUCT CAUGAS STOLEN LOT OFFICE FO FO NOTE OF CONTROL OF CAUGATION CAUGATION CAUGAS STOLEN LOT OFFICE FO NOTE OF CONTROL OF CAUGATION CAUGATION CAUGAS STOLEN LOT OFFICE FO NOTE OF CAUGATION CAUGATION AND CAUGATION CAUGATION FO NOTE OF CAUGATION CAUGATION NOTE OF CAUGATION NOTE OF CAUGATION CAUGATION		old and	Firther hast	1 ~ ^.	 ~ ~		2 1	1050		<u>; </u>	
INSTRUMENT WIDEL SETUL CLICUS STO EN LOT OFFOX OFFOX FO FO SCO WEEL 1825		an ay	WOLLES HOL) (1 11	<u> </u>	12	!	
INSTRUMENT WIDEL SETUL CLICUS STO EN LOT OFFOX OFFOX FO FO SCO WEEL 1825	\ /	MULTS	not co	1000	inlad	1 - 1		'	 	}	
INSTRUMENT HODE INSTRUMENT CAUBRATION CAUBRATION INSTRUMENT HODE ISSUE CAUGAS STD part LOT INSTRUMENT PID PID PID NAME P	T	100	<u> </u>	<u>: </u>	[<u>. </u>	
INSTRUMENT HODE INSTRUMENT CAUBRATION CAUBRATION INSTRUMENT HODE ISSUE CAUGAS STD part LOT INSTRUMENT PID PID PID NAME P	i	i		1	i ·			1	Ī	i	
INSTRUMENT HODE INSTRUMENT CAUBRATION CAUBRATION INSTRUMENT HODE ISSUE CAUGAS STD part LOT INSTRUMENT PID PID PID NAME P				j	ĺ			<u> </u>	1	1	
INSTRUMENT HODE INSTRUMENT CAUBRATION SERVE CLI GAS STO parti LOT O DIECK DIECK FID PO ***ELL** ***ELL				1	1					1	
INSTRUMENT HODE INSTRUMENT CAUBRATION SERVE CLI GAS STO parti LOT O DIECK DIECK FID PO ***ELL** ***ELL					<u></u>			1	1]	
INSTRUMENT HODE INSTRUMENT CAUBRATION CAUBRATION INSTRUMENT HODE INSTRUMENT CAUGAS STD parti LOT INSTRUMENT PIO PIO PIO NATE PIO				<u> </u>	<u> </u>	<u> </u>		1	<u> </u>	!	
INSTRUMENT HODE INSTRUMENT CAUBRATION CAUBRATION INSTRUMENT HODE INSTRUMENT CAUGAS STD parti LOT INSTRUMENT PIO PIO PIO NATE PIO	<u> </u>			<u> 1</u>	<u> </u>	<u>i</u>	<u> </u>	<u> </u>	<u> </u>	<u>i</u>	
INSTRUMENT HODE SSALL CAUGAS STO DOWN CAUGAATION CAUGAATION INSTRUMENT HODE SSALL CAUGAS STO DOWN LOT ONECK FID PID WEEL H2S	<u> </u>	<u> </u>		<u>!</u>	<u> </u>	<u> </u>		<u>!</u> _	<u> </u>	<u>!</u>	
INSTRUMENT HODE INSTRUMENT CAUBRATION CAUBRATION INSTRUMENT HODE INSTRUMENT CAUGAS STD parti LOT INSTRUMENT PIO PIO PIO NATE PIO				 	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	!
INSTRUMENT HODE INSTRUMENT CAUBRATION CAUBRATION INSTRUMENT HODE INSTRUMENT CAUGAS STD parti LOT INSTRUMENT PIO PIO PIO NATE PIO		<u> </u>	<u> </u>	 	<u> </u>	<u> </u>		<u> </u>	 	 	<u> </u>
INSTRUMENT HODE INSTRUMENT CAUBRATION CAUBRATION INSTRUMENT HODE ISSUE CAUGAS STD part LOT INSTRUMENT PID PID PID NAME P		<u> </u>		<u> </u>	!	<u> </u>	ļ 1	<u> </u>	1	ļ	1
INSTRUMENT HODE INSTRUMENT CAUBRATION CAUBRATION INSTRUMENT HODE SERVICE CAUGAS STD parti LOT OHEOX OHEOX FID PID PID NATE H2S	<u> </u>	<u> </u>	<u> </u>	1	1	<u> </u>	<u> </u>	1 -	1	1	1
INSTRUMENT HODE INSTRUMENT CAUBRATION CAUBRATION INSTRUMENT HODE SERVICE CAUGAS STD parti LOT OHEOX OHEOX FID PID PID NATE H2S				<u> </u>		<u> </u>	<u> </u>	1	1	1,	
FID PID TABLE FID TAB							END OF DAY	END!	DE DAY		
FID	_	*-		1			ł				
P(C) 14.02 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 14.05 1	INSTRUMENT	H205€ ◆	SFIKL*	1 CU GUS	STO pami	_ចោ •	I CHECK	D1	ECX	7	
PO	FID	\								1	
NEL LOS			<u> </u>		. _					Ì	
H2S	7 03									1	
	WE]									
FAM	H2S	 						. <u>.</u>		1	
	FAM	Ì				·		. <u>-</u>			
1.	•	·[ل	

FIELD TEAM LEADER SIGNATURE

HEALTH & SAFETY EXPOSURE MONITORING

PROJECT #: 3103 PROJECT LOCATION: Fam Camp PROJECT ACTIVITY: Drilling		F &	453	142
DAUL RIG TYPENO:	Hollow	Stem	Auge	<u>.</u>

DATE: 10 L. LOCATION MONITOR ACTIVITY MONITOR	25 96 ABD: Breat Drilli	thing Zone at Onli	Rig	# PERSONN	EL AT THIS	HOLLOW LOCATION: ED BY HAS NO		<u>. </u>	uger	
(St pt goog) TIME	BACK- GROUND	MONITOR INTERVAL (borahalas dapon)	(ppm)	PiD (ppm)	(x) **0s	※ I县	H2'S (ppm)	RAM (ppm)	отнея	SAMPLES INITIALS
0825				2.0						LLM
المكانح		<u> </u>	<u> </u>	0.41			<u> </u>		<u> </u>	LLM
10 40				0.0		<u> </u>	<u> </u>		<u>!</u>	LLM!
1175		<u> </u>	<u> </u>	$ \rho.0$		<u> </u>	<u> </u>	<u> </u>	<u> </u>	Trw
1322 -		<u> </u>	<u> </u>	0.0			<u> </u>	<u> </u>	<u>!</u>	TIM!
<u> </u>		<u> -</u>	<u>; </u>		_	<u> </u>	<u> </u>	<u> </u>	<u> </u>	·
	tield	in tirition	<u></u>	1- 7	200	CITTI	10	100		v a
	1	l vive or ver	- 1 ~				1.	المحك	\sim	1
·	Mou	13 rot	16	100	rota			<u> </u>		ا لو
							Ī_	1		
							T		Ĭ	
		<u> </u>	<u> </u>	<u> </u>			<u> </u>	<u> </u>		
<u></u>	<u> </u>	<u> </u>		<u> </u>			<u>!</u>	<u> </u>	<u> </u>	
	1	<u> </u>		<u> </u>		<u></u>	<u> </u>	<u> </u>	<u> </u>	
	!	1	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
1	·	! !	<u> </u>	 	<u>[</u>	<u> </u>	<u> </u>	<u> </u>	! -	
<u> </u>	<u> </u>		1	\	1	<u></u>	<u> </u>	<u> </u>	1	<u>} </u>
	<u>. </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	 	<u> </u>	┼	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	 	<u>' -</u>	 	<u> </u>	} —	} -	
	i	<u>, </u>	 					 	 	
			1	i	i —	<u> </u>	i -	i —	i	
	ren 🤄	- "NSTRUMENT		AUBFATION S	TANGARO	END OF DAY		OF DAY RATION		<u>. </u>
INSTRUMENT	hæe .	S异 火・	حديدة	STD (Dem)	<u> 157 • </u>	O√ECX	_ 🖰	EÇX	٦	
FID	}	•								

	recon 🛫	TINSTRUMENT	Ċ	ひきちょうつく 5	14/C470	CAUBFATION	CATIBUTION
NSTRUMENT .	K3081.	SFI从 /	CVL GVS	STD (DEM)	<u>।ऽ। ।</u>	CHECK	DHECK
FID			<u></u> .		·		
PO							
≥ C22	<u> </u>						
Y:F	l						
H2S	 						
FAM .	<u> </u>						
•							

FIELD TEAM LEADER SIGNATURE ____ ___

## 143 143 E	PROJECT #: 3 PROJECT LOCATION PROJECT ACTIVITY: 996 thing 3 cine at drill inc. Honition Interval (Doreholes depth)	Dri	DRULL RIG TY PERSONN	PENO:	HOLLOCATION; _ LOCATION; _ ED BY H&S MO	_ (2	2 _		
TIME BACK- 680UHD 940 1050	HONITOR INTERVAL	IT'S	PERSONN PERSONN PID (ppm)	EL AT THIS HEL AFFECT	LOCATION; ED BY H&S MO	(с ривопис	·		
24 h dock GROUND 240 050 1135		1	(DPM)			HZS	RAU		
)940 050 135		1	10.01		····	(ppm)	(ppm)	ОТНЕЯ	SAMPLES
050 050			<u> </u>			<u> </u>			LIM
050		_	1001			1		<u> </u>	ILM
			15.61	<u> </u>		<u> </u>		; ;	rim
		<u> </u>	10.01	<u> </u>		! —	<u> </u>	<u>1 :</u>	Frm
		<u> </u>	<u> </u>	<u> </u>	<u> </u>	1	<u> </u>	<u>: </u>	
	1 Doctor	1	†~ v	tot	000 u	1	200	<u>: </u>	
	- n	<u> </u>		L CK	mod	$\frac{\partial}{\partial A}$	13	j	
	when readi	yys	10	1	4 7 00	ا		 	
		 -	 	i —	i	Ť	Ī	i	
		i		ì	<u> </u>	1	1	1	!
	1	1	i -	1		1		j	Ī
		i –	i –			<u> </u>	<u> </u>	Ţ	ļ
	(Ţ		Ι ,			1	<u>i</u>
			T	i		<u> </u>		1]
		1		[<u> </u>	t		<u> </u>	1
		-		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>i</u>	<u> </u>
		1		}	<u> </u>	_\	<u> </u>		<u> </u>
	1			<u> </u>			1	<u> </u>	<u> </u>
			1		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
		1 .	1	<u> </u>	<u> </u>	_ <u> </u>	<u> </u>	<u> </u>	!
			<u> </u>	<u> </u>	<u> </u>	<u>-</u> !		<u> </u>	<u> </u>
			<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
re cen		į	CAUBAATION		END OF DA	on cm	OF DAY		
INSTRUMENT MODEL #	דיבאיטהדמיו י בַּלָּב	1 04 04	S STO ಕ್ಷಾಣ	<u>1</u> ਪਹਾਂ €	DHECK		HECK	٦	
FID	TAGNUMENT SHIP SHIP SHIP SHIP SHIP SHIP SHIP SHIP								
3,022								- {	

FIELD TEAM LEADER SIGNATURE

EQUIPMENT CALIBRATION LOG SHEET

EQUIPMENT HUMBER: S.R. NO. 167060

EQUIPMENT DESCRIPTION: H-NV-DL101 - PID

	<u> </u>	•														
сомиентя	Hich Kinichity - 4500 A	11 11	Did not use Hom Rifier	N 11 11 11 11	11 11 11 11	11 11 11 11										
OPERATORO SIGNATURE	SAMILL	931. Li	100 pm SABULY	PH A		Sazule						-			-	
CORRECTED READING	99.5 Pm			mold 001	_=	hds all					1					
HEADRIG	114/2	107Pm	107m	96.0	103 Pm	85.4										ا
EXPINATION DATE	96/11	11	11		11	N	MARKA CANTE									
STANDAND LOT	44136	11	11	=	11	11						_				
STANDARD CONCENTRATION	100 ppm	11	1'	1	V	W										
LIQUID/GAS NAME		10	11	11	W	W										
MANUFACTURER OF STANDARD	RAE Systems	11	11)1	11	1.1		and windship of the same of th							-	
TIME		0740	0091	0730	8.00	ohLo						it.	:			
DATE		23st	11	:50ct	250ct	26.Oct								_		

EQUIPMENT CALIBRATION LOG SHEET

EQUIPMENT NUMBER: SAG # 9105089-113

EQUIPMENT DESCRIPTION: Explosivemeka - Scientific MIJSI

COMMENTS SABLIB OPERATORO SIGNATURE CORRECTED READING 25% HITTAL MEADING 24-25% STANDAND STANDAND LOT EXPINATION DATE NO. 29309-70 Not Not. N-PENTANE MANUFACTUREN OF STANDARD
FNDUSTRIAL
SCIONTIFIC 714E W.t.

EQUIPMENT DECONTAMINATION LOG SHEET
()
COUNTENT DESCRIPTION: 5 Foot Split tracife Shipping 124 A MASS Stall Bridge

							i ! !								
SUMMENTS		the second			All limited to										
OPERATOR SIGNATURE	1000	11		(1	(1		11	17	7.	• ,	7.7				
RINSATE SAMPLE ID			_		* FCWQ-										
TYPE OF WHAPPING	M/A	Wild Will	MA	NH	4/1	NA	HIM	E/N	#121	4/1	11/1	,			
AIR ORY	1	7	7	7	7	1	>	7	1	7	7				
WATER RINSE (TYPE)	DE lonizes	1	7	7	7	7	,	1	7	7	7		N/A	N/A	6000 C
SOLVENT RINSE	Thethanol.	>	7	1	7		1	7	1	1)		AS GG	BNa44	6281
TAP WATER	7	7	7	7	7				1	Ì)		٠, ١٨٠ .	a Jackin	Chan Chan
DETERGENT	7	7	7	\	<i>\</i>			7		>	?		A(C)10) Inc.		yooty
TIME	0060	06.60	1000	10 45	1120	2 #5	1335	14 10	1450	0091	1645		Akovox	Met hanel	ASOM I RICCA CORD
DATE	220CT	7	1,	5	-,	=	* ;	•			(,		DETERGENT		WATER

Pentane Burdick, Jackey BinBol 1V/F

453 149 JU 543 Z Z S S 543 8 OPERATOR SIGNATURE ×3 Sept. 2 tous ? Page 2 of 87 TYPE OF WRAPPING SAMPLE ID 7.7 J/ // EQUIPMENT NUMBERS, 4 1.11 Freet Split PARRY SANGE ETWO STOWN LESS SPECT BOLYS AIR DRY 大年二十五十 WATER RINSE (TYPE) F1097 4/2 N/4 NA Personal / DETERGENT TAP WATER SOLVENT RINSE WASH RINSE Portane Burlicki Tarkon, 13mpl Nethoral Burchiled Jakson 181294 ASTAIL RICCA CAMP G 281 LOT NUMBERS AS G6 `_ Alfenox Afterex. The MANUFACTURER EQUIPMENT DECONTAMINATION LOG SHEET EQUIPMENT NUMBER: 1445 1215 1735 1400 0181 ahal 148 0830 07[odso 0.01 23 ct 5 22.84 ز CETETICAM _ `: = = _ SOLVENT = T WATER

_---

												A. T.					4
į	COMMENTS					-											
Page 3 of 5	OPE RATOR SIGNATURE	7588S	11	11	(i	•1	11	1.	l+	ι,	11	SABLES	•				
_	AUNSATE SAMPLE ID		FC-W& E8-02								* R - ህል E B - 03					3	
	TYPE OF WRAPPING	MA	ב	11	Ξ	11	4/1	1/4	4/1/	HIA	MH	414					
teet Bowls	ATH DRY	1	7	>	7	7		2	1	1	7	7					
EQUIPMENT NUMBER: 17/4. EQUIPMENT NUMBER: 17/4. EQUIPMENT DESCRIPTION: 5 FOOT SOLT PANKK (Strader "Two Stainloss Steel Bounds	WATER RINSE	7	7	7	1	2	1	7,	7	7	7	>	EXP. DATE	N/4	N/A	Auto of	N/4
Shorler "Th	SOLVENT RINSE	Meth 201 1	77	>	7	\	1)	7	7	7.		LOT NUMBERS	AS 66	DN-244	182-9	BM 801
DIF BAKK	TAP WATER	7	2	1	.	>	7	7	1	7	7.		æ	۲.	1	em Gorp	Meson
G Frot S	DETERGENT		,	7	7	>	7	7	2	1	7	7	MANUFACTURER	Monothe	Predictis	Bicla Clamas	Bunglich
EQUIPMENT DECONTAMINATION LOG SHEET EQUIPMENT NUMBER: THE SECRIPTION: SFORT	JAIL.	300	1555	0880	2010	 	5.5.5.	0/41	0440	1510	1530	5180		ARONOX		ASTMY	Brank Bundicki Julen
EQUIPMENT DECONTAMINATIC EQUIPMENT NUMBER: EQUIPMENT DESCRIPTION:	0476	230ct	ت	2400	=	72	-	*		11	-	240t	ITEM	Karni			

453 151

EQUIPMENT NUMBER: 107 Studt Spirt 1947/22 Strankey & 2 Strankes Steel Birruls

EQUIPMENT DECONTAMINATION LOG SHEET EQUIPMENT NUMBER.

													•			
COMMENTS																
OPERATOR SIGNATURE	Sisser	=	,1	٠,	11	11	11	11) ?	11	25					
RINSATE SAMPLE ID										rFC-WB EB-04						
TYPE OF WRAPPING	N/A	11/14	MIA	4/4	MA	NIA	4/14	NA	MA	4/4	NIA					
AR DRY /		7	/	1		1	1		8	7	7					
WATER RINSE (TYPE)	Astruz V	7		/3)		7			7	/	EXP. DATE	N/A	NA	Aug 97)
SOLVENT RINSE (TYPE)	Merand /	1		Ź		<i>\rightarrow</i>	>			7		LOT NUMBERS		13×1-244	1825	(
TAP WATER		7					1	`	1/				ر ج	AcKson		
OETERGENT WASH			\			Ź		<i>></i>	/	7	1	MANUFACTURER	Mens	Ruckicke,	Sicco Ch	ć
TIME	5880	0260	1030	0011	1120	1150	1210	1330	1415	1450	b 8 15	>	Alonox Alonost Inc	metting Rusticks Tackson	ASINIT RICH CHILLS	,
DATE	Bock		11	1.1	11	11	11	1	_	11	268th	ITEM	CTTOCK	SCLVENT	WATER	

Partare Buchiki jakan BM801 NIA

	Š
	EQUIPMENT NUMBER:
	Runel Gandon's
A), A	1777
ECOPPIED DECONTAMENTAL DA SHEET	EQUIPMENT NUMBER:

EQUIPMENT DESCRIPTION: STONT XLT TAKE VAN DOK

	_	,	_				,									
COMMENTS					•						·		,			
OPERATOR SIGNATURE	Staller	11	1, ,	11	١٠	11	. 17	//								
RINSATE SAMPLE ID									FC-WB 28-05							
RINSATE TYPE OF WRAPPING SAMPLE ID	MIA	MH.	HIM	HIM	4/4	414	4/2	H/H	HIN							
AIR DRY	1	7	1	/	/	1/1		/	7							
WATER RINSE (TYPE)		7	/		7	//	7)	1	7			EXP. DATE	N/A	NA	Aug 97	N/4
SOLVENT RINSE	Tettherd?	7					7		7	,		LOT NUMBERS	15.66	THE NCT	G-281	Pentine Devolides Indon, Bon-801
TAP WATER	1	7	1	>	<i>\</i>	1	2/		7			α	m(Helon	ep	s Titlem
DETERCENT WASH		1		7	1	1		1	1			MANUFACTURER	Handking	Benedich	RICH CAP	Bealth
TIME	28 8/5	0115	0460	1000	1199	e/ LI	GN!	3511	054				Henrix		\$KIMIZ	Perton
DATE		71	14	11	-1	rd	=	11				ITEM	DETERGENT			

TAB

6

CHAIN-OF-CUSTODY FORMS

RECKA Project # NY + A6919

RECRA LABNET, a division of Recra Envir	ET, a division	1 1	nmental, Inc.	nc.)/	1101		CHAIN OF	CHAIN OF CUSTODY RECORD	
PROJECT NO 31092	SITENAME	Form Chang		/	\ \'t		1			
SAMPLERS ISIGNATURE)	Mugers		NO OF CON: TAINFRS	75 C.		140109			REMARKS	
STATION DATE TIME COMP. G	GRAB ST	STATION LOCATION		2 2	ું જુ	ms.	<u> </u>			
M 2111 8/5	001-93 0M		3	٦						-
5 042	50 58-119-01	10-6		7	3		ϵ	5/m30 for in	MS/MSD for in promise not by	~~~
\$ 540	SO SB-1	SB-119-02	75	رم ا			_		<u> </u>	<u> </u>
							_	· · · · · · · · · · · · · · · · · · ·		
							-			≜
			<u></u>							. 4
										:
								The property of the second sec		
					_					
							<i>.</i>			
										<u>.</u>
			_		 		-			
							_			
RELINGUISHED BY (SIGNATURE)	LV 2015 LCE	RECEIVED BY (SIGNATURE)	Œ	RELINQUISHED BY (SIGNATURE)	1ED BY (SIGNATI	Ja El	DATE/TIME RE	RECEIVED BY ISIGNATURE	45
RELINQUISHED BY SIGNATURE)	╅╌	RECEIVED BY (SIGNATURE)	<u> </u>	RELINQUISHED BY (SIGNATURE)	ED BY	SIGNATI	JRE	DATE/TIME RE	RECEIVED BY (SIGNATURE)	3
RELINQUISHED BY (SIGNATURE)	DATE/TIME	RECEIVED FOR LABORATORY BY	8	DATE/TIME	- 1	REMARKS				15
Distribution	Distribution: Original accompanies shipman	5								5
	1, Olignia accompany	בפוולוויים בסלא וח בססותוומוסו וופוס ווופס	2		$\frac{1}{1}$					

	CHAIN OF CUSTODY RECORD	THE	REMARKS								BTEX, VORS preserved with HCL	An preserved with HCL to pH c. 2.	9			DATE/TIME RECEIVED BY (SIGNATURE)	DATE/TIME RECEIVED BY ISIGNATURE			
	010	/8/8/	808/28/208/	19/0/0/0/0	1						2 2 2 B	رد در				RELINQUISHED BY (SIGNATURE)	RELINQUISHED BY (SIGNATURE)	V DATE/TIME REMARKS		
NYTHOPIG	a division of Recra Environmental, Inc.	SITE NAME FROM COMIN		STATION LOCATION	58-116-01	58- 14-01	SB-118-01 5	SB-119-01	SB- 119-02	SB-120-01 6	EB - 100	TB-100				DATE/TIME RECEIVED BY (SIGNATURE)	DATE/TIME RECEIVED BY (SIGNATURE)	OATE/TIME RECEIVED FOR LABORATORY BY	Distribution: Original accompanies shipment copy to coordinator field file	
Row Poil # NY71169	RECRA LABNET, a division of Recra		GNATURE!	STATION DATE TIME COMP GRAB	20	4:8	Shirl	045	QhS	7	DM	11				BY (SIGNATURE)	RELINQUISHED BY (SIGNATURE)	RELINQUISHED BY (SIGNATURE)	Distribution: Origin	0.72

TAB

H

APPENDIX H

SOIL BOREHOLE SAMPLING ANALYTE LIST

Inorganics by Inductively Coupled Plasma (ICP), Method 6010A;

Atomic Absorption (AA)

Aluminum Magnesium Antimony Manganese

Arsenic Mercury (Method 7471, by cold vapor)

Barium Nickel Beryllium Potassium Cadmium Selenium Calcium Silver Chromium Sodium Cobalt Thallium Copper Vanadium Iron Zinc

Lead (Method 7421)

Volatile Organics by GC/MS, Method 8240B

1,1,1-Trichloroethane Chlorobenzene 1,1,2,2-Tetrachloroethane Chloroethane 1,1,2-Trichloroethane Chloroform 1.1-Dichloroethane Chloromethane

1.1-Dichloroethene cis 1,2-Dichloroethene 1,2,3-Trichloropropane cis 1,3-Dichloropropene . 1,2-Dichloroethane Chlorodibromomethane

1,2-Dichloropropane Ethylbenzene Methyl ethyl ketone Methylene chloride

2-Chloroethyl vinyl ether Styrene

2-Hexanone

Trichloroethene Methyl isobutyl ketone Tetrachloroethene

Acetone Toluene Benzene trans 1,2-Dichloroethene

Bromodichloromethane trans 1,3-Dichloropropene

Bromoform Vinyl acetate Vinyl chloride Bromomethane Carbon disulfide m,p-Xylene Carbon tetrachloride o-Xylene

Base/Neutral and Acid Extractable Organics by GC/MS, Method 8270B

1,2,4-Trichlorobenzene
1,2-Dichlorobenzene
1,3-Dichlorobenzene
1,4-Dichlorobenzene
2,4-Dinitrotoluene
2,6-Dinitrotoluene
2-Chloronaphthalene
2-Methylnaphthalene
2-Nitroaniline

2-Nitroaniline 3-Nitroaniline

3,3'-Dichlorobenzidine 4-Bromophenyl phenyl ether

4-Chloroaniline

4-Chlorophenyl phenyl ether

4-Nitroaniline
Acenaphthylene
Acenaphthene
Anthracene

Benzo (a) anthracene Benzo (a) pyrene 2,4-Dichlorophenol Benzo (b) fluoranthene Benzo (k) fluoranthene Benzo (g,h,i) perylene

Benzyl alcohol

Bis (2-chloroethyl) ether Bis (2-chloroethoxy) methane Bis (2-chlorolsopropyl) ether Bis (2-ethylhexyl) phthalate

Butyl benzyl phthalate

Chrysene

Di-n-butylphthalate Di-n-octylphthalate Dibenz (a,h)anthracene

Dibenzofuran
Diethyl phthalate
Dimethyl phthalate
Fluoranthene
Fluorene

Hexachlorobenzene Hexachlorobutadiene Hexachlorocyclopentadiene

Hexachloroethane

Indeno (1,2,3-cd) pyrene

isophorone

N-Nitrosodiephenylamine N-Nitrosodi-n-propylamine

Naphthalene Nitrobenzene Phenanthrene Pyrene

2,4,5-Trichlorophenol
2,4,6-Trichlorophenol
2,4-Dimethylphenol
2,4-Dinitrophenol
2-Chlorophenol
2-Methylphenol
2-Nitrophenol

4,6-Dinitro-2-methyphenol 4-Chloro-3-methylphenol

4-Methylphenol 4-Nitrophenol Benzoic acid Pentachlorophenol

Phenol

Pesticides by GC, Method 8080A

Alpha-BHC Beta-BHC --Delta-BHC

Gamma-BHC (Lindane)

Heptachlor Aldrin

Heptachlor epoxide

Endosulian I Dieldrin 4.4'-DDE Endrin Endodulfan li 4,4'-DDD

Endosulfan sulfate

4.4'-DDT
Methoxychlor
Endrin aldehyde
Toxaphene
Chlordane

Arock	or 1016	
Arock	or 1221	
Arock	or 1232	
Arock	or 1242	
Arock	or 1248	
Arock	or 1254	
Arock	or 1260	
•		

TAB

I

SUMMARY OF EXTRACTION AND ANALYSIS TIME

	TON ELAPSED TIME ANALYSIS ELAPSED TIME (DAYS) DATE (DAYS)	5 28-Oct-1998	5 28-Oct-1998	5 28.001.1998	5 28-Oct-1998	1998 5 28-Oct-1998 5	5 28-Oct-1998	1998 5 28-Oct-1998 5	5	1998 6 8 29-Oct-1998 8	1998 5 1 1 31-Oct-1998 8	Ç.	1998 5 31-Oct-1998 8	c)	1998 : 5 31-Oct-1998 8	ഗ	1998 S 31-Oct-1998 8	ហ	1998 10 8-Nov-1998 16 10	1998 4 27 -Oct-1998 4	1998 4 27-Oct-1998 4	1998 13 25-Nov-1998 33	13	1998 13 26-Nov-1998 34	13 26-Nov-1998	1998 13 26-Nov-1998 34	13 26-Nov-1998	1998 13 26-Nov-1998 34	13
AND ANALYSIS DATES DRILLING PROJECT RLY CARSWELL AFB)	SAMPLE EXTRACTION DATE DATE	23-Oct-1998 28-Oct-1998		23-Oct-1998 28-Oct-1998		23-Oct-1998 28-Oct-1998		23-Oat-1998 28-Oct-1998	23-Oct-1998 28-Oct-1998	23-Oct-1998 🚆 29-Oct-1998	23-Oct-1998	23-Oct-1998 28-Oct-1998	23-Oct-1998		23-Oat-1998 28-Oct-1998	23-Oct-1998 28-Oct-1998	23-Oct-1998 28-Oct-1998	23-Oct-1998 28-Oct-1998	23-Oct-1998 2-Nov-1998	23-Oct-1998 27-Oct-1998	23-Oct-1998 27-Oct-1998	23-Oct-1998 5-Nov-1	23-Oct-1998 5-Nov-1998						
UMMARY OF EXTRACTION AND ANALYSIS DATES RV FAMILY CAMPGROUND DRILLING PROJECT NAS FT WORTH JRB (FORMERLY CARSWELL AFB)	ANALYSIS	E245.5	E245.5	E245.5	E245.5	E245.5	E245.5	E245,5	E245.5	E245.5	SW6010	SW6010	SW6010	SW6010	SW8010	SW6010	SW6010	SW6010	SW6010	SW8021	SW8021	SW8081							
SUMM. PV NASI	YY SAMPLE SAMPLE MATRIX TYPE		8	8 8	8	AS SO	8	8 5	8	7 Wall EB	8	8	3 8 B	8		8		8	7 WO EBH	7 WO EB1	8 WO TB1	N 8	8	8 8	8	fs so Mist	8		8 8
-	D LABORATORY ENO SAMPLENO	3-01 A8477201		3-01 A8477203	_	3-01 A8477204MS	9-01 A8477204SC	3-02 A8477205	0-01 A8477206	00 A8477207	5-01 A8477201		3-01 A8477203	9-01 A8477204	3-01 A8477204MS	4	9-02 A8477205)-01 A8477206	30 A8477207	00 A8477207		3-01 A8477201	7-01 A8477202	3-01 A8477203	9-01 A8477204	9-01 A8477204MS	9-01 A8477204SD	F02 A8477205)-01 A8477206
-	LOCATION FIELD ID SAMPLE NO	SB-116 SB-116-01	SB-117 SB-117-01	SB-118 SB-118-01		SB-119 SB-119-0	SB-119 SB-119-01	SB-119 SB-119-02	SB-120 SB-120-01	FIELDOC EB-100	SB-116 SB-116-0:	SB-117 SB-117-01	SB-118 SB-118-01		SB-119 SB-119-01	2000	SB-f19 SB-119-02	SB-120 SB-120-01	FELDOC EB-100	FELDOC EB-100	FELDOC TB-100	SB-116 SB-116-0		SB-118 SB-118-01	:	SB-119 SB-119-0		SB-119 SB-119-02	SB-120 SB-120-01

SUMMARY OF EXTRACTION AND ANALYSIS DATES	RV FAMILY CAMPGROUND DRILLING PROJECT NAS FT WORTH JRB (FORMERLY CARSWELL AFB)	Y SAMPLE SAMPLE ANALYSIS SAMPLE EXTRACTION ELAPSED TIME ANALYSIS ELA	MATRIX TYPE METHOD DATE DATE (DAYS)	A8477207 WQ EBI SW8081 23-Oct-1998 30-Oct-1998 7 3-Nov-1998 11	WQ EB1 SW8081 23-Oct-1998 30-Oct-1998 7		A8477201 SO N1 SW8082 23-Oct-1998 5-Nov-1998 13 6-Nov-1998 14	SO N1 SW8082 23-Oct-1998	A8477203 SO N1 SW8082 23-Oct-1998 5-Nov-1998 13 6-Nov-1998 +4	SO N1 SW8082 23-Oct-1998 5-Nov-1998 13	_A8477204MS	SD SD1 SW8082 23-Oct-1998		8	100000	SO N1 SW8260 23-Oot+1998	SW8260 23-Oct-1998 5-Nov-1998 13	SO N1 SW8260 23-Oct-1998	SO N1 SW8260 23-Oct-1998 5-Nov-1998 13		SD SD1 SW8260 23-Oct-1998 5-Nov-1998 13		8		A8477208 WQ TB1 SW8260 23-Oct-1998 5-Nov-1998 13 5-Nov-1998 13	A8477201 SO N1 SW8270 23-Ocf-1998 6-Nov-1998 14 24-Nov-1998 32	SO N1 SW8270 23-Oct-1998 6-Nov-1998 14		8	COCTATION COCCATION COCCATION	8
SUMMARY OF EXTRACT	RV FAMILY CAMPGRC NAS FT WORTH JRB (FC	SAMPLE SAMPLE	MATRIX TYPE	WQ EBH	WQ EB1	MQ EB1	8 N	8	8	8 N	S	SD SD1	8	8	WO EB1	8	8	8	8 N	8 ™	SD SD1	8. FI	8 N	WO EBT	WQ TB1	N 8	8 8	8	8	E C	3
-			Ì		EB-100	EB-100	SB-116 SB-116-01	17 SB-117-01	SB-118-01	SB-119-01	SB-119-01	SB-119-01	20000	SB-120-01	EB-100		SB-117 SB-117-01		SB-119 SB-119-01		SB-119-01	100000	SB-120 SB-120-01	; EB-100	FELDOC TB-100	SB-116 SB-116-01	SB-117-01	SB-118-01	SB-119-01	000	200



SUMMARY OF EXTRACTION AND ANALYSIS DATES RY FAMILY CAMPGROUND DRILLING PROJECT NAS FT WORTH JRB (FORMERLY CARSWELL AFB)	SAMPLE SAMPLE ANALYSIS SAMPLE EXTRACTION ELAPSEDTIME ANALYSIS ELAPSEDTIME	MATRIX TYPE METHOD DATE DATE (DAYS) DATE (DAYS)	SO FD1 SW8270 23-Oct-1998 6-Nov-1998 14 24-Nov-1998 32	N1 SW8270 23-Oct-1998 6-Nov-1998 14	WQ EB1 SW8270 23-Oct-1998 30-Oct-1998 7 23-Nov-1998 31	WQ EB1	WQ EB1 SW8270 23-Oct-1998 30-Oct-1998 7 23-Nov-1998
SUMMARY OF I RV FAMILY C NAS FT WORT	ŀ	TYPE	Ð	Ξ	品	<u>E</u>	EB1
	LABORATORY SAMPLE	SAMPLE NO MATE	A8477205 SC	A8477206 SC	A8477207 W		A8477207SD WC
-	FIELD	SAMPLENO	SB-119-02	SB-120-01	EB-100	EB-100 A	EB-100
	LOCATION	Q	SB-119	SB-120		FIELDOC	

TAB

APPENDIX J

LABORATORY ANALYSES DATA SHEETS

Analytical Method: 8260-A98

AAB #: A9B00588

453 169

Lab Name: STL Buffalo

<u>SB-119-02</u> SB-120-01 Contract #: F46162495D80

Base/Command: NAS Ft Worth/Offsite Weap

Prime Contractor: The Environmental Company

 Field Sample ID
 Lab Sample ID

 SB-116-01
 A8477201

 SB-117-01
 A8477202

 SB-118-01
 A8477203

 SB-119-01
 A8477204

 SB-119-01 MS
 A8477204MS

 SB-119-01 SD
 A8477204SD

A8477205 A8477206

Comments:

See Case Narrative

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature!

Name: Kenneth E. Kasperek

Date:

Title: Laboratory Director

453 170

AFCEE ORGANIC ANALYSES DATA SHEET 2 RESULTS

Analytical Method: 8260-A98

AAB #: A9800588

Lab Name: STL Buffalo

Contract #: <u>F46162495080</u>

Field Sample ID: <u>\$8-116-01</u>

Lab Sample ID: <u>A8477201</u>

Matrix: <u>SOIL</u>

% Solids: <u>90.1</u>

Dilution: 1.00

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: <u>5-Nov-98</u>

Analyte	MOL	PQL	Concentration	Qualifier
1,1,1,2-TETRACHLOROETHANE	0.0011	0.0050	0.0011	U
1,1,1-TRICHLOROETHANE	0.0010	0.0050	0.0010	U
1,1,2,2-TETRACHLOROETHANE	0.0014	0.0050	0.0014	U
1,1,2-TRICHLOROETHANE	0.0012	0.0050	0.0012	U
1,1-DICHLOROETHANE	0.00086	0.0050	0.00086	U
1,1-DICHLOROETHENE	0.0011	0.0050	0.0011	U
1,1-DICHLOROPROPENE	0.00091	0.0050	0.00091	U
1,2,3-TRICHLOROBENZENE	0.0012	0.0050	0.0012	U
1,2,3-TRICHLOROPROPANE	0.0014	0.0050	0.0014	U
1,2,4-TRICHLOROBENZENE	0.0014	0.0050	0.0014	U
1,2,4-TRIMETHYLBENZENE	0.00066	0.0050	0.00066	U
1,2-DICHLOROETHANE	0.0012	0.0050	0.0012	U
1,2-DICHLOROBENZENE	0.0010	0.0050	0.0010	U
1,2-DIBROMO-3-CHLOROPROPANE	0.0017	0.0050	0.0017	U
1,2-DICHLOROPROPANE	0.0012	0.0050	0.0012	U
1,2-DIBROMOETHANE (ETHYLENE DIBROMIDE)	0.0014	0.0050	0.0014	U
1,3,5-TRIMETHYLBENZENE (MESITYLENE)	0.00066	0.0050	0.00066	U
1,3-DICHLOROBENZENE	0.00092	0.0050	0.00092	! U
1,3-DICHLOROPROPANE	0.00026	0.0050	0.00028	U
1,4-DICHLOROBENZENE	0.00099	0.0050	0.00099	υ
1-CHLOROHEXANE	0.00087	0.0050	0.00087	7 U
2,2-DICHLOROPROPANE	0.0011	0.0050	0.0011	U
2-CHLOROTOLUENE	0.00091	0.0050	0.0009	ı u
4-CHLOROTOLUENE	0.00091	0,0050	0.0009	1 U
BENZENE	0.00072	0.0050	0.0007	2 U

AFCEE ORGANIC ANALYSES DATA SHEET 2 RESULTS

453 171

Analytical Method: 8260-A98

AAB #: <u>A9800588</u>

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: SB-116-01 Lab Sample ID: A8477201

Matrix: SOIL

% Solids: 90.1

Dilution: _____1.00

Date Received: 26-Oct-98

Date Extracted: ____

Date Analyzed: 5-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
BROMOBENZENE	0.00083	0.0050	0.00083	U
BROMOCHLOROMETHANE	0.00095	0.0050	0.00095	U
BROMOD I CHLOROMETHANE	0.0012	0.0050	0.0012	υ
BROMOFORM	0.0016	0.0050	0.0016	U
BROMOMETHANE	0.0017	0.0050	0.0017	υ
CARBON TETRACHLORIDE	0.00081	0,0050	0.00081	U
CHLOROBENZENE	0.0012	0.0050	0.0012	U
CHLOROETHANE	0.0014	0.0050	0.0014	U
CHLOROFORM	0.00086	0.0050	0.00086	U
CHLOROMETHANE	0.0012	0.0050	0.0012	U
cis-1,2-DICHLOROETHYLENE	0.00080	0.0050	. 0.00080	U
cis-1,3-DICHLOROPROPENE	0.00075	0,0050	0.00075	U
DIBROMOCHLOROMETHANE	0.0013	0.0050	0.0013	U
D I BROMOMETHANE	0.0013	0.0050	0.0013	U
DICHLORODIFLUOROMETHANE	0.0013	0.0050	0.0013	U
ETHYLBENZENE	0.0012	0.0050	0.0012	U
HEXACHLOROBUTAD I ENE	0.0010	0.0050	0.0010	U
ISOPROPYLBENZENE (CUMENE)	0.00079	0.0050	0.00079	U
M-XYLENE (1,3-DIMETHYLBENZENE)	0.0020	0.0050	0.0020	U
METHYLENE CHLORIDE	0.00095	0.0050	0.00095	U
n-BUTYL BENZENE	0.00076	0.0050	0.00076	U
n-PROPYLBENZENE	0.00065	0.0050	0.00065	U
NAPRIHALENE	0.0015	0.0050	0.0015	U
O-XYLENE (1,2-DIMETHYLBENZENE)	0.0011	0.0050	0.0011	U
P-CYMENE (p-ISOPROPYLTOLUENE)	0.0010	0.0050	0.0010	U

AFCEE ORGANIC ANALYSES DATA SHEET 2 RESULTS

Analytical Method: 8260-A98

AAB #: A9800588 453 172

0000-00

Lab Name: <u>STL Buffalo</u>

Contract #: <u>F46162495D80</u>

Field Sample ID: <u>SB-116-01</u> Lab Sample ID: <u>A8477201</u>

Matrix: SOIL

Date Received: 26-0ct-98

Dilution: _____1,00

% Solids: <u>90.1</u>

Date Extracted: _____

Date Analyzed: 5-Nov-98

, Analyte	MDL	PQL	Concentration	Qualifier
P-XYLENE (1,4-DIMETHYLBENZENE)	0.0020	0.0050	0.0020	U
SEC-BUTYLBENZENE	0.00074	0.0050	0,00074	U
STYRENE	0.00096	0.0050	0.00096	U
TRICHLOROETHYLENE (TCE)	0.00073	0.0050	0.00073	U
t-BUTYLBENZENE	0.00080	0.0050	0.00080	U
TETRACHLOROETHYLENE (PCE)	0.00073	0.0050	0.00073	U
TOLUENE	0.0012	0.0050	0.0012	U
trans-1,2-DICHLOROETHENE	0.00069	0.0050	0.00069	U
trans-1,3-DICHLOROPROPENE	0.0016	0.0050	0.0016	U
TRICHLOROFLUOROMETHANE	0.0018	0.0050	0.0018	U
VINYL CHLORIDE	0.0011	0.0050	0.0011	U

Comments:					
·		<u>. </u>	 		
_		•	-		

453 173

AFCEE ORGANIC ANALYSES DATA SHEET 2 RESULTS

Analytical Method: 8260-A98

AAB #: A9800588

Lab Name: STL Buffalo

Contract #: <u>F46162495080</u>

Field Sample ID: <u>\$8-117-01</u>

Matrix: <u>\$01L</u>

% Solids: 74.1

Dilution: _____1,00

Date Received: 26-Oct-98

Date Extracted: _____

Lab Sample ID: <u>A8477202</u>

Date Analyzed: 5-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
1,1,1,2-TETRACHLOROETHANE	0.0013	0.0050	0.0013	U
1,1,1-TRICHLOROETHANE	0.0013	0.0050	0.0013	U
1,1,2,2-TETRACHLOROETHANE	0.0017	0.0050	0.0017	U
1,1,2-TRICHLOROETHANE	0.0015	0.0050	0.0015	U
1,1-DICHLOROETHANE	0.0010	0.0050	0.0010	U
1,1-DICHLOROETHENE	0.0013	0.0050	0.0013	U
1,1-DICHLOROPROPENE	0.0011	0.0050	0.0011	U
1,2,3-TRICHLOROBENZENE	0.0015	0.0050	0.0015	U
1,2,3-TRICHLOROPROPANE	0.0017	0.0050	0.0017	U
1,2,4-TRICHLOROBENZENE	0.0016	0.0050	0,0016	U
1,2,4-TRIMETHYLBENZENE	0.00079	0.0050	0.00079	U
1,2-DICHLOROETHANE	0.0014	0.0050	0.0014	U
1,2-DICHLOROBENZENE	0.0012	0.0050	0.0012	U
1,2-DIBROMO-3-CHLOROPROPANE	0.0021	0.0050	0.0021	U
1,2-DICHLOROPROPANE	0.0014	0.0050	0.0014	U ·
1,2-DIBROMOETHANE (ETHYLENE DIBROMIDE)	0.0017	0.0050	0.0017	U
1,3,5-TRIMETHYLBENZENE (MESITYLENE)	0.00079	0.0050	0.00079	U
1,3-DICHLOROBENZENE	0.0011	0.0050	0.0011	U
1,3-DICHLOROPROPANE	0,00031	0.0050	0.00031	U
1,4-DICHLOROBENZENE	0.0012	0.0050	0.0012	υ
1-CHLOROHEXANE	0.0010	0.0050	0.0010	U
2,2-DICHLOROPROPANE	0.0013	0.0050	0.0013	U
2-CHLOROTOLUENE	0.0011	0.0050	0.0011	U
4-CHLGROTOLUENE	0.0011	0.0020	0.0011	U
BENZENE	0.00087	0.0050	0.0008	7 U

AFCEE ORGANIC ANALYSES DATA SHEET 2 RESULTS

453 174

Analytical Method: 8260-A98

AAB #: A9800588

Lab Name: STL Buffalo

Contract #: F46162495D80

Field Sample ID: <u>SB-117-01</u> Lab Sample ID: <u>A8477202</u>

Matrix: SOIL

% Solids: <u>74.1</u>

Dilution: _____1,00

Date Received: 26-Oct-98

Date Extracted: _____ Date Analyzed: 5-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
BROMOBENZENE	0.0010	0.0050	0.0010	U
BROMOCHLOROMETHANE	0.0011	0.0050	0.0011	U
BROMODICHLOROMETHANE	0.0014	0.0050	0.0014	U
BROMOFORM	0.0019	0.0050	0.0019	U
BROMOMETHANE	0.0020	0.0050	0.0020	U
CARBON TETRACHLORIDE	0.00097	0.0050	0.00097	U
CHLOROBENZENE	0.0015	0.0050	0.0015	U
CHLOROETHANE	0.0017	0.0050	0.0017	U
CHLOROFORM	0.0010	0.0050	0.0010	U
CHLOROMETHANE	0.0014	0.0050	0.0014	U
cis-1,2-DICHLOROETHYLENE	0.00096	0.0050	0.00096	U
cis-1,3-Dichloropropene	0.00090	0.0050	0.00090	U
DIBROMOCHLOROMETHANE	0.0015	0.0050	D.0015	U
DIBROMOMETHANE	0.0015	0.0050	0.0015	U
DICHLORODIFLUOROMETHANE	0.0015	0.0050	0.0015	U
ETHYLBENZENE	0.0014	0.0050	0.0014	U
HEXACHLOROBUTAD I ENE	0.0012	0.0050	0.0012	U
ISOPROPYLBENZENE (CUMENE)	0.00094	0.0050	0.00094	U
M-XYLENE (1,3-DIMETHYLBENZENE)	0.0024	0.0050	0.0024	U
METHYLENE CHLORIDE	0.0011	0.0050	0.0011	U
n-BUTYLBENZENE	0.00091	0.0050	0.00091	U
n-PROPYLBENZENE	0.00077	0.0050	0.00077	U
NAPHTHALENE	0.0018	0.0050	0,0018	U
O-XYLENE (1,2-DIMETHYLBENZENE)	0.0013	0.0050	0.0013	U
P-CYMENE (p-1SOPROPYLTOLUENE)	0.0012	0.0050	0.0012	U

453 175

AFCEE ORGANIC ANALYSES DATA SHEET 2 RESULTS

Analytical Hethod: 8260-A98

AAB #: A9B00588

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: SB-117-01

Lab Sample ID: <u>A8477202</u>

Matrix: SOIL

% Solids: <u>74.1</u>

Dilution: ____1.00

Date Received: 26-Oct-98

Date Extracted: _______

Date Analyzed: 5-Nov-98

Analyte	MOL	Pal	Concentration	Qualifier
P-XYLENE (1,4-DIMETHYLBENZENE)	0.0024	0.0050	0.0024	U
SEC-BUTYLBENZENE	0.00089	0.0050	0.00089	U
STYRENE	0.0011	0.0050	0.0011	U
TRICHLOROETHYLENE (TCE)	0.00087	0.0050	0.00087	U
t-BUTYLBENZENE	0.00095	0.0050	0.00095	U
TETRACHLOROETHYLENE (PCE)	0.00087	0.0050	0,00087	บ
TOLUENE	0.0015	0.0050	0.0019	F
trans-1,2-DICHLOROETHENE	0.00082	0.0050	0.00082	U
trans-1,3-DICKLOROPROPENE	0.0019	0.0050	0.0019	U
TRICHLOROFLUOROMETHANE	0.0021	0.0050	0.0021	U
VINYL CHLORIDE	0.0013	0.0050	0.0013	U

Comments:			 	
	<u> </u>	 		
	_		 	
			 <u></u>	

AFCEE ORGANIC ANALYSES DATA SHEET 2 RESULTS

453 176

Analytical Method: 8260-A98

AAB #: A9B00588

Lab Name: STL Buffalo

Contract #: <u>F46162495080</u>

Field Sample ID: <u>SB-118-01</u> Lab Sample ID: <u>A8477203</u>

Matrix: SOIL

% Solids: <u>89.6</u>

Dilution: ___1.00

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: 5-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
1,1,1,2-TETRACHLOROETHANE	0.0010	0.0050	0.0010	U
1,1,1-TRICHLOROETHANE	0.0010	0.0050	0.0010	U
1,1,2,2-TETRACHLOROETHANE	0.0014	0.0050	0.0014	U
1,1,2-TRICHLOROETHANE	0.0012	0.0050	0.0012	U
1,1-DICHLOROETHANE	0.00085	0.0050	0.00085	U
1,1-DICHLOROETHENE	0.0011	0.0050	0.0011	U
1,1-DICHLOROPROPENE	0.00090	0.0050	0.00090	U
1,2,3-TRICHLOROBENZENE	0.0012	0.0050	0.0012	U
1,2,3-TRICHLOROPROPANE	0.0014	0.0050	0.0014	U
1,2,4-TRICHLOROBENZENE	0.0013	0.0050	0.0013	U
1,2,4-TRIMETHYLBENZENE	0.00065	0.0050	0.00065	U
1,2-DICHLOROETHANE	0.0012	0.0050	0.0012	U
1,2-D1CHLOROBENZENE	0.0010	0.0050	0.0010	U
1,2-DIBROMO-3-CHLOROPROPANE	0.0017	0.0050	0.0017	U
1,2-DICHLOROPROPANE	0.0012	0.0050	0.0012	U
1,2-DIBROMOETHANE (ETHYLENE DIBROMIDE)	0.0014	0.0050	0.0014	U
1,3,5-TRIMETHYLBENZENE (MESITYLENE)	0.00065	0.0050	0.00065	U
1,3-DICHLOROBENZENE	0.00091	0.0050	0.00091	U
1,3-DICHLOROPROPANE	0.00026	0.0050	0.00026	U
1,4-DICHLOROBENZENE	0.00098	0.0050	0.00098	U
1-CHLOROHEXANE	0.00086	0.0050	0.00086	U
2,2-DICHLOROPROPANE	0.0010	0.0050	0.0010	U
2-CHLOROTOLUENE	0.00090	0.0050	0.00090	U
4-CHLOROTOLUENE	0.00090	0.0050	0.00090	U
BENZENE	0.00071	0.0050	0.0007	U

ORGANIC ANALYSES DATA SHEET 2 RESULTS

453 177

Analytical Method: 8260-A98

AA8 #: A9800588

Lab Name: STL Buffalo

Contract #: F46162495D80

Field Sample ID: SB-118-01

Matrix: SOIL

% Solids: _89.6

____ Lab Sample ID: <u>A8477203</u>

Dilution: ____1.00

Date Received: 26-Oct-98

Date Extracted: ______

Date Analyzed: 5-Nov-98

Analyte	MOL	PQL	Concentration	Qualifier
BROMOBENZENE	0.00082	0.0050	0.00082	U
BROMOCHLOROMETHANE	0.00093	0.0050	0.00093	U
BROMODICHLOROMETHANE	0.0011	0.0050	0.0011	U
BROMOFORM	0.0016	0.0050	0.0016	U
BROMOMETHANE	0.0016	0.0050	0.0016	U
CARBON TETRACHLORIDE	0.00080	0.0050	0.00080	U
CHLOROBENZENE	0.0012	0.0050	0.0012	U
CHLOROETHANE	0.0014	0.0050	0.0014	U
CHLOROFORM	0.00084	0.0050	0.00084	U
CHLOROMETHANE	0.0012	0.0050	0.0012	U
cis-1,2-DICHLOROETHYLENE	0.00079	0.0050	0.00079	U
cis-1,3-DICHLOROPROPENE	0.00074	0.0050	0.00074	U
DIBROMOCHLOROMETHANE	0.0012	0.0050	0.0012	U
D I BROMOME THANE	0.0013	0,0050	0.0013	U
DICHLORODIFLUOROMETHANE	0.0012	0.0050	0.0012	U
ETHYLBENZENE	0.0011	0.0050	0.0011	U
HEXACHLOROBUTAD I ENE	0,0010	0,0050	0.0010	U
ISOPROPYLBENZENE (CUMENE)	0.00078	0.0050	0.00078	U
M-XYLENE (1,3-DIMETHYLBENZENE)	0.0020	0.0050	0.0020	U
METHYLENE CHLORIDE	0.00094	0.0050	0.00094	U
n-BUTYLBENZENE	0.00075	0.0050	0.0007	U
n-PROPYLBENZENE	0.00064	0.0050	0.00064	U
NAPHTHALENE	0.0015	0.0050	0.0015	U
O-XYLENE (1,2-DIMETHYLBENZENE)	0.0011	0.0050	0.0011	U
P-CYMENE (P-ISOPROPYLTOLUENE)	0.00098	0.0050	0.00098	3 U

AFCEE ORGANIC ANALYSES DATA SHEET 2 RESULTS

453 178

Analytical Method: 8260-A98

AAB #: A9800588

Lab Name: STL Buffalo

Contract #: F46162495D80

Field Sample ID: SB-118-01 Lab Sample ID: A8477203

Matrix: SOIL

% Solids: <u>89.6</u> Date Received: <u>26-Oct-98</u>

Dilution: _____1.00

Date Extracted: ____

Date Analyzed: 5-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
P-XYLENE (1,4-DIMETHYLBENZENE)	0.0020	0.0050	0.0020	U
SEC-BUTYLBENZENE	0.00073	0.0050	0.00073	U
STYRENE	0.00094	0.0050	0.00094	U
TRICHLOROETHYLENE (TCE)	0.00072	0.0050	0.00072	U
t-BUTYLBENZENE	0.00078	0.0050	0.00078	U
TETRACHLOROETHYLENE(PCE)	0.00072	0.0050	0.00072	U
TOLUENE	0.0012	0.0050	0.0012	U
trans-1,2-DICHLOROETHENE	0.00068	0.0050	0.00068	U
trans-1,3-DICHLOROPROPENE	0.0015	0.0050	0.0015	U
TRICHLOROFLUOROMETHANE	0.0017	0.0050	0.0023	F
VINYL CHLORIDE	0.0011	0.0050	0.0011	υ

Comments:	

453 179

Analytical Method: 8260-A98

AAB #: A9800588

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: SB-119-01

Lab Sample ID: <u>A8477204</u>

Matrix: SOIL

% Solids: 82.5

10.77.55

Dilution: 1.00

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: 5-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
1,1,1,2-TETRACHLOROETHANE	0.0011	0.0050	0.0011	U
1,1,1-TRICHLOROETHANE	0.0011	0.0050	0.0011	U
1,1,2,2-TETRACHLOROETHANE	0.0015	0.0050	0.0015	U
1,1,2-TRICHLOROETHANE	0.0013	0.0050	0.0013	U
1,1-DICHLOROETHANE	0.00093	0.0050	0.00093	U
1,1-DICHLOROETHENE	0.0012	0.0050	0.0012	U
1,1-DICHLOROPROPENE	0.00098	0.0050	0.00098	U
1,2,3-TRICHLOROBENZENE	0.0013	0.0050	0.0013	U
1,2,3-TRICHLOROPROPANE	0.0016	0.0050	0.0016	υ
1,2,4-TRICHLOROBENZENE	0.0015	0.0050	0.0015	U
1,2,4-TRIMETHYLBENZENE	0.00071	0.0050	0.00071	U
1,2-D1CHLGROETHANE	0.0013	. 0.0050	0.0013	U
1,2-DICHLOROBENZENE	0.0011	0.0050	0.0011	U
1,2-DIBROMO-3-CHLOROPROPANE	0.0019	0.0050	0.0019	U
1,2-DICHLOROPROPANE	0.0013	0.0050	0.0013	U
1,2-DIBROMOETHANE (ETHYLENE DIBROMIDE)	0.0015	0.0050	0.0015	U
1,3,5-TRIMETHYLBENZENE (MESITYLENE)	0.00071	0.0050	0.00071	U
1,3-DICHLOROBENZENE	0.0010	0.0050	0.0010	U
1,3-DICHLOROPROPANE	0.00028	0.0050	0.00028	U
1,4-DICHLOROBENZENE	0.0011	0.0050	0.0011	U
1-CHLOROHEXANE	0.00094	0.0050	0.00094	U
2,2-DICHLOROPROPANE	0.0011	0.0050	0.0011	U
2-CHLOROTOLUENE	0.00098	0.0050	0.00098	U
4-CHLOROTOLUENE	0.00098	D.0050	0.00098	U
BENZENE	0.00078	0.0050	0.00078	3 U



453 180

Analytical Method: 8260-A98

AAB #: A9800588

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: <u>88-119-01</u> Lab Sample ID: <u>A8477204</u>

Matrix: SOIL

% Solids: <u>82.5</u>

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: 5-Nov-98

Analyte .	MDL	PQL	Concentration	Qualifier
BROMOBENZENE	0.00090	0.0050	0.00090	U
BROMOCHLOROMETHANE	0.0010	0.0050	0.0010	U
BROMOD I CHLOROMETHANE	0.0012	0,0050	0.0012	U
BROMOFORM	0.0017	0.0050	0.0017	U
BROMOMETHANE	0.0018	0.0050	0.0018	U
CARBON TETRACHLORIDE	0.00087	0.0050	0.00087	U
CHLOROBENZENE	0.0013	0.0050	0.0013	U
CHLOROETHANE	0.0015	0.0050	0.0015	U
CHLOROFORM	0.00092	0.0050	0.00092	U
CHLOROMETHANE	0.0012	0.0050	0.0012	U
cis-1,2-DICHLOROETHYLENE	0.00086	0.0050	0.00086	U
cis-1,3-DICHLOROPROPENE	0.00081	0.0050	0.00081	U
DIBROMOCHLOROMETHANE	0.0014	0.0050	0.0014	U
DIBROMOMETHANE	0.0014	0.0050	0.0014	U
DICHLORODIFLUOROMETHANE	0.0014	0.0050	0.0014	U
ETHYLBENZENE	0.0012	0.0050	0.0012	U
HEXACHLOROBUTAD I ENE	0.0011	0.0050	0.0011	υ
I SOPROPYLBENZENE (CUMENE)	0.00085	0.0050	0.00085	U
M-XYLENE (1,3-DIMETHYLBENZENE)	0.0022	0.0050	0.0022	U
METHYLENE CHLORIDE	0.0010	0.0050	0.0010	U
N-BUTYLBENZENE	0.00082	0.0050	0.00082	2 U
n-PROPYLBENZENE	0.00070	. 0.0050	0.00070	ט (
NAPHTHALENE	0.0016	0.0050	0.0016	U
O-XYLENE (1,2-DIMETHYLBENZENE)	0.0012	0.0050	0.0012	U
P-CYMENE (p-ISOPROPYLTOLUENE)	0.0011	0.0050	0.0011	U

453 181

Analytical Method: 8260-A98

AAB #: A9B00588

Lab Name: STL Buffalo

Contract #: F46162495D80

Field Sample ID: <u>S8-119-01</u>

Matrix: SOIL

Hatita Joil

% Solids: <u>82.5</u>

Lab Sample ID: <u>A8477204</u>

Dilution: ____1,00

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: 5-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
P-XYLENE (1,4-DIMETHYLBENZENE)	0.0022	0.0050	0.0022	U
SEC-BUTYLBENZENE	0.00080	0.0050	0.00080	U
STYRENE	0.0010	0.0050	0.0010	U
TRICHLOROETHYLENE (TCE)	0.00078	0.0050	0.00078	U
t-BUTYLBENZENE	0.00086	0.0050	0.00086	U
TETRACHLOROETHYLENE (PCE)	0.0007B	0.0050	0.00078	U
TOLUENE	0.0013	0.0050	0.0013	U
trans-1,2-DICHLOROETHENE	0.00074	0.0050	0.00074	υ
trans-1,3-DICHLOROPROPENE	0.0017	0.0050	0.0017	U
TRICHLOROFLUOROMETHANE	0.0019	0.0050	0.0019	U
VINYL CHLORIDE	0.0012	0.0050	0.0012	U

·	

000214

AFCEE ORGANIC ANALYSES DATA SHEET 2 RESULTS

453 182

Analytical Method: 8260-A98

AAB #: A9800588

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: SB-119-01 MS Lab Sample ID: A8477204MS

Date Received: <u>26-Oct-98</u>

Matrix: SOIL

Dilution: _____1.00

% Solids: 82.5

Date Extracted: _____

Date Analyzed: 5-Nov-98

Analyte	MOL	PQL	Concentration	Qualifier
1,1,1,2-TETRACHLOROETHANE	0.0012	0.0050	0.056	
1,1,1-TRICHLOROETHANE	0.0012	0.0050	0.058	
1,1,2,2-TETRACHLORGETHANE	0.0016	0.0050	0.042	
1,1,2-TRICHLOROETHANE	0.0013	0.0050	0.046	
1,1-DICHLOROETHANE	0.00095	0.0050	0.050	
1,1-DICHLOROETHENE	0.0012	0.0050	0.046	
1,1-DICHLOROPROPENE	0.0010	0.0050	0.050	
1,2,3-TRICHLOROBENZENE	0,0014	0.0050	0.035	
1,2,3-TRICHLOROPROPANE	0.0016	0.0050	0.043	
1,2,4-TRICHLOROBENZENE	0.0015	0.0050	0.037	
1,2,4-TRIMETHYLBENZENE	0.00072	0.0050	0.051	
1,2-DICHLOROETHANE	0.0013	0.0050	0.050	
1,2-DICHLOROBENZENE	0.0011	0.0050	0.045	
1,2-DIBROMO-3-CHLOROPROPANE	0.0019	0.0050	0.043	
1,2-DICHLOROPROPANE	0.0013	0,0050	0.045	-
1,2-DIBROMOETHANE (ETHYLENE DIBROMIDE)	0.0015	0.0050	0.042	
1,3,5-TRIMETHYLBENZENE (MESITYLENE)	0.00073	0.0050	0.054	1
1,3-DICHLOROBENZENE	0.0010	0.0050	0.049	1
1,3-DICHLOROPROPANE	0.00029	0.0050	0.045	
1,4-DICHLOROBENZENE	0.0011	0.0050	0.046	
1-CHLOROHEXANE	0.00095	0.0050	0.0009	5 U
2,2-DICHLOROPROPANE	0.0012	0.0050	0.051	
2-CHLOROTOLUENE	0.0010	0.0050	0.049	_
4-CHLOROTOLUENE	0.0010	0.0050	0.050	
BENZENE	0.00079	0.0050	0.046	

453 183

Analytical Method: 8260-A98

AAB #: A9800588

Lab Name: STL Buffalo

Contract #: <u>F46162495D80</u>

Field Sample ID: SB-119-01 MS Lab Sample ID: A8477204MS

Matrix: SOIL

% Solids: <u>82.5</u>

Dilution: ____1.00 .

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: 5-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier	
BROMOBENZENE	0.00092	0.0050	0.045		
BROMOCHLOROMET HANE	0.0010	0.0050	0.035		
BROMOD I CHLOROME THANE	0.0013	0.0050	0.050		
BROMOFORM	0.0018	0.0050	0.043		
BROMOMETHANE	0.0018	0.0050	0.046		
CARBON TETRACHLORIDE	0.00089	0.0050	0.060		
CHLOROBENZENE	0.0014	0.0050	0.049		
CHLOROETHANE	0.0016	0.0050	0.052		
CHLOROFORM	0.00094	0.0050	0.053		
CHLOROMETHANE	0.0013	0.0050	0.050		
cis-1,2-DICHLOROETHYLENE	0.00088	0.0050	0.043		
cis-1,3-dICHLOROPROPENE	0.00082	0.0050	0.041		
DIBROMOCHLOROMETHANE	0.0014	0.0050	0.051		
D I BROMOME THANE	0.0014	0.0050	0.040		
DICHLORODIFLUOROMETHANE	0.0014	0.0050	0.065		
ETHYLBENZENE	0.0013	0.0050	0.058		
HEXACHLOROBUTAD I ENE	0.0011	0.0050	0.053		
ISOPROPYLBENZENE (CUMENE)	0.00086	0.0050	0.052		
M-XYLENE (1,3-DIMETHYLBENZENE)	0.0022	0.0050	0.11	1	
METHYLENE CHLORIDE	0.0010	0.0050	0.038		
n-BUTYLBENZENE	0.00083	0.0050	0.048		
n-PROPYLBENZENE	0.00071	0.0050	0.055		
NAPHTHALENE	0.0017	0.0050	0.028		
O-XYLENE (1,2-DIMETHYLBENZENE)	0.0012	0.0050	0.052		
P-CYMENE (p-ISOPROPYLTOLUENE)	0.0011	0.0050	0.055	 	

000216 453 184

Analytical Method: 8260-A98

Lab Name: STL Buffalo

AAB #: A9B00588

Contract #: <u>F46162495080</u>

Field Sample ID: SB-119-01 MS Lab Sample ID: A8477204MS

Matrix: SOIL

% Solids: <u>82.5</u>

Dilution: 1.00

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: 5-Nov-98

Analyte	MOL	PQL	Concentration	Qualifier
P-XYLENE (1,4-DIMETHYLBENZENE)	0.0022	0.0050	0.0022	10
SEC-BUTYLBENZENE	0.00082	0.0050	0.056	
STYRENE	0.0010	0.0050	0.048	
TRICHLOROETHYLENE (TCE)	0.00080	0.0050	0.048	
t-BUTYLBENZENE	0.00087	0.0050	0.052	
TETRACHLOROETHYLENE(PCE)	0.00080	0.0050	0.054	
TOLUENE	0.0014	0.0050	0.051	-
trans-1,2-D1CHLOROETHENE	0.00076	0.0050	0.046	
trans-1,3-DICHLOROPROPENE	0.0017	0.0050	0.047	
TRICHLOROFLUOROMETHANE	0.0019	0.0050	0.060	
VINYL CHLORIDE	0.0012	0.0050	0.051	

Comments:			
·			
		_	
<u> </u>			

453 185

ORGANIC ANALYSES DATA SHEET 2 RESULTS

Analytical Method: 8260-A98

AAB #: A9800588

Lab Name: STL Buffalo

Contract #: F46162495080

Field sample ID: <u>SB-119-01 SO</u> Lab Sample IO: <u>A8477204SD</u>

Matrix: SOIL

% Solids: 82.5

Oilution: ____1.00

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: _5-Nov-98

Analyte	MDL	PQL	Concentration	Qualifie
1,1,1,2-TETRACHLOROETHANE	0.0011	0.0050	0_052	
1,1,1-TRICHLOROETHANE	0.0011	0.0050	0.057	
1,1,2,2-TETRACHLOROETHANE	0.0015	0.0050	0.040	
1,1,2-TRICHLOROETHANE	0.0013	0.0050	0.046	
1,1-DICHLOROETHANE	0.00092	0.0050	0.050	
1,1.DICHLOROETHENE	0.0012	0.0050	0.048	
1,1-DICHLOROPROPENE	0.00098	0.0050	0.052	
1,2,3-TRICHLOROBENZENE	0.0013	0.0050	0.037	
1,2,3-TRICHLOROPROPANE	0.0016	0.0050	0.043	
1,2,4-TRICHLOROBENZENE	0.0014	0.0050	0.038	
1,2,4-TRIMETHYLBENZENE	0.00070	0.0050	0.050	
1,2-DICHLOROETHANE	0.0013	0.0050	0.049	
1,2-DICHLOROBENZENE	0.0011	0.0050	0.044	
1,2-DIBROMO-3-CHLOROPROPANE	0.0019	0.0050	0.043	
1,2-DICHLOROPROPANE	0.0013	0.0050	0.046	
1,2-DIBROMOETHANE (ETHYLENE DIBROMIDE)	0.0015	0.0050	0.042	
1,3,5-TRIMETHYLBENZENE (MESITYLENE)	0.00071	0.0050	0.051	
1,3-DICHLOROBENZENE	0.00099	0.0050	0.047	
1,3-DICHLOROPROPANE	0.00028	0.0050	0.047	
1,4-DICHLOROBENZENE	0.0011	0.0050	0.044	
1-CHLOROHEXANE	0.00093	0.0050	0.00093	U
2,2-DICHLOROPROPANE	0.0011	0.0050	0.051	
2-CHLOROTOLUENE	0.00098	0.0050	0.049	
4-CHLOROTOLUENE	0.00098	0.0050	0.047	
BENZENE	0.00077	0.0050	0.043	

000218 453 186

Analytical Method: 8260-A98

AAB #: A9800588

Lab Name: STL Buffalo

Contract #: <u>F46162495D80</u>

Field Sample ID: <u>\$8-119-01 SD</u> Lab Sample ID: <u>A8477204SD</u>

Matrix: SOIL

% Solids: 82.5

Dilution: <u>1.00</u>

Date Received: 26-Oct-98

Date Extracted: _____

Concentration Units (ug/L or mg/kg dry weight): MG/KG

Date Analyzed: <u>5-Nov-98</u>

Analyte	, MDL	PQL	Concentration	Qualifie
BROMOBENZENE	0.00089	0.0050	0.043	
BROMOCHLOROMETHANE	0.0010	0.0050	0.037	
BROMOD I CHLOROMETHANE	0.0012	0.0050	0.051	
BROMOFORM	0.0017	0.0050	0.045	
BROMOMETHANE	0.0018	0.0050	0.046	
CARBON TETRACHLORIDE	0.00087	0.0050	0.060	
CHLOROBENZENE	0.0013	0.0050	0.048	
CHLOROETHANE	0.0015	0.0050	0.054	
CHLOROFORM	0.00092	0.0050	0.054	
CHLOROMETHANE	0.0012	0.0050	0.056	<u> </u>
cis-1,2-DICHLOROETHYLENE	0.00086	0.0050	0.043	
cis-1,3·DICHLOROPROPENE	0.00080	0.0050	0.044	
DIBROMOCHLOROMETHANE	0.0014	0.0050	0.050	
DIBROMOMETHANE	0.0014	0.0050	0.042	
DICHLOROD I FLUOROMETHANE	0.0014	0.0050	0.067	
ETHYLBENZENE	0.0012	0.0050	0.052	
HEXACHLOROBUTAD I ENE	0.0011	0.0050	0.046	
ISOPROPYLBENZENE (CUMENE)	0.00084	0.0050	0.052	
M-XYLENE (1,3-DIMETHYLBENZENE)	0.0022	0.0050	0.10	1
METHYLENE CHLORIDE	0.0010	0.0050	0.039	
n-BUTYLBENZENE	0.00081	0.0050	0.048	
n-PROPYLBENZENE	0.00069	0,0050	0.052	
NAPHTHALENE	0.0016	0.0050	0.033	†
O-XYLENE (1,2-DIMETHYLBENZENE)	0.0012	0.0050	0.049	
P-CYMENE (p-ISOPROPYLTOLUENE)	0.0011	0.0050	0.053	

453 187

Analytical Method: 8260-A98

AAB #: A9800588

Lab Name: STL Buffalo

Contract #: <u>F46162495080</u>

Field Sample ID: <u>SB-119-01 SD</u> Lab Sample ID: <u>A8477204SD</u>

Matrix: SOIL

% Solids: <u>82.5</u>

Dilution: ____1.00

Date Received: 26-0ct-98

Date Extracted: ____

Date Analyzed: _5-Nov-98

Analyte	MDL PQL		Concentration	Qualifier
P-XYLENE (1,4-DIMETHYLBENZENE)			0.0022	10
SEC-BUTYLBENZENE	0.00080	0.0050	0.054	
STYRENE	0.0010	0.0050	0.045	
TRICHLOROETHYLENE (TCE)	0.00078	0.0050	0.049	
t-BUTYLBENZENE	0.00085	0.0050	0.049	
TETRACHLOROETHYLENE(PCE)	0.00078	0.0050	0.050	
TOLUENE	0.0013	0.0050	0.048	
trans-1,2-DICHLOROETHENE	0.00074	0.0050	0.046	
trans-1,3-DICHLOROPROPENE	0.0017	0.0050	0.048	
TRICHLOROFLUOROMETHANE	0.0019	0.0050	0,059	
VINYL CHLORIDE	0.0012	0.0050	0.056	

Comments:				•		
<u>-</u>		•				
·			 		_	

Analytical Method: 8260-A98

453 188 AAB #: A9B00588

Lab Name: <u>STL Buffalo</u>

Contract #: F46162495D80

Field Sample ID: <u>SB-119-02</u> Lab Sample ID: <u>A8477205</u>

Matrix: SOIL

% \$olids: <u>87.4</u>

Dilution: ____1.00

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: 5-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
1,1,1,2-TETRACHLOROETHANE	0.0011	0.0050	0.0011	υ
1,1,1-TRICHLOROETHANE	0.0011	0.0050	0.0011	U
1,1,2,2-TETRACHLOROETHANE	0.0015	0.0050	0.0015	U
1,1,2-TRICHLOROETHANE	0.0012	0.0050	0.0012	υ
1,1-D1CHLGROETHANE	0.00088	0.0050	0.00088	U
1,1-DICHLOROETHENE	0.0011	0.0050	0.0011	U
1,1-D1CHLOROPROPENE	0.00093	0.0050	0.00093	U
1,2,3-TRICHLOROBENZENE	0.0013	0.0050	0.0013	U
1,2,3-TRICHLOROPROPANE	0.0015	0.0050	0.0015	U
1,2,4-TRICHLOROBENZENE	0.0014	0.0050	0.0014	U
1,2,4-TRIMETHYLBENZENE	0.00067	0.0050	0.00067	U
1,2-DICHLOROETHANE	0.0012	0.0050	0.0012	U
1,2-DICHLOROBENZENE	0.0010	0.0050	0.0010	U
1,2-DIBROMO-3-CHLOROPROPANE	0.0018	0.0050	0.0018	U
1,2-DICHLOROPROPANE	0.0012	0.0050	0.0012	U
1,2-DIBROMOETHANE (ETHYLENE DIBROMIDE)	0.0014	0.0050	0.0014	U
1,3,5-TRIMETHYLBENZENE (MESITYLENE)	0.00067	0.0050	0.00067	U
1,3-DICHLOROBENZENE	0.00094	0.0050	0.00094	U
1,3-DICHLOROPROPANE	0.00026	0.0050	0.00026	U
1,4-DICHLOROBENZENE	0.0010	0.0050	0.0010	υ
1-CHLOROHEXANE	0.00088	0.0050	0.00088	U
2,2-DICHLOROPROPANE	0.0011	0.0050	0.0011	U
2-CHLOROTOLUENE	0.00093	0.0050	0.00093	U
4-CHLOROTOLUENE	0.00093	0.0050	0.00093	U
BENZENE	0.00074	0.0050	0.00074	U

453 189

Analytical Method: 8260-A98

AAB #: A9800588

Lab Name: STL Buffalo

Contract #: F46162495D80

Field Sample ID: <u>58-119-02</u> Lab Sample ID: <u>A8477205</u>

Matrix: SOIL

% Solids: 87.4

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: _5.Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
BROMOBENZENE	0.00085	0.0050	0.00085	υ
BROMOCHLOROMETHANE	0.00096	0.0050	0.00096	υ
BROMOD I CHLOROMETHANE	0.0012	0.0050	0.0012	U
BROMOFORM	0.0016	0.0050	0.0016	U
BROMOMETHANE	0.0017	0.0050	0.0017	U
CARBON TETRACHLORIDE	0.00082	0.0050	0.00082	U
CHLOROBENZENE	0.0013	0.0050	0.0013	U
CHLOROETHANE	0.0014	0.0050	0.0014	U
CHLOROFORM	0.00087	0.0050	0.00087	U
CHLOROMETHANE	0.0012	0.0050	0.0012	U
cis-1,2-DICHLOROETHYLENE	0.00082	0.0050	0.00082	U
cis-1,3-DICHLOROPROPENE	0.00076	0.0050	0.00076	U
DIBROMOCHLOROMETHANE	0.0013	0.0050	0.0013	U
DIBROMOMETHANE	0.0013	0.0050	0.0013	U
DICHLOROD I FLUOROMET HANE	0.0013	0.0050	0.0013	U
ETHYLBENZENE	0.0012	0.0050	0.0012	U
HEXACHLOROBUTAD IENE	0.0010	0.0050	0.0010	U
ISOPROPYLBENZENE (CUMENE)	0.00080	0.0050	0.00080	U
M-XYLENE (1,3-DIMETHYLBENZENE)	0.0020	0.0050	0.0020	U
METHYLENE CHLORIDE	0.00096	0.0050	0.00096	S U
n-BUTYLBENZENE	0.00077	0.0050	0.0007	7 U
n-PROPYLBENZENE	0.00066	0.0050	0.0006	S U
NAPHTHALENE	0.0016	0.0050	0.0016	U
O-XYLENE (1,2-DIMETHYLBENZENE)	0.0011	0.0050	0.0011	U
P-CYMENE (p-ISOPROPYLTOLUENE)	0.0010	0.0050	0.0010	U

000222

453 190

Analytical Method: 8260-A98

AAB #: A9800588

Lab Name: STL Buffalo

Contract #: <u>F46162495080</u>

Field Sample ID: SB-119-02

R477205 Matr

Matrix: SOIL

% Solids: 87.4

Lab Sample 10: <u>A8477205</u>

Oilution: ____1.00

Oate Received: 26-Oct-98

Oate Extracted: _____

Oate Analyzed: 5-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
P-XYLENE (1,4-01METHYLBENZENE)	0.0020	0.0050	0.0020	U
SEC-BUTYLBENZENE	0.00076	0.0050	0.00076	U
STYRENE	0.00097	0.0050	0.00097	U
TRICHLOROETHYLENE (TCE)	0.00074	0.0050	0.00074	U
t-BUTYLBENZENE	0.00081	0.0050	0.00081	U
TETRACHLOROETHYLENE(PCE)	0.00074	0.0050	0.00074	U
TOLUENE	0.0012	0.0050	0.0012	U
trans-1,2-DICHLOROETHENE	0.00070	0.0050	0.00070	U
trans-1,3-DICHLOROPROPENE	0.0016	0.0050	0.0016	U
TRICHLOROFLUOROMETHANE	0.0018	0.0050	0.0018	U
VINYL CHLORIDE	0.0011	0.0050	0.0011	U

Comments:			

<u>V_T</u>2

AFCEE ORGANIC ANALYSES DATA SHEET 2 RESULTS

453 191 Analytical Hethod: 8260-A98

AAB #: A9800588

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: <u>\$8-1</u>20.01

Lab Sample ID: <u>A8477206</u>

Matrix: SOIL

% Solids: <u>84.5</u>

Oilution: ____1.00

Date Received: 26-Oct-98

Oate Extracted: ____

Date Analyzed: 5-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
1,1,1,2-TETRACHLOROETHANE	0.0011	0.0050	0.0011	U
1,1,1-TRICHLOROETHANE	0.0011	0.0050	0.0011	U
1,1,2,2-TETRACHLOROETHANE	0.0015	0.0050	0.0015	U
1,1,2-TRICHLOROETHANE	0.0013	0.0050	0.0013	U
1,1-DICHLOROETHANE	0.00091	0.0050	0.00091	U
1,1-DICHLOROETHENE	0.0012	0.0050	0.0012	U
1,1-DICHLOROPROPENE	0.00096	0.0050	0.00096	U
1,2,3-TRICHLOROBENZENE	0.0013	0.0050	0.0013	U
1,2,3-TRICHLOROPROPANE	0.0015	0.0050	0.0015	U
1,2,4-TRICHLOROBENZENE	0.0014	0.0050	0.0014	U
1,2,4-TRIMETHYLBENZENE	0.00070	0.0050	0.00070	U
1,2-DICHLOROETHANE	0.0013	0.0050	0.0013	U
1,2-DICHLOROBENZENE	0.0011	0.0050	0.0011	U
1,2-DIBROMO-3-CHLOROPROPANE	0.0018	0.0050	0.0018	U
1,2-DICHLOROPROPANE	0.0013	0.0050	0.0013	U
1,2-DIBROMOETHANE (ETHYLENE DIBROMIDE)	0.0015	0.0050	0.0015	U
1,3,5-TRIMETHYLBENZENE (MESITYLENE)	0.00070	0.0050	0.00070	U
1,3-DICHLOROBENZENE	0.00098	0.0050	0.00098	U
1,3-DICHLOROPROPANE	0.00028	0.0050	0.00028	3 U
1,4-DICHLOROBENZENE	0.0010	0.0050	0.0010	U
1-CHLOROHEXANE	0.00092	0.0050	0.00092	2 U
2,2-DICHLOROPROPANE	0.0011	0.0050	0.0011	U
2-CHLOROTOLUENE	0.00096	0.0050	0.00096	s u
4-CHLOROTOLUENE	0.00096	0.0050	0.00096	s u
BENZENE	0.00076	0.0050	0.00076	5 U

Date Extracted: _____

453 192

Analytical Method: 8260-A98

AAB #: A9800588

Lab Name: <u>STL Buffalo</u>

Contract #: <u>F46162495080</u>

Field Sample ID: <u>SB-120-01</u> Lab Sample ID: <u>A8477206</u>

Matrix: SOIL

% Solids: <u>84.5</u>

Dilution: ___1.00

Date Received: 26.0ct-98

Date Analyzed: <u>5-Nov-98</u>

Analyte	MDL	PQL	Concentration	Qualifier
BROMOBENZENE	0.00088	0.0050	0.00088	U
BROMOCHLOROMETHANE	0.0010	0.0050	0.0010	U
BROMODICHLOROMETHANE	0.0012	0.0050	0.0012	U
BROMOFORM	0.0017	0.0050	0.0017	U
BROMOMETHANE	0.0018	0.0050	0.0018	U
CARBON TETRACHLORIDE	0.00086	0.0050	0.00086	U
CHLOROBENZENE	0.0013	0.0050	0.0013	U
CHLOROETHANE	0.0015	0.0050	0.0015	U
CHLOROFORM	0.00091	0.0050	0.00091	U
CHLOROMETHANE	0.0012	0.0050	0.0012	U
cis-1,2-DICHLOROETHYLENE	0.00085	0.0050	0.00085	U
cis-1,3-DICHLOROPROPENE	0.00080	0.0050	0,00080	U
DIBROMOCHLOROMETHANE	0.0014	0.0050	0.0014	U
DIBROMOMETHANE	0.0014	0.0050	0.0014	U
DI CHLORODI FLUOROMETHANE	0.0013	0.0050	0.0013	U
ETHYLBENZENE	0.0012	0.0050	0.0012	U
HEXACHLOROBUTAD I ENE	0.0011	0.0050	0.0011	U
ISOPROPYLBENZENE (CUMENE)	0.00083	0.0050	0.00083	U
M-XYLENE (1,3-DIMETHYLBENZENE)	0.0021	0.0050	0.0021	10
METHYLENE CHLORIDE	0.0010	0.0050	0.0027	F
n-BUTYLBENZENE	0.00080	0.0050	0.00080	U
n-PROPYLBENZENE	0.00068	0.0050	0.00068	U
NAPHTHALENE	0.0016	0.0050	0.0016	U
O-XYLENE (1,2-DIMETHYLBENZENE)	0.0012	0.0050	0.0012	U
P-CYMENE (p-ISOPROPYLTOLUENE)	0.0010	0.0050	0.0010	U

000225

. Analytical Method: 8260-A98

AAS #: A9800588

Lab Name: STL Buffalo

Contract #: <u>F46162495080</u>

Field Sample ID: <u>SB-120-01</u> Lab Sample ID: <u>A8477206</u>

% Solids: 84.5

in sample in: Wothling

Dilution: 1.00

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: 5-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
P-XYLENE (1,4-DIMETHYLBENZENE)	0.0021	0.0050	0.0021	1 U
SEC-BUTYLBENZENE	0.00079	0.0050	0.00079	Ü
STYRENE .	0.0010	0.0050	0.0010	U
TRICHLOROETHYLENE (TCE)	0.00077	0.0050	0.00077	Ü
t-BUTYLBENZENE	0.00084	0.0050	0.00084	U
TETRACHLOROETHYLENE(PCE)	0.00077	0.0050	0.00077	U
TOLUENE	0.0013	0.0050	0.0013	Ü
trans-1,2-DICHLOROETHENE	0.00073	0.0050	0.00073	U
trans-1,3-DICHLOROPROPENE	0.0016	0,0050	0.0016	υ
TRICHLOROFLUOROMETHANE	0.0019	0.0050	0.0019	U
VINYL CHLORIDE	0.0012	0.0050	0.0012	Ü

Comments:		
NOV V	 	
	·	

453 194

Analytical Method: 8260-A98

AAB #: A9800588

Lab Name: STL Buffalo

Contract #: <u>F46162495080</u>

Field Sample ID: Matrix Spike Blank Lab Sample ID: A980058802

Matrix: SOIL

Dilution: 1.00

% Solids: <u>100,0</u>

Date Received: <u>5-Nov-98</u>

Date Extracted:

Date Analyzed: 5-Nov-98

Analyte	MDL	PQL _.	Concentration	Qualifie
1,1,1,2-TETRACHLOROETHANE	0.00098	0.0050	0.057	,
1,1,1-TRICHLOROETHANE	0.00097	0.0050	0.060	
1,1,2,2-TETRACHLOROETHANE	0,0013	0.0050	0.053	
1,1,2-TRICHLOROETHANE	0.0011	0.0050	0.056	
1,1-DICHLOROETHANE	0.00080	0.0050	0.056	
1,1-D1CHLOROETHENE	0.0010	0.0050	0.055	
1,1-DICHLOROPROPENE	0.00084	0.0050	0.052	
1,2,3-TRICHLOROBENZENE	0.0012	0.0050	0.049	
1,2,3-TRICHLOROPROPANE	0.0013	0.0050	0.056	
1,2,4-TRICHLOROBENZENE	0.0012	0.0050	0.050	
1,2,4.TRIMETHYLBENZENE	0.00061	0.0050	0.056	_
1,2-DICHLOROETHANE	0.0011	0.0050	0.062	
1,2-D1CHLOROBENZENE	0.00095	0.0050	0.054	
1,2-DIBROMO-3-CHLOROPROPANE	0.0016	0.0050	0.060	
1,2-DICHLOROPROPANE	0.0011	0.0050	0.052	
1,2-DIBROMOETHANE (ETHYLENE DIBROMIDE)	0.0013	0.0050	0.052	
1,3,5-TRIMETHYLBENZENE (MESITYLENE)	0.00061	0.0050	0.057	
1,3-DICHLOROBENZENE	0.00085	0.0050	0.054	
1,3-DICHLOROPROPANE	0.00024	0,0050	0.057	
1,4-DICHLOROBENZENE	0,00091	0.0050	0.051	
1-CHLOROHEXANE	0.00080	0.0050	0.00080	U
2,2-DICHLOROPROPANE	0.00098	0.0050	0.057	1
2-CHLOROTOLUENE	0.00084	0.0050	0.055	
4-CHLOROTOLUENE	0.00084	0.0050	0.055	
BENZENS	0.00067	0.0050	0.050	

Analytical Hethod: 8260-A98

AAB #: A9B00588

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: Matrix Spike Blank Lab Sample ID: A9B0058802

Matrix: SOIL

% Solids: 100.0

Dilution: 1.00

Date Received: 5-Nov-98

Date Extracted: ____

Date Analyzed: _5-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
BROMOBENZENE	0.00077	0.0050	0.052	
BROMOCHLOROMETHANE	0.00087	0.0050	0.049	
BROMODICHLOROMETHANE	0.0011	0.0050	0.057	
BROMOFORM	0.0015	0.0050	0.058	
BROMOMETHANE	0.0015	0.0050	0.051	
CARBON TETRACHLORIDE	0.00075	0.0050	0.060	
CHLOROBENZENE	0.0011	0.0050	0.051	
CHLOROETHANE	0.0013	0.0050	0.062	
CHLOROFORM	0.00079	0.0050	0.057	
CHLOROMETHANE	0.0011	0.0050	0.064	
cis-1,2-DICHLOROETHYLENE	0.00074	0.0050	0.049	
cis-1,3-DICHLOROPROPENE	0.00069	0.0050	0.053	
DIBROMOCHLOROMETHANE	0.0012	0.0050	0.058	
DIBROMOMETHANE	0.0012	0.0050	0.054	
DICHLORODIFLUOROMETHANE	0.0012	0.0050	0.081	
ETHYLBENZENE	0.0011	0.0050	0.058	
HEXACHLOROBUTAD I ENE	0.00096	0.0050	0.058	
ISOPROPYLBENZENE (CUMENE)	0.00072	0.0050	0.056	
M-XYLENE (1,3-DIMETHYLBENZENE)	0.0019	0.0050	0.12	1
METHYLENE CHLORIDE	0.00088	0.0050	0.052	
n-BUTYLBENZENE	0.00070	0.0050	0.055	
n-PROPYLBENZENE	0.00060	0.0050	0.058	1
NAPHTHALENE	0.0014	0.0050	0.042	1
O-XYLENE (1,2-DIMETHYLBENZENE)	0.0010	0.0050	0.054	1
P-CYMENE (p-1SOPROPYLTOLUENE)	0.00092	0.0050	0.058	1

453 196

Analytical Method: 8260-A98

AAB #: A9B00588

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: Matrix Spike Blank Lab Sample ID: A9B0058802

Matrix: SOIL

% Solids: 100.0

Dilution: 1.00

Date Received: 5-Nov-98

Date Extracted: _____

Date Analyzed: 5-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier	
P-XYLENE (1,4-DIMETHYLBENZENE)	0.0019	0.0050	0.0019	10	
SEC-BUTYLBENZENE	0.00068	0.0050	0.060		
STYRENE	0.00088	0.0050	0.052	_	
TRICHLOROETHYLENE (TCE)	0.00067	0.0050	0.050		
t-BUTYLBENZENE	0.00073	0.0050	0.055		
TETRACHLOROETHYLENE(PCE)	0.00067	0.0050	0.054		
TOLUENE	0.0011	0.0050	0.053		
trans-1,2-DICHLOROETHENE	0.00063	0.0050	0.048		
trans-1,3-DICHLOROPROPENE	0.0014	0.0050	0.058		
TRICHLOROFLUOROMETHANE	0.0016	0.0050	0.067		
VINYL CHLORIDE	0.0010	0.0050	0.063		

Comments:				
				<u> </u>

AFCEE ORGANIC ANALYSES DATA PACKAGE

000016

Analytical Method: 8081-A98

AAB #: <u>A8B08986</u>

Lab Name: Recra LabNet

Contract #: <u>F46162495D80</u>

Base/Command: NAS Ft Worth/Offsite Weap

Prime Contractor: The Environmental Company

Field Sample ID

Lab Sample ID

SB-116-01	
SB-117-01	
SB-118-01	
SB-119-01	
SB-119-01 MS	
SB-119-01 SD	
SB-119-02	
SB-120-01	

A8477201 A8477202 A8477203 A8477204 A8477204MS A8477204SD A8477205 A8477206

Comments:

See Case Narrative	100 00	
--------------------	--------	--

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Iaboratory Manager or the Manager's designee, as verified by the following signature.

Signature

Date:

Name: Kenneth E. Kasperek

Title: <u>Laboratory Director</u>

000017 453 198

Analytical Method: 8081-A98

AAB #: A8B08986

Lab Name: Recra LabNet

Contract #: F46162495080

Field Sample 10: <u>\$8-116-01</u> Lab Sample 10: <u>A8477201</u>

Matrix: SOIL

% Solids: 89.6

Dilution: ____1.00

Date Received: 26-Oct-98

Date Extracted: 5-Nov-98

Date Analyzed: 25-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	0.0014	0.0190	0.0014	U
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	0.0016	0.0330	0.0016	U
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	0.0066	0.0110	0.0066	U
GAMMA BHC (LINDANE)	0.0016	0.020	0.0016	U
ALPHA-CHLORDANE	0.0084	0.040	0.0084	U
GAMMA-CHLORDANE	0.0034 .	0.040	0.0034	U
p,p¹-000	0.0018	0.0420	0.0018	U
p,p1-DDE	0,0030	0.0250	0.0030	U
p,p'-DDT	0.0034	0.0360	0.0034	U
ALDRIN	0.0018	0.0220	0.0018	U
DIELDRIN .	0.0018	0.0350	0.0018	U
ALPHA ENDOSULFAN	0.0084	0.0210	0.0084	U
BETA ENOOSULFAN	0.0018	0.0240	0.0018	U
ENDOSULFAN SULFATE	0,0023	0.0360	0.0023	U
ENDRIN	0.0016	0.0360	0.0016	U
ENDRIN ALDEHYDE	0.0050	0.0320	0.0050	U
HEPTACHLOR	0.0030	0.020	0.0030	U
HEPTACHLOR EPOXIDE	0.0020	0.0210	0.0020	U
METHOXYCHLOR	0.0023	0.0570	0.0023	U
TOXAPHENE	0.020	0.570	0.020	υ

Comments:	 •	
•		

453 199

Analytical Method: 8081-A98

Lab Name: Recra LabNet

AAB #: <u>A8808986</u>

Contract #: F46162495080

Field Sample ID: <u>\$8-117-01</u> Lab Sample ID: <u>A8477202</u> Matrix:

Matrix: SOIL

% Solids: <u>89.4</u>

Dilution: ____1.00

Date Received: 26-Oct-98

Date Extracted: 5-Nov-98

Date Analyzed: 26-Nov-98

Concentration Units (ug/L or mg/kg dry weight): MG/KG

Analyte	MDL	PQL	Concentration	Qualifier
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	0.0014	0.0190	0.0014	U
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	0.0016	0.0330	0.0016	U
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	0.0067	0.0110	_0.0067	U
GAMMA BHC (LINDANE)	0.0016	0.020	0.0016	U
ALPHA-CHLORDANE	0.0086	0.040	0.0086	U
GAMMA - CHLORDANE	0.0035 ·	0.040	0.0035	U
p,p¹-DDD	0.0018	0.0420	0.0018	U
p,p'-DDE	0.0030	0.0250	0.0030	U
p,p¹-DOT	0.0035	0.0360	0.0035	U
ALDRIN	0.0018	0.0220	0.0018	U
DIELDRIN	0.0018	0.0350	D.0018	U
ALPHA ENDOSULFAN	0.0086	0.0210	0.0086	U
BETA ENDOSULFAN	0.0018	0.0240	0.0018	U
ENDOSULFAN SULFATE	0.0023	0.0360	0.0023	U
ENDRIN	0.0016	0.0360	0.0016	υ
ENDRIN ALDEHYDE	0.0051	0.0320	0.0051	U
HEPTACHLOR	0.0030	0.020	0.0030	U
HEPTACHLOR EPOXIDE	0.0021	0.0210	0.0021	U.
METHOXYCHLOR	0.0023	0.0570	0.0023	U
TOXAPHENE	0.020	0.570	0.020	U

Comments:		••	
	·	 	
_	<u> </u>	 	

AFCEE FORM 0-2

453 200

Analytical Method: 8081-A98

AAB #: A8808986

. Lab Name: Recra LabNet

Contract #: F46162495080

Field Sample ID: <u>\$8.118-01</u>

Lab Sample ID: <u>A8477203</u>

Matrix: SOIL

% Solids: <u>86.2</u>

Dilution: _____1.00

Date Received: 26-Oct-98

Date Extracted: 5-Nov-98

Date Analyzed: 26-Nov-98

Analyte	MOL	PQL	Concentration	Qualifier
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	0.0014	0.0190	0.0014	U
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	0.0016	0.0330	0.0016	υ
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	0.0068	0.0110	0.0068	U
GAMMA BHC (LINDANE)	0.0016	0.020	0.0016	U
ALPHA-CHLORDANE	0.0087	0.040	0.0087	U
GAMMA · CHLORDANE	0.0035	0.040	0.0035	U
p,p¹-DDD	0.0019	0.0420	0.0019	υ
p,p¹-DDE	0.0031	0.0250	0.0031	U
p,p¹-DDT	0.0035	0.0360	0.0035	υ
ALDRIN	0.0019	0.0220	0.0019	U
DTELDRIN	0.0019	0.0350	0.0019	U
ALPHA ENDOSULFAN	0.0087	0.0210	0.0087	U
BETA ENDOSULFAN	0.0019	0.0240	0.0019	U
ENDOSULFAN SULFATE	0.0024	0.0360	0.0024	υ
ENDRIN	0.0016	0.0360	0.0016	U
ENDRIN ALDEHYDE	0.0052	0.0320	0.0052	U
HEPTACHLOR	0.0031	0.020	0.0031	υ
HEPTACHLOR EPOXIDE	0.0021	0.0210	0.0021	U
METHOXYCHLOR	0.0024	0.0570	0.0024	u
TOXAPHENE	0.020	0.570	0.020	U

Comments:		 ••
-	 	

453 291

Analytical Hethod: 8081-A98

AAB #: <u>A8808986</u>

Lab Name: Recra LabNet

Contract #: <u>F46162495080</u>

Field Sample ID: <u>\$8-119-01</u> Lab Sample ID: <u>A8477204</u>

Matrix: SOIL

% Solids: <u>87.7</u>

Oflution: _____1.00

Date Received: 26-Oct-98

Date Extracted: 5-Nov-98

Date Analyzed: 26-Nov-98

Analyte .	MDL	PQL	Concentration	Qualifier
ALPHA BHC (ALPHA NEXACHLOROCYCLOHEXANE)	0.0014	0.0190	0.0014	U
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	0.0017	0.0330	0.0017	U
DELTA BHC (DELTA NEXACHLOROCYCLOHEXANE)	0.0069	0.0110	0.0069	U
GAMMA BHC (LINDANE)	0.0017	0.020	0.0017	U
ALPHA-CHLORDANE	0.0088	0.040	0.0088	U
GAMMA-CHLORDANE	0.0036	0.040	0.0036	U
p,p'-000	0.0019	0.0420	0.0019	U
P,P¹-DDE	0.0031	0.0250	0.0031	U
p,p¹-00T	0.0036	0.0360	0.0036	U
ALORIN	0.0019	0.0220	0.0019	U
DIELORIN	0.0019	0.0350	0.0019	U
ALPHA ENDOSULFAN	0.0088	0.0210	0.0088	U
BETA ENDOSULFAN	0.0019	0.0240	0.0019	U
ENDOSULFAN SULFATE	0.0024	0.0360	0.0024	U
ENDRIN	0.0017	0.0360	0.0017	U
ENDRIN ALDEHYDE	0.0052	0.0320	0.0052	u ·
HEPTACHLOR	0.0031	0.020	0.0031	U
HEPTACHLOR EPOXIDE	0.0021	0.0210	0.0021	U
METHOXYCHLOR	0.0024	0.0570	0.0024	U
TOXAPHENE	0.021	0.570	0.021	U

Comments:	• •	4 **	• •	
			<u> </u>	

453 202

Analytical Method: <u>8081-A98</u>

AAB #: <u>A8808986</u>

Lab Name: Recra LabNet

Contract #: F46162495080 .

Field Sample ID: SB-119-01 MS Lab Sample ID: A8477204MS

Matrix: SOIL

% Solids: <u>87.7</u>

Dilution: ____1.00

Date Received: 26-Oct-98

Date Extracted: 5-Nov-98

Date Analyzed: 26-Nov-98

Analyte	MOL	PQL	Concentration	Qualifie
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	0.0014	0.0190	0,035	
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	0.0017	0.0330	0.042	
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	0.0069	0.0110	0.042	
GAMMA BHC (LINDANE)	0.0017	0.020	0.038	
ALPHA-CHLORDANE	0.0088	0,040	0.043	
GAMMA-CHLORDANE	0.0036	0.040	0.036	F
p,p¹-000	0.0019	0.0420	0.049	
p,p°-DDE	0.0031	0.0250	0.045	
p,p¹-00T	0.0036	0.0360	0.053	
ALDRIN	0.0019	0.0220	0.041	
DIELDRIN	0.0019	0,0350	0.042	
ALPHA ENDOSULFAN	0.0088	0.0210	0.042	
BETA ENDOSULFAN	0.0019	0.0240	0.044	
ENDOSULFAN SULFATE	0.0024	0.0360	0.044	
ENDRIN	0.0017	0.0360	0.045	
ENDRIN ALDEHYDE	0.0052	0.0320	0.037	
HEPTACHLOR	0.0031	0.020	0.038	1
HEPTACHLOR EPOXIDE	0.0021	0.0210	0.041	
METHOXYCHLOR	0.0024	0.0570	0.051	F
TOXAPHENE	0.021	0.570	0.021	U

Comments:	• •	•	. •			
		•	_	•	_	
	: -			<u> </u>		

453 273

Analytical Method: 8081-A98

AAB #: <u>A8808986</u>

Lab Name: <u>Recra LabNet</u>

Contract #: F46162495080

Field Sample ID: <u>\$8·119-01 SD</u>

Matrix: SOIL

Lab Sample ID: <u>A8477204SD</u>

Dilution: ____1,00

% Solids: <u>87.7</u>

Date Received: <u>26-Oct-98</u>

Date Extracted: 5-Nov-98

Date Analyzed: 26-Nov-98

Analyte .	MDL	PQL	Concentration	Qualifier
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	0.0014	0.0190	0.040	
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	0.0017	0.0330	0.044	
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	0.0069	0.0110	0.044	
GAMMA BHC (LINDAME)	0.0017	0.020	0.041	
ALPHA-CNLORDANE	0.0088	0.040	0.044	
GAMMA-CHLORDANE	0.0036	0.040	0.038	F
p,p'-000	0.0019	0.0420	0.050	
p,p'-DOE	0.0031	0.0250	0.046	
p.p*-DDT	0.0036	0.0360	0.052	
ALDRIN	0.0019	0.0220	0.043	
DIELDRIN .	0.0019	0.0350	0.044	
ALPHA ENDOSULFAN	6.0088	0.0210	0.044	
BETA ENDOSULFAN	0.0019	0.0240	0.046	1
ENDOSULFAN SULFATE	0.0024	0.0360	0.046	
ENDRIN	0.0017	0.0360	0.046	†
ENDRIN ALDEHYDE	0.0052	0.0320	0.042	
HEPTACHLOR	0.0031	0.020	0.041	
HEPTACHLOR EPOXIDE	0.0021	0.0210	0.043	
METHOXYCHLOR	0.0024	0.0570	0.053	F
TOXAPHENE	0.021	0.570	0.021	U

Comments:	٠,	•	
•			
			

453 204

Analytical Method: 8081-A98

Lab Name: Recra LabNet

AAB #: A8B08986 Contract #: <u>F46162495080</u>

Field Sample 10: <u>S8-119-02</u>

Lab Sample ID: <u>A8477205</u>

Matrix: SOIL

% Solids: 89.8

Dilution: ____1.00

Oate Received: 26-Oct-98

Date Extracted: 5-Nov-98

Oate Analyzed: 26.Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	0.0014	0.0190	0.0014	U
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	0.0016	0.0330	0.0016	U
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	0.0066	0.0110	0.0066	U
GAMMA BHC (LINDANE)	0.0016	0.020	0.0016	U
ALPHA - CHLORDANE	0.0084	0.040	0.0084	U
GAMHA-CHLORDANE	0.0034	0.040	0.0034	U
p,p*-DDD	0.0018	0.0420	0.0018	U
p,p'-DDE	D.0030	0.0250	0.0030	U
p,p¹-DDT	0.0034	0.0360	0.0034	U
ALDRIN	0.0018	0.0220	0.0018	U
DIELDRIN	0.0018	. 0.0350	0.0018	U
ALPHA ENDOSULFAN	0.0084	0.0210	0.0084	U
BETA ENDOSULFAN	0.0018	0.0240	0.0018	U
ENDOSULFAN SULFATE	0.0023	0.0360	0.0023	U
ENDRIN	0.0016	0.0360	0.0016	U
ENDRIN ALDEHYDE	0.0050	0.0320	0.0050	U
HEPTACHLOR	0.0030	0.020	0.0030	U
HEPTACHLOR EPOXIDE	0.0020	0.0210	0.0020	U
METHOXYCHLOR	0.0023	0.0570	0.0023	U
TOXAPHENE	0.020	0.570	0.020	U

Comments:	• •		
	 	_	
- * <u></u>	 		
-	 		

453 Analytical Method: <u>8081</u>

Lab Name: Recra LabNet

AAB #: A8B08986

Contract #: <u>F46162495D80</u>

Field Sample ID: \$8.120-01

Lab Sample ID: <u>A8477206</u>

Matrix: SOIL

% Solids: 96.5 Date Received: 26-Oct-98

Date Extracted: 5-Nov-98

Dilution: _____1.00 Date Analyzed: 26-Nov-98

Concentration Units (ug/L or mg/kg dry weight): MG/KG

Analyte	MDL	PQL	Concentration	Qualifier
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	0.0013	0.0190	0.0013	U
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	0.0015	0.0330	0.0015	U
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	0.0063	0.0110	0.0063	U
GAMMA BHC (LINDANE)	0.0015	0.020	0.0015	U
ALPHA-CHLORDANE	0.0080	0.040	0.0080	U
GAMMA-CHLORDANE	0.0032 .	0.040	0.0032	U
P,p'-DDD	0.0017	0.0420	0.0017	U
P,P'-DDE	0.0028	0.0250	0.0028	U
p,p¹-DDT	0.0032	0.0360	0.0032	U
ALDRIN	0.0017	0.0220	0.0017	U
DIELDRIN	0.0017	0.0350	0.0017	U
ALPHA ENDOSULFAN	0.0080	0.0210	0.0080	U
BETA ENDOSULFAN	0.0017	0.0240	0,0017	U
ENDOSULFAN SULFATE	0.0022	0.0360	0,0022	U
ENDRIN	0.0015	0.0360	0.0015	U
ENDRIN ALDEHYDE	0.0048	0.0320	0.0048	U
HEPTACHLOR	0.0028	0.020	0.0028	U
HEPTACHLOR EPOXIDE	0.0019	0.0210	0.0019	U
ME THOXYCHLOR	0.0022	0.0570	0.0022	υ
TOXAPHENE	0.019	0.570	0.019	U

Comments:	•			•		
	 	 1	 		 	
		 _				

453 206

Analytical Method: 8081-A98

AAB #: A8808986

Lab Name: Recra LabNet

Contract #: <u>F46162495080</u>

Field Sample ID: Matrix Spike Blank Lab Sample ID: A880898601

Matrix: SOIL

% Solids: 100.0

Dilution: ____1.00

Date Received: _____

Date Extracted: 5-Nov-98

Date Analyzed: 26-Nov-98

Concentration Units (ug/L or mg/kg dry weight): MG/KG

Analyte	MDL	PQL	Concentration	Qualifier
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	0.0012	0.0190	0.035	
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	0.0014	0.0330	0.038	
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	0.0060	0.0110	0.038	
GAMMA BHC (LINDANE)	0.0014	0.020	0.036	
ALPHA-CHLORDANE	0.0076	0.040	0.038	F
GAMMA - CHLORDANE	0.0031	0.040	0_036	F
P,P'-DDD	0.0016	0.0420	0.043	
p,p'-DDE	0.0027	0.0250	0.040	
P,P¹-DDT	0.0031	0.0360	0.044	
ALDRIN	0.0016	0.0220	0.036	
DIELDRIN	0.0016	0.0350	0.038	
ALPHA ENDOSULFAN	0.0076	0.0210	0.038	
BETA ENDOSULFAN	0.0016	0.0240	0.040	
ENDOSULFAN SULFATE	0.0020	0.0360	0.040	
ENDRIN	0.0014	0.0360	0.040	1
ENDRIN ALDEHYDE	0.0045	0,0320	0.034	
HEPTACHLOR	0.0027	0.020	0.036	_
HEPTACHLOR EPOXIDE	0.0018	0.0210	0.037	1
METHOXYCHLOR	0.0020	0.0570	0.046	F
TOXAPHENE	0.018	0.570	0.018	U

Comments:				• •		
	_		 			 _
		_				
		_	 			

AFCEE FORM 0-2

453 257

Analytical Method: 8082

Lab Name: Recra LabNet

AAB #: <u>A8B08989</u>

Contract #: F46162495D80

Base/Command: NAS Ft Worth/Offsite Weap

Prime Contractor: The Environmental Company

Field Sample ID

Lab Sample ID

SB-116-01 SB-117-01 SB-118-01 SB-119-01 SB-119-01 MS SB-119-01 SD SB-119-02 SB-120-01

A8477201 A8477202 A8477203 A8477204 A8477204MS A8477204SD A8477205 A8477206

Comments:

See Case Narrative

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Iaboratory Manager or the Manager's designee, as verified by the following signature.

Signature:

Date:

Name: Kenneth E. Kasperek

Title: <u>Laboratory Director</u>

Analytical Method: 8082

AAB #: <u>A8808989</u>

Lab Name: Recra LabNet

Contract #: F46162495080

Field Sample ID: <u>\$8-116-01</u>

_____ Lab Sample ID: <u>A8477201</u>___

Matrix: SOIL

% Solids: 89.6

Dilution: 1.00

Date Received: 26.0ct-98

Date Extracted: 5-Nov-98

Date Analyzed: 6-Nov-98

Concentration Units (ug/L or mg/kg dry weight): MG/KG

Analyte	MDL'	PQL	Concentration	Qualifier
PCB-1016 (AROCHLOR 1016)	0.0027	0.700	0.0027	U
PCB-1221 (AROCHLOR 1221)	0.0014	0.700	0.0014	U
PCB-1232 (AROCHLOR 1232)	0.0018	0.700	0.0018	υ
PCB-1242 (AROCHLOR 1242)	0.013	0.700	0.013	υ
PCB-1248 (AROCHLOR 1248)	0.0013	0.700	0.0013	U
PCB-1254 (AROCHLOR 1254)	0.0025	0.700	0.0025	U
PCB-1260 (AROCHLOR 1260)	0.0023	0.700	0.0023	U

Comments:					
	_				
	 		_		
			 _	· ·	

000058

Analytical Method: 8082

AAB #: A8808989

Lab Name: Recra LabNet

Contract #: F46162495080

Field Sample ID: <u>\$8.117-01</u>

____Lab Sample 10: <u>A8477202</u>__ Matrix: SOIL

X Solids: 89.4

Dilution: _____1.00

Date Received: 26-Oct-98

Date Extracted: 5-Nov-98

Date Analyzed: 6-Nov-98

Analyte .	MOL	PQL	Concentration	Qualifier
PC8-1016 (AROCHLOR 1016)	0.0028	0.700	0.0028	ีย
PCB-1221 (AROCHLOR 1221)	0.0014	0.700	0.0014	U
PCB-1232 (AROCHLOR 1232)	0.0019	0.700	0.0019	U
PCB-1242 (AROCHLOR 1242)	0.013	0.700	0.013	U
PCB-1248 (AROCHLOR 1248)	0.0013	0.700	0.0013	U
PCB-1254 (AROCHLOR 1254)	0.0026	0.700	0.0026	U
PCB-1260 (AROCHLOR 1260)	0.0023	0.700	0.0023	U

Comments:			
		·	
•	 		

453 210

Analytical Method: 8082

AAB #: A8B08989

Lab Name: Recra LabNet

Contract #: F46162495080

Field Sample ID: SB-118-01

Matrix: SOIL

% Solids: <u>86.2</u>

Dilution: _____1.00

Date Received: 26-Oct-98

Date Extracted: 5-Nov-98

Lab Sample ID: <u>A8477203</u>

Date Analyzed: 6-Nov-98

Analyte	. MDL	PQL	Concentration	Qualifier
PCB-1016 (AROCHLOR 1016)	0.0029	0.700	0.0029	U
PCB-1221 (AROCHLOR 1221)	0.0015	0.700	0.0015	U
PCB-1232 (AROCHLOR 1232)	0.0020	0.700	0.0020	U
PCB-1242 (AROCHLOR 1242)	0.014	0.700	0.014	U
PCB-1248 (AROCHLOR 1248)	0.0014	0.700	0.0014	U
PCB-1254 (AROCHLOR 1254)	0.0026	0.700	0.0026	U
PCB-1260 (AROCHLOR 1260)	0.0024	0.700	0.0024	U

Comments:	The second secon	
	<u> </u>	
		<u> </u>

453 211

Date Received: 26-Oct-98

000060

Date Analyzed: 6-Nov-98

Analytical Method: 8082 AAB #: A8B08989

Lab Name: Recra LabNet Contract #: <u>F46162495D80</u>

Date Extracted: <u>5-Nov-98</u>

Field Sample 1D: <u>SB-119-01</u>____ Lab Sample ID: <u>A8477204</u> Matrix: SOIL % Solids: 87.7

Dilution: 1.00

Analyte	MDL	PQL	Concentration	Qualifier
PCB-1016 (AROCHLOR 1016)	0,0028	0.700	0.0028	U
PCB-1221 (AROCHLOR 1221)	0,0015	0.700	0.0015	U
PCB-1232 (AROCHLOR 1232)	0.0019	0.700	0.0019	U
PCB-1242 (AROCHLOR 1242)	0.014	0.700	0.014	U
PCB-1248 (AROCHLOR 1248)	0.0014	0.700	0.0014	U
PCB-1254 (AROCHLOR 1254)	0.0026	0.700	0.0026	U
PCB-1260 (AROCHLOR 1260)	0.0024	0.700	0.0024	U

comments:		
	***	·

453 212 000061

Analytical Method: 8082

AAB #: A8B08989

Lab Name: Recra LabNet

Contract #: <u>F46162495080</u>

Field Sample ID: SB-119-01 MS

___ Lab Sample ID: <u>A8477204MS</u>

Matrix: SOIL

% Solids: 87.7

Dilution: ____1.00

Date Received: 26-Oct-98

Date Extracted: 5-Nov-98

Date Analyzed: 6-Nov-98

Concentration Units (ug/L or mg/kg dry weight): MG/KG

Analyte	MDL	PQL	Concentration	Qualifier
PC8-1016 (AROCHLOR 1016)	0.0028	0.700	0.16	F
PCB-1221 (AROCHLOR 1221)	0.0014	0.700	0.0014	U
PCB-1232 (AROCHLOR 1232)	0.0019	0.700	0.0019	U
PCB-1242 (AROCHLOR 1242)	0.013	0.700	0.013	U
PCB-1248 (AROCHLOR 1248)	0.0013	0.700	0.0013	U
PCB-1254 (AROCHLOR 1254)	0.0026 ·	0.700	0.0026	U
PC8-1260 (AROCHLOR 1260)	0.0023	0.700	0.15	F

Comments:				**			•
			<u> </u>			 	
		_			<u> </u>		
	<u> </u>						

453 213

Analytical Hethod: 8082

AAB #: A8808989

lab Name: Recra LabNet

Contract #: <u>F46162495D80</u>

Field Sample ID: SB-119-01 SD

Lab Sample ID: <u>A8477204SD</u>

Hatrix: SOIL

% Solids: <u>87.7</u>

Dilution: _____1,00

Date Received: 26-Oct-98

Date Extracted: 5-Nov-98

Date Analyzed: 6-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
PCB-1016 (AROCHLOR 1016)	0.0028	0.700	0.16	F
PCB-1221 (AROCHLOR 1221)	0.0015	0.700	0.0015	U
PCB-1232 (AROCHLOR 1232)	0.0019	0.700	0.0019	U
PC8-1242 (AROCHLOR 1242)	0.014	0.700	0.014	U
PCB-1248 (AROCHLOR 1248)	0.0014	0.700	0.0014	U
PC8-1254 (AROCHLOR 1254)	0.0026	0.700	0.0026	U
PCB-1260 (AROCHLOR 1260)	0.0024	0.700	0.15	F

Comments:				
		 _		
	 	<u> </u>	•	

ORGANIC ANALYSES DATA SHEET 2 453 2 RESULTS

453 214 000063

Analytical Method: 8082

AAB #: A8808989

Lab Name: Recra LabNet

Contract #: F46162495080

Field Sample ID: SB-119-02

Lab Sample ID: <u>A8477205</u>

Matrix: SOIL

% Solids: <u>89.8</u>

Dilution: ______1.00

Date Received: 26-Oct-98

Date Extracted: _5-Nov-98

Date Analyzed: 6-Nov-98

Analyte	MOL	PQL	Concentration	Qualifier
PCB-1016 (AROCHLOR 1016)	0.0028	0.700	0.0028	U
PCB-1221 (AROCHLOR 1221)	0.0014	0.700	0,0014	U
PCB-1232 (AROCHLOR 1232)	0.0019	0.700	0.0019	U
PCB-1242 (AROCHLOR 1242)	0.013	0.700	0.013	U
PCB-1248 (AROCHLOR 1248)	0.0013	0.700	D.0013	U
PCB-1254 (AROCHLOR 1254)	0.0025	0.700	0.0025	υ
PCB-1260 (AROCHLOR 1260)	0.0023	0.700	0.0023	U

Comments:	
	 <u> </u>

453 215

Analytical Method: 8082

AAB #: A8B08989

Lab Name: Recra LabNet

Contract #: <u>F46162495080</u>

Field Sample 10: <u>\$8-120-01</u>

Lab Sample IO: <u>A8477206</u>

Matrix: SOIL

% \$olids: <u>96.5</u>

Dilution: ____1.00

Date Received: 26-Oct-98

Oate Extracted: <u>5.Nov-98</u>

Date Analyzed: <u>6-Nov-98</u>

Analyte	MOL	PQL	Concentration	Qualifier
PCB-1016 (AROCHLOR 1016)	0.0025	0.700	0.0025	U
PCB-1221 (AROCHLOR 1221)	0.0013	0.700	0.0013	U
PCB-1232 (AROCHLOR 1232)	0.0017	0.700	0.0017	U
PCB-1242 (AROCHLOR 1242)	0.012	0.700	0.012	U
PCB-1248 (AROCHLOR 1248)	0.0012	0.700	0.0012	U
PCB-1254 (AROCHLOR 1254)	0.0023 ·	0.700	0.0023	U
PCB-1260 (AROCHLOR 1260)	0.0021	0.700	0.0021	U

Comments:			
-			

000065

453 216

Analytical Method: 8082

AAB #: A8808989

Lab Name: Recra LabNet

Contract #: <u>F46162495080</u>

Field Sample ID: <u>Matrix Spike Blank</u> Lab Sample ID: <u>A880898901</u>

Matrix: SOIL

% Solids: 100.0

Dilution: _____1.00

Date Received: _____

Date Extracted: 5-Nov-98

Date Analyzed: 6-Nov-98

Analyte	MDL	POL	Concentration	Qualifier
PCB-1016 (AROCHLOR 1016)	0.0024	0.700	0,14	F
PCB-1221 (AROCHLOR 1221)	0.0013	0.700	0.0013	U
PCB-1232 (AROCHLOR 1232)	0.0016	0.700	0,0016	U
PCB-1242 (AROCHLOR 1242)	0.012	0.700	0,012	U
PCB-1248 (AROCHLOR 1248)	0.0012	0.700	0.0012	U
PCB-1254 (AROCHLOR 1254)	0.0022	0.700	0.0022	U
PCB-1260 (AROCHLOR 1260)	0.0020	0.700	0.14	F

Comments:						
	-	<u> </u>		 	·	

INORGANIC ANALYSES DATA PACKAGE

Analytical Method: 6010-A98

AAB #: <u>A8B08666</u>

Lab Name: STL Buffalo

Contract #: <u>F46162495D80</u>

Base/Command: NAS Ft Worth/Offsite Weap

Prime Contractor: The Environmental Com

Field Sample ID

Lab Sample ID

SB-116-01
SB-117-01
<u>SB-118-01</u>
<u>SB-119-01</u>
SB-119-01 MS
SB-119-01 SD
SB-119-02
<u>SB-120-01</u>

<u>A8477201</u> A8477202 A8477203 A8477204 <u>A8477204MS</u> A8477204SD <u>A8477205</u> <u> A8477206</u>

Comments:

See Case Narrative

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computerreadable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature

Name: Kenneth E. Kasperek

Date:

Title: Laboratory Director

AFCEE FORM I-1

453 218 AAB #: A8B08666

Analytical Method: 6010-A98

Lab Name: <u>STL Buffalo</u>

Contract #: <u>F46162495D80</u>

Field Sample ID: SB.116-01___

____ Lab Sample ID: <u>A84772</u>01

Matrix: SOIL

% Solids: 89.6

Date Received: 26-Oct-98

Date Extracted: 28-Oct-98

Dilution: _____1.00 Date Analyzed: 31-Oct-98

Concentration Units (ug/L or mg/kg dry weight): MG/KG

Analyte	MDL	PQL	Concentration	Qualifier	
ALUMINUM	5.4	5.0	4640		
ANTIMONY	0.89	1.0	0.89	U	
ARSENIC	0.69	2.0	2.6		
BARIUM	0.11	0.500	24.0		
BERYLLIUM	0.11	0.300	0.39		
CADMIUM	0.071	0.100	0.071	U	
CALCIUM	411	20.0	276000		
CHROMIUM	0.22	0.500	16.5		
COBALT	0.16	0.200	1.4		
COPPER	0.26	0.500	3.6		
IRON	7.6	5.0	5310		
LEAD	0.33	1.0	3.2		
MAGNESIUM	5,4	5.0	2110		
MANGANESE	0.11	0.500	117		
MOLYBDENUM	0.24	0.500	0.24	U	
NICKEL	0.36	0.500	4.4		
POTASSIUM	10.8	10.0	1150	Ì	
SELENIUM	0.65	1.0	0.65	U	
SILVER	0.32	0.200	0.32	U	
SODIUM	53.8	100.0	733		
THALLIUM	0.59	2.0	0.59	U	
VANAD IUM	0.22	0.500	17.8		
ZINC	1.0	3.0	105		

Co	mmenţş:				
		_			
	_				

The program of the control of the co

AFCEE FORM 1-2

453 219

Analytical Method: 6010-A98

AAB #: A8B08666

Contract #: F46162495080 Lab Name: STL Buffalo

Field Sample ID: <u>S8-117-01</u> Lab Sample ID: <u>A8477202</u>

Matrix: SOIL

% Solids: <u>89.4</u>

Dilution: ____1.00

Date Received: 26-0ct-98

Date Extracted: 28-Oct-98

Date Analyzed: 31-Oct-98

Analyte	. MDL	PQL	Concentration	Qualifier
ALUMINUM	5.5	5.0	11200	
ANTIMONY	0.92	1.0	0.92	U
ARSENIC	0.70	2.0	1.3	F
BARIUM	0.11	0.500	37.7	
BERYLLIUM	0.11	0.300	0.51	
CADMIUM	0.072	0.100	0.072	U
CALCIUM	421	20.0	259000	
CHROMIUM	0.22	0.500	22.1	
COBALT	0.16	0.200	2.8	
COPPER	0.26	0.500	2.4	
IRON	7.7	5.0	7380	
LEAD	0.34	1.0	6.4	
MAGNESIUM	5.5	5.0	2340	
MANGANESE	0.11	0.500	124	
MOLYBDENUM	0.24	0.500	0.24	U
NICKEL	0.36	0.500	6.8	
POTASSIUM	11.0	10.0	2020	
SELENIUM	0.66	1.0	0.66	U
SILVER	0.33	0.200	0.33	U
SODIUM	55.2	100.0	823	
THALLIUM	0.61	2.0	0.61	U
VANADIUM	0.22	0.500	26.4	
ZINC	1.1	3.0	21.3	1

Con	ments	s:										
_								 	_		 _	
_			 		 			 				

INORGANIC ANALYSES DATA SHEET 2

RESULTS

453 220

Analytical Method: 6010-A98

Lab Name: STL Buffalo

AAB #: A8B08666 Contract #: <u>F46162495D80</u>

000200

Field Sample ID: <u>SB-118-01</u> Lab Sample ID: <u>A8477203</u>

Matrix: <u>SOIL</u>

% Solids: <u>86.2</u>

Dilution: ____ 1,00

Date Received: 26-Oct-98

Date Extracted: 28-Oct-98

Date Analyzed: 31-Oct-98

Analyte	MDL	PQL	Concentration	Qualifier
ALUMINUM	5.8	5.0	12200	
ANTIMONY	0.97	1.0	0.97	U
ARSENIC	0.74	2.0	1.1	F
BARIUM	0.12	0.500	43.1	
BERYLLIUM	0.12	0.300	0.54	
CADMIUM	0.076	0.100	0.076	υ
CALCIUM	445	20.0	236000	
CHROMIUM	0.24	0.500	21.6	
COBALT	0.17	0.200	3.2	
COPPER	0.28	0.500	3.6	
IRON	8.2	5.0	8890	
LEAD	0.36	1.0	9.6	
MAGNESTUM	5.8	5.0	2640	
MANGANESE	0.12	0.500	196	
MOLYBDENUM	0.26	0.500	0.26	υ
NICKEL	0.39	0.500	7.6	
POTASSIUM	11.7	10.0	2360	
SELENIUM	0.70	1.0	0.70	υ
SILVER	0.35	0.200	0.35	υ
MUIDOS	58.4	100.0	819	
THALLIUM	0.64	2.0	0.64	υ
VANAD I UM	0.24	0.500	23.5	
ZINC	1.1	3.0	27.3	

Lomments:					
		 	1 1000	 	
	_	 		 	

453 241

Analytical Method: 6010-A98

Lab Name: STL Buffalo

AAB #: A8808666

Contract #: <u>F46162495080</u>

Field Sample ID: <u>\$9-119-01</u>

____ Lab Sample ID: <u>A8477204</u>___

Matrix: SOIL

% Solids: 87.7

Dilution: ____1.00

Date Received: 26-Oct-98

Date Extracted: 28-Oct-98

Date Analyzed: 31-Oct-98

Analyte	MDL	PQL	Concentration	Qualifier
ALUMINUM	5.6	5.0	10700	
ANTIMONY	0.93	1.0	0.93	U
ARSENIC	0.71	2.0	1.3	F
BARIUM	0.11	0.500	42.1	
BERYLLIUM	0.11	0.300	0.46	
CADMIUM	0.073	0.100	0.073	U
CALCIUM .	427	20.0	222000	
CHROMIUM	0.23	0.500	17.5	
COBALT	0.17	0.200	2.5	
COPPER	0.26	0.500	5.2	1
IRON	7.8	5.0	8030	
LEAD	0.35	1.0	10.7	
MAGNESIUM	5.6	5.0	2060	
MANGANESE	0.11	0.500	150	
MOLYBDENUM	0.24	0.500	0.24	U
NICKEL	0.37	0.500	6.0	
POTASSIUM	11.2	10.0	2600	
SELENIUM	0.67	1.0	0.67	U
SILVER	0.33	0.200	0.33	U
SODIUM	55.9	100.0	1020	
THALLIUM	0.62	2.0	0.62	U
VANADIUM	0.23	0.500	16.5	
ZINC	1.1	3.0	27.8	

- On the lift a .				
•				
	 	 	_	
		 	 _	_

453 2227

Analytical Method: 6010-A98

Lab Name: <u>\$TL Buffalo</u>

.

AAB #: <u>A8B08666</u>
Contract #: <u>F46162495D80</u>

Field Sample ID: <u>\$8-119-01 M\$</u>

Lab Sample ID: <u>A8477204HS</u>

Matrix: <u>SOIL</u>

% Solids: <u>87,7</u>

Date Received: 26-Oct-98

Date Extracted: 28-0ct-98

Date Analyzed: 31-Oct-98

Analyte	MOL	PQL	Concentration	Qualifier
ANTIMONY	0.93	1.0	50.3	
ARSENIC	0.72	2.0	408	
BARTUM	0.11	0.500	456	
BERYLLIUM	0.11	0,300	10.2	
CADMIUM	0.074	0.100	5.0	
CHROMIUM	0.23	0.500	56.8	
COBALT	0.17	0,200	101	
COPPER	0.27	0.500	56.5	
LEAD	0.35	1.0	102	1
MANGANESE	0.11	0.500	398	
MOLYBOENUM	0.25	0.500	2610	
NICKEL	0.37	0.500	101	
SELENIUM	0.67	1.0	384	
SILVER	0.33	0.200	8.8	
THALLIUM	0.62	2.0	385	
VANADIUM	0.23	0.500	116	
ZINC	1.1	3.0	120	

Comments:					
	-	 		 	
·				-	

453 223 Analytical Method: 6010-A98

Lab Name: STL Buffalo

AAB #: <u>A8808666</u>

Contract #: <u>F46162495080</u>

Field Sample ID: <u>\$B-119-01 SD</u>

Lab Sample ID: <u>A8477204SD</u>

Matrix: SOIL

% Solids: <u>87.7</u>

Dilution: ____1.00

Date Received: 26-Oct-98

Date Extracted: 28-Oct-98

Date Analyzed: 31-Oct-98

Analyte	MOL	PQL	Concentration	Qualifier
ANTIMONY	0.94	1.0	49.2	
ARSENIC	0.72	2.0	408	
BARIUM	0.11	0.500	451	
BERYLLIUM	0.11	0.300	10.4	
CADMIUM	0.074	0.100	4.2	
CHROMIUM	0.23	0.500	58.6	
COBALT	0.17	0.200	102	
COPPER	0.27	0.500	57.8	
LEAD	0.35	1.0	105	
MANGANESE	0.11	0.500	302	
MOLYBDENUM	0.25	0.500	2620	
NICKEL	0.37	0.500	105	
SELENTUM	0.68	1.0	386	
SILVER	0.33	0.200	8.7	_
THALLIUM	0.62	2.0	394	
VANAD I UM	0.23	0.500	123	
ZINC	1.1	3.0	122	

omments:		
	<u> </u>	

Analytical Method: 6010-A98

AAB #: <u>A8808666</u>

453 224

Lab Name: <u>STL Buffalo</u>

Contract #: <u>F46162495080</u>

Field Sample 10: <u>\$8-119-02</u>

Lab Sample 10: <u>A8477205</u>

Matrix: SOIL

% \$olids: <u>89.8</u>

.

Dilution: _____1,00

Date Received: 26-Oct-98

Date Extracted: <u>28-Oct-98</u>

Date Analyzed: 31-Oct-98

Concentration Units (ug/L or mg/kg dry weight): MG/KG

Analyte	MOL	PQL	Concentration	Qualifier
ALUMINUM	5.4	5.0	11300	
ANTIMONY	0.89	1.0	0.89	U
ARSENIC	0.68	2.0	3.1	_
BARIUM	0.11	0.500	55.0	
BERYLLIUM	0.11	0.300	0.52	
CADMIUM	0.070	0.100	0.070	Ü
CALCIUM	409	20.0	193000	
CHROMIUM	0.22	0.500	20.2	
COBALT	0.16	0.200	4.1	
COPPER	0.25	0.500	` 4.5	
IRON	7.5	5.0	8800	
LEAD	0.33	1.0	11.4	
MAGNESTUM	5.4	5.0	2290	
MANGANESE	0.11	0.500	250	
MOL YBDENUM	0.24	0.500	7.2	
NICKEL	0.36	0.500	8.1	
POTASSIUM	10.7	10.0	2620	
SELENTUM	0.64	1.0	0.64	Ü
SILVER	0.32	0.200	0.32	Ü
SODIUM	53.6	100.0	843	
THALLIUM	0.59	2.0	1.3	F
VANADIUM	0,22	0.500	21.1	
ZINC	1.0	3.0	23.3	

Con	ments:			
_			 · 	
	·	_	 	
_			 <u> </u>	

AFCEE FORM 1-2

000290

Analytical Method: 6010-A98

AAB #: <u>A8808666</u>

Lab Name: STL_Buffalo

Contract #: F46162495080

453 225_{Field Sample ID: <u>58-120-01</u> Lab Sample ID: <u>A8477206</u>}

Matrix: SOIL

Dilution: 1.00

Date Received: 26.0ct-98

% Solids: <u>96.5</u>

Date Extracted: 28-Oct-98

Date Analyzed: 31-Oct-98

Analyte	MDL	POL	Concentration	Qualifier
ALUMINUM	5.0	5.0	8800	
ANTIMONY	0.84	1.0	0.84	U
ARSENIC	0.64	5.0	1,2	F
BARIUM	0.10	0.500	33.2	
BERYLLIUM	0.10	0.300	0.39	
CADMIUM	0.066	0.100	0.066	υ
CALCIUM	384	20.0	193000	
CHROMIUM	0.20	0.500	16.6	
COBALT	0.15	0.200	2.1	
COPPER	0.24	0.500	3.0	
IRON	7.1	5.0	6840	
LEAD	0.31	1.0	4.2	
MAGNESIUM	5.0	5.0	2070	1
MANGANESE	0.10	0.500	156	
MOLY80ENUM	0.22	0.500	0.22	U
NICKEL	0.33	0.500	5.2	Ţ
POTASSIUM	10.1	10.0	1640	
SELENTUM	0.60	1.0	0.60	U
SILVER	0.30	0.200	0.30	U
SOO TUM	50.4	100.0	856	
THALLIUM	0.56	2.0	0.56	U
VANAD IUM	0.20	0.500	15.2	†
ZINC	0.97	3.0	17.0	1

Comments:						·
			 	_		
	_					- WALL
					_	

Analytical Method: 7471-A98

AAB #: A8B08599

453 226

Lab Name: STL Buffalo

Contract #: F46162495D80

Base/Command: NAS Ft Worth/Offsite Weap

Prime Contractor: The Environmental Com

Field Sample ID

Lab Sample ID

SB-116-01 SB-117-01 SB-118-01 SB-119-01 SB-119-01 MS SB-119-01 SD SB-119-02 SB-120-01

<u> A8477201</u> A8477202 A8477203 A8477204 <u> A8477204SD</u> A8477205 A8477206

Comments:

		* T	
~~~	720	Narra	- 3 4 m
	Casc	DOTTO	11.1VE

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computerreadable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

_iqnature:

Name: Kenneth E. Kasperek

Date:

Title: <u>Laboratory Director</u>

UUUUUU

,-7 776

Analytical Method: 7471-A98

Lab Name: STL Buffalo

AAB #: A88D8599

Contract #: <u>F46162495080</u>

453 227Field Sample ID: 88-116-01

Lab Sample ID: <u>A8477201</u>

Matrix: SOIL

% Solids: 89.6

Dilution: ____1,00

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: 28-Oct-98

Analyte	MDL	PQL	Concentration	Qualifier
MERCURY	0.039	0.100	0.039	υ

Comments:	

000330

453 223

Analytical Method: 7471-A98

AAB #: A8808599

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample 10: <u>SB-117-01</u>

Lab Sample ID: <u>A8477202</u>

Matrix: SOIL

% Solids: 89.4 Date Received: 26-Oct-98

Date Extracted: ______

Oilution: ____1.00 Date Analyzed: 28-Oct-98

Analyte	MOL	POL	Concentration	Qualifier
MERCURY	0.039	0.100	0.039	U

iomments:				

400 HH ..

## INORGANIC ANALYSES DATA SHEET & RESULTS

000331

Analytical Method: 7471-A98

AAB #: A8808599

Lab Name: STL Buffalo

Contract #: <u>F46162495080</u>

Field Sample ID: <u>SB-118-01</u> Lab Sample ID: <u>A8477203</u>

Matrix: <u>SOIL</u>

% Solids: <u>86.2</u>

Dilution: _____1.00

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: 28-Oct-98

Analyte	MDL	PQL	Concentration	Qualifier	
MERCURY	0.040	0.100	0.040	U	

Comments:			
	 A	D. 1 035 648 5	

THUNGHAND AT RESULTS

Analytical Method: 7471-A98

AAB #: A8808599

Lab Name: STL Buffalo

Field Sample ID: <u>S8-119-01</u> Lab Sample ID: <u>A8477204</u> Contract #: F46162495080

Matrix: SOIL

% Solids: <u>87.7</u>

Date Received: 26-Oct-98

Dilution: _____1.00

Date Extracted:

Date Analyzed: 28-Oct-98

Analyte	MDL	POL	Concentration	Qualifier
MERCURY	0.040	0.100	0.040	υ

omments:					
		<del></del>	 		 

000333

Analytical Method: 7471-A98

AAB #: A8808599

Lab Name: STL Buffalo

Field Sample ID: <u>\$8-119-01 MS</u> Lab Sample ID: <u>A8477204MS</u>

Contract #: <u>F46162495080</u>

Matrix: SOIL

453 231

% Solids: <u>87.7</u>

Dilution: _____1.00

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: 28-Oct-98

Analyte	MDL	PQL	Concentration	Qualifier
MERCURY	0.040	0.100	0.64	

Comments:	
<del></del>	 

INUKUANTO ANALIBED DATA BILET Z RESULTS

000334

Analytical Method: 7471-A98_

Lab Name: STL Buffalo

AAB #: ABB08599 453 232

Contract #: <u>F46162495080</u>

Field Sample ID: SB-119-01 SD Lab Sample ID: A8477204SD

Matrix: SOIL

% Solids: <u>87.7</u>

Date Extracted: ____

Dilution: _____1.00

Date Received: 26-Oct-98

Date Analyzed: 28-Oct-98

Analyte	MDL	PQL	Concentration	Qualifier
MERCURY	0.040	0.100	0.66	

Comme	ents:				
		 	-		

INORDANIO MANCISES DAIN SEECE Z

000335

Analytical Method: 7471-A98

AAB #: A8808599

Lab Name: <u>\$TL Buffalo</u>

Contract #: <u>F46162495080</u>

453 233 Field Sample ID: <u>58-119-02</u>

___ Lab Sample ID: <u>A8477205</u>__

Matrix: SOIL

% Solids: <u>89.8</u>

Date Received: <u>26-Oct-98</u>

Date Extracted: _____

Dilution: 1.00

Date Analyzed: 28-Oct-98

Analyte	MDL	POL	Concentration	Qualifier
MERCURY	0.039	0.100	0.10	

Comments:					
			 	·	 

LIOZDAALO MAVETOCO PATA QUEET C RESULTS

000000

Analytical Method: 7471-A98

AAB #: A8808599 453 234

Lab Name: STL Buffalo

Contract #: <u>F46162495D80</u>

Field Sample ID: <u>SB-120-01</u>

____ Lab Sample ID: <u>A8477206</u> -

Matrix: <u>SOIL</u>

% Solids: <u>96.5</u>

Dilution: _____1.00

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: <u>28-Oct-98</u>

Analyte	MDL	PQL	Concentration	Qualifier
MERCURY	0.036	0.100	0.036	υ

Comments:	
	and the second s

### ORGANIC ANALYSES DATA PACKAGE

453 235

Analytical Method: 8021-A98

AAB #: <u>A8B09672</u>

Lab Name: Recra LabNet

Contract #: F46162495D80

Base/Command: NAS Ft Worth/Offsite Weap

Prime Contractor: The Environmental Company

Field Sample ID

Lab Sample ID

EB-100 TB-100

A8477207 A8477208

TB-101

A 8477101

Comments:

See Case Narrative

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature;

Name: Kenneth E. Kasperek

Date:

Title: Laboratory Director

453 236

Analytical Hethod: 8021-A98

AAB #: A8B09672

Lab Name: Recra LabNet

Contract #: <u>F46162495080</u>

Field Sample ID: EB-100

Lab Sample ID: A8477207

Matrix: WATER

X Salids: _____

Dilution: 1.00

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: <u>27-Oct-98</u>

Analyte	MOL	PQL	Concentration	Qualifier
BENZENE	0.15	0.200	0.15	U
ETHYLBÉNZENE	0.15	. 0.200	0.15	U
M-XYLENE (1,3-DIMETHYLBENZENE)	0.25	0.500	0.25	Ü
O-XYLENE (1,2-DIMETHYLBENZENE)	0.086	0.200	0.086	Ü
P-XYLENE (1,4-DIMETHYLBENZENE)	0.25	0.500	0.25	u
TOLUENE	0.16 '	0.200	0.84	
tert-BUTYL METHYL ETHER	0.23	. 0.500	0.23	U

Comments:			
<u> </u>			
	the state of the s		

453 237

Analytical Method: 8021-A98

AAB #: A8B09672

Lab Name: Recra LabNet

Contract #: F46162495080

Field Sample ID: <u>TB-100</u> Lab Sample ID: <u>A8477208</u>

Matrix: WATER

% Solids: _____

Dilution: ____1.00

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: 27-Oct-98

Analyte	HDL	PQL	Concentration	Qualifier
BENZENE	0.15	0.200	0.15	U
ETHYLBENZENE	0.15	0.200	0.15	U
M-XYLENE (1,3-DIMETHYLBENZENE)	0.25	0.500	0.25	U
O-XYLENE (1,2-DIMETHYLBENZENE)	0.086	0.200	0.086	U
P-XYLENE (1,4-DIMETHYLBENZENE)	0.25	0.500	0.25	υ
TOLUENE	0.16 -	0.200	0.16	U
tent-BUTYL METHYL ETHER	0.23	0.500	0.23	U

Comments:				
	 - (### <b>#</b>			
	 <del> </del>	<del> </del>	<del></del>	

453 238

Analytical Method: 8021-A98

Lab Name: Recra LabNet

AAB #: A8809672

Contract #: <u>F46162495D80</u>

Field Sample ID: Matrix Spike Blank Lab Sample ID: A880967202

Matrix: <u>WATER</u>

% Solids: ____

Dilution: ____1.00

Date Received: 27-Oct-98

Date Extracted: _____

Date Analyzed: <u>27-0ct-98</u>

Analyte	MDL	PQL	Concentration	Qualifier
BENZENE	0.15	0.200	4.1	
ETHYLBENZENE	0.15	0.200	4.3	
M-XYLENE (1,3-DIMETHYLBENZENE)	0.25	0.500	8.4	
O-XYLENE (1,2-DIMETHYLBENZENE)	0.086	0.200	4.1	
P-XYLENE (1,4-DIMETHYLBENZENE)	0.25	0.500	0.25	U
TOLUENE	0.16	0.200	4.1	
tert-BUTYL METHYL ETHER	0.23	0.500	4-4	

Comments: M-Xylone	and p-xylene Coelute	
		_

453 239

Analytical Hethod: 8021-A98

AAB #: A8809672

Contract #: F46162495080

Lab Name: Recra LabNet

. ____

Date Received: 27-Oct-98

Field Sample ID: <u>Matrix Spike Blk Dup</u> Lab Sample ID: <u>A880967203</u>

Matrix: <u>WATER</u>
Dilution: ____1.00

x solids: ____

Date Extracted: _____

Date Analyzed: <u>27-Oct-98</u>

Analyte .	, MDL	PQL	Concentration	Qualifier
BENZENE	0.15	0.200	4.1	
ETHYLBENZENE	0.15	0.200	4.2	Ţ
M·XYLENE (1,3-DIMETHYLBENZENE)	0.25	0.500	8.4	<u> </u>
O-XYLENE (1,2-DIMETHYLBENZENE)	0.086	0.200	4.1	
P.XYLENE (1,4-DIMETHYLBENZENE)	0.25	0.500	0.25	υ
TOLUENE	0.16	0.200	4.1	ļ
tert-BUTYL METHYL ETHER	0.23	0.500	4.5	

Comments: M- xylene an	dp-xyleno Chelute.	

ت يا ال الله 000028

Analytical Kethod: 8021-A98

AAB #: A9800285

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: A8-100 Lab Sample ID: A8477103

Matrix: WATER

% Solids: _____

Dilution: _____1.00

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: <u>26-0ct-98</u>

Analyte	MDL	PQL	Concentration	Qualifier
BENZENE	0.15	0.200	0.15	U
ETHYLBENZENE	0.15	0.200	0.15	U
M·XYLENE (1,3-DIMETHYLBENZENE)	0.25	0.500	0.25	U
O-XYLENE (1,2-DIMETHYLBENZENE)	0.086	0.200	0.086	U
P-XYLENE (1,4-DIMETHYLBENZENE)	0.25	0.500	0.25	· U
TOLUENE	0.16	0.200	0.16	U
tert-BUTYL METKYL ETKER	0.23	0.500	0.23	U

Comments:	Standard water	

## 000029

453 241

Analytical Hethod: 8021-A98

AA8 #: A9800285

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: Trip Blank / 10

Lab Sample ID: <u>A8477101</u>

Matrix: WATER

% Solids: ____

Dilution: ____1.00

Date Received: 26-Dct-98

and all the second second second second

Date Extracted: _____ Date Analyzed: 26-oct-98

Analyte	. MDL	PQL	Concentration	Qualifier
BENZENE	0.15	0.200	0.15	U
ETHYLBENZENE	0.15	0.200	0.15	U
M-XYLENE (1,3-DIMETHYLBENZENE)	0.25	0.500	0.25	U
O-XYLENE (1,2-DIMETHYLBENZENE)	0.086	0.200	0.086	U
P-XYLENE (1,4-DIMETHYLBENZENE)	0.25	0.500	0.25	U
TOLUENE	0.16	0.200	1.1	<b> </b>
tert-BUTYL METHYL ETHER	0,23	0.500	0.23	U

Comments:					
		 -	 	 	
	•				-

Analytical Method: 8021-A98

AAB #: A9B00285

Lab Name: <u>\$TL Buffalo</u>

Contract #: <u>F46162495080</u>

Field Sample ID: Matrix Spike Blank Lab Sample ID: A980028502

Matrix: <u>WATER</u>

% Solids: _____

Dilution: _____1.00

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: <u>26-0ct-98</u>

· Analyte	· · MDL	PQL	Concentration	Qualifier
BENZENE	0.15	0.200	3.8	
ETHYLBENZENE	0.15	0.200	3.7	
M-XYLENE (1,3-DIMETHYLBENZENE)	0.25	0.500	7.6	1
O-XYLENE (1,2-DIMETHYLBENZENE)	0.086	0.200	3.8	
P-XYLENE (1,4-DIMETHYLBENZENE)	0.25	0.500	0.25	10
TOLUENE	0.16	0.200	3.9	
tert-BUTYL METHYL ETHER	0.23	0.500	3.8	

Comments:		
<u> </u>		
	<del>-</del>	 

453 243

Analytical Method: 8021-A98

AAB #: A9B00285

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: Matrix Spike Blk Dup Lab Sample ID: A980028503

Hatrix: WATER

% Solids: ____

Dilution: ____1.00

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: 26-Oct-98

Analyte	MDL	Pal	Concentration	Qualifier
BENZENE	0.15	0.200	3.9	
ETHYLBENZENE	0.15	0.200	. 3.8	
M-XYLENE (1,3-DIMETHYLBENZENE)	0.25	0.500	7.7	
O-XYLENE (1,2-DIMETHYLBENZENE)	0.086	0.200	3.9	i
P-XYLENE (1,4-DIMETHYLBENZENE)	0.25	0.500	0.25	U
TOLUENE	0.16	0.200	3.9	
tert-BUTYL METHYL ETHER	0.23	0.500	3.7	

Comments:				
_	 		<u>_</u>	
		 · · · · · · · · · · · · · · · · · · ·	•	

Analytical Method: 8260-A98

AAB #: <u>A9B00594</u>

453 244

Lab Name: STL Buffalo

Contract #: F46162495D80

Base/Command: NAS Ft Worth/Offsite Weap

Prime Contractor: The Environmental Company

Field Sample ID

Lab Sample ID

EB-100 TB-100 <u> A8477207</u> A8477208

Connents:

0	0	Narrative
See.	Case	Narractve

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computerreadable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature

Name: Kenneth E. Kasperek

Date:

Title: Laboratory Director

Date Extracted: _____

453 245

Analytical Hethod: 8260-A98

AAB #: A9800594

ししし~ ユー

Lab Name: STL Buffalo

Contract #: <u>F46162495DBD</u>

Field Sample ID: EB-100 ______Lab Sample 10: <u>A8477207</u>

Hatrix: WATER

% Solids: _____

Dilution: _____1.00

Date Received: 26-Oct-98

Date Analyzed: <u>5-Nov-98</u>

Analyte	MDL	PQL	Concentration	Qualifier
1,1,1,2-TETRACHLOROETHANE	0.8	1.0	0.8	U
1,1,1-TRICHLDROETHANE	0.8	1.0	0.8	U
1,1,2,2-TETRACHLOROETHANE	0.8	1.0	0.8	U
1,1,2-TRICHLOROETHANE	1	1.0	1	U
1,1-DICHLDROETHANE	0.6	1.0	0.6	U
1,1-DICHLOROETHENE	1 .	1.0	1	U
1,1-DICHLOROPROPENE	0.8	1.0	0.8	U
1,2,3-TRICHLOROBENZENE	0.9	1.0	0.9	U
1,2,3-TRICHLOROPROPANE	0.8	1.0	0,8	U
1,2,4-TRICHLOROBENZENE	0.8	1.0	0.8	U
1,2,4-TRIMETHYLBENZENE	0.9	1.0	. 0.9	U
1,2-DICHLOROETHANE	0.8	1.0	0.8	U
1,2-DICHLOROBENZENE	0.8	1.0	0.8	U
1,2-DIBROMO-3-CHLOROPROPANE	1	1.0	1	U
1,2-DICHLOROPROPANE	0.7	1.0	0.7	U
1,2-DIBROMOETHANE (ETHYLENE DIBROMIDE)	1	1.0	1	U
1,3,5-TRIMETHYLBENZENE (MESITYLENE)	0.8	1.0	0.8	U
1,3-DICHLOROBENZENE	0.7	. 1.0	0.7	U
1,3-DICHLOROPROPANE	0.9	1.0	. 0.9	U
1,4-DICHLOROBENZÉNE	0.8	1.0	0.8	U
1-CHLOROHEXANE	0.6	1.0	0.6	U
2,2-DICHLOROPROPANE	0.6	1.0	0.6	U
2-CHLOROTOLUENE	0.8	1.0	0.8	U
4-CHLOROTOLUENE	0.8	1.0	0.8	U
BENZENE	0.8	1.0	0.8	U

453 246

Analytical Method: 8260-A98

AAB #: A9B00594

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: EB-100 Lab Sample ID: A8477207

Hatrix: <u>WATER</u>

% Solids: _____

Dilution: ____1.00

Date Received: 26-Oct-98

Date Extracted: ____

Date Analyzed: <u>5-Nov-98</u>

Analyte	MDL	PQL	Concentration	Qualifier
BROMOBENZENE	0.7	1.0	0.7	U
BROMOCHLOROMETHANE	1	1.0	1	U
BROMODICHLOROMETHANE	1	1.0	1	U
BROMOFORM	0.8	1.0	0.8	U
BROMOMETHANE	1	1.0	1	U
CARBON TETRACHLORIDE	0.8	1.0	0.8	U
CHLOROBENZENE	1	1.0	1	U
CHLOROETHANE	0.8	1.0	0.8	U
CHLOROFORM	0.7	1.0	0.7	U
CHLOROMETHANE	0.7	1.0	0.7	U
cis-1,2-DICHLOROETHYLENE	0.6	1.0	0.6	U
cis-1,3-DICHLOROPROPENE	0.8	1.0	0.8	U
DIBROMOCHLOROMETHANE	0.9	1.0	0.9	U
DIBROMOMETHANE	1	1.0	• 1	U
DICHLORODIFLUOROMETHANE	1	1.0	1	U
ETHYLBENZENE	0.9	1.0	0.9	U
HEXACHLOROBUTAD I ENE	0.8	1.0	0.8	U
ISOPROPYLBENZENE (CUMENE)	0.8	1.0	8.0	U
M-XYLENE (1,3-DIMETHYLBENZENE)	2	1.0	2	U
METHYLENE CHLORIDE	1	1.0	1	U
n-BUTYLBENZENE	1	1.0	1	U
n-PROPYLBENZENE	0.9	1.0	0.9	U
NAPHTHALENE	1	1.0	1	U
O-XYLENE (1,2-DIMETHYLBENZENE)	0.8	1.0	0.8	T U
P-CYMENE (p-ISOPROPYLTOLUENE)	1	1.0	1	U

453 247

Analytical Method: 8260-A98

AAB #: A9800594

Lab Name: STL Buffalo

Contract #: <u>F46162495080</u>

Field Sample ID: EB-100

Lab Sample ID: <u>A8477207</u>

Matrix: <u>WATER</u>

% Solids: _____

Dilution: ____1.00

Date Received: 26-Oct-98

Date Extracted: ____

Date Analyzed: 5-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
P-XYLENE (1,4-DIMETHYLBENZENE)	2	1.0	2	υ
SEC-BUTYLBENZENE	0.9	1.0	0.9	υ
STYRENE	0.8	1.0	8.0	υ
TRICHLOROETHYLENE (TCE)	0.8	1.0	8.0	υ
t-BUTYLBENZENE	0.8	1.0	8.0	υ
TETRACHLOROETHYLENE (PCE)	0.9	1.0	0.9	υ
TOLUENE	0.8	1.0	0.8	υ
trans-1,2-DICHLOROETHENE	0.8	1.0	0.8	υ
trans-1,3-DICHLOROPROPENE	0.8	1.0	0.8	U
TRICHLOROFLUOROMETHANE	0.6	1.0	0.6	υ
VINYL CHLORIDE	1 .	1.0	1	υ

Comments:							
	=	 <del></del>	 		,	-	_
						 -	

453 248

Analytical Method: 8260-A98

AAB #: A9800594

**000000**~

Lab Name: STL Buffalo

Contract #: <u>F46162495D80</u>

Field Sample ID: <u>TB-100</u>

_____Lab Sample 1D: <u>A8477208</u>___

Matrix: WATER

% Solids: _____

Dilution: _____1.00

Date Received: 26-Oct-98

....

Date Extracted: _____ Date Analyzed: _5-Nov-98

Analyte	MDL	PQL	Concentration	Qualifie
1,1,1,2-TETRACHLOROETHANE	0.8	1.0	0.8	U
1,1,1-TRICHLOROETHANE	0.8	1.0	0.8	U
1,1,2,2-TETRACHLOROETHANE	8.0	1.0	0.8	U
1,1,2-TRICHLOROETHANE	1	1.0	1	U
1,1-DICHLOROETHANE	0.6	1.0	0.6	U ·
1,1-DICHLOROETHENE	1 .	1.0	1 .	U
1,1-DICHLOROPROPENE	0.8	1.0	0.8	U
1,2,3-TR1CHLOROBENZENE	0.9	1.0	0.9	U
1,2,3-TRICHLOROPROPANE	0.8	1.0	0.8	Ü
1,2,4-TRICHLOROBENZENE	0.8	1.0	0.8	U
1,2,4-TRIMETHYLBENZENE	0.9	1.0	0,9	U
1,2-DICHLORGETHANE	0.8	1.0	0.8	U
1,2-DICHLOROBENZENE	0.8	1.0	0.8	U
1,2-DIBROMO-3-CHLOROPROPANE	1	1.0	1	U
1,2-DICHLOROPROPANE	0.7	1.0	0.7	U
1,2-DIBROMOETHANE (ETHYLENE DIBROMIDE)	1	1.0	1	U
1,3,5-TRIMETHYLBENZENE (MESITYLENE)	0.8	1.0	0.8	U
1,3-DICHLOROBENZENE	0.7	1.0	0.7	U
1.3-DICHLOROPROPANE	0.9	1.0	0.9	U
1,4-DICHLOROBENZENE	0.8	1.0	0.8	U
1-CHLOROHEXANE	0,6	1.0	0.6	U
2,2-DICHLOROPROPANE	0.6	1.0	0.6	U
2-CHLOROTOLUENE	0.8	1.0	0.8	U
4-CHLOROTOLUENE	0.8	1.0	0.8	U
BENZENE	0.8	1.0	0.8	U

453 249

Analytical Method: 8260-A98

AAB #: A9800594

Lab Name: STL Buffalo

Contract #: <u>F46162495080</u>

Field Sample ID: <u>TB-100</u> _____ Lab Sample ID: <u>A8477208</u> Matrix: WATER

% Solids: _____

Dilution: ____1.00

Date Received: 26-Oct-98

Date Extracted: ____

Date Analyzed: _5-Nov-98

Analyte	MOL	PQL	Concentration	Qualifier
BROMOBENZENE	0.7	1.0	0.7	U
BROMOCHLOROMETHANE	1	1.0	1	U
BROMOD I CHLOROMETHANE	1	1.0	1	U
BROMOFORM	0.8	1.0	0.8	U
BROMOMETHANE	1	1.0	1	U ·
CARBON TETRACHLORIDE	0.8	1.0	0.8	U
CHLOROBENZENE	1	1.0	. 1	U
CHLOROETHANE	0.8	1.0	0.8	U
CHLOROFORM	0.7	1.0	0.7	U
CHLOROMETHANE	0.7	1.0	0.7	U
cis·1,2-DICHLOROETHYLENE	0.6	1.0	0.6	U
cis-1,3-DICHLOROPROPENE	0.8	1.0	0.8	U
DIBROMOCHLOROMETHANE	0.9	1.0	0.9	U
DIBROMOMETHANE	1	1.0	1	U
DICHLORODIFLUOROMETHANE	1	1.0	1	U
ETHYLBENZENE	0.9	1.0	0.9	U
HEXACHLOROBUTAD I ENE	0.8	1.0	0.8	U
ISOPROPYLBENZENE (CUMENE)	0.8	1.0	0.8	U
M-XYLENE (1,3-DIMETHYLBENZENE)	Z	1.0	2	U
METHYLENE CHLORIDE	1	1.0	1	U
n-BUTYLBENZENE	. 1	1.0	1	U
n-PROPYLBENZENE	0.9	. 1.0	0.9	U
NAPHTHALENE	1	1.0	1	U
O-XYLENE (1,2-DIMETHYLBENZENE)	0.8	1.0	0.8	U
P-CYMENE (p-ISOPROPYLTOLUENE)	1	1.0	1	υ

453 250

Analytical Method: <u>8260-A98</u>

AAB #: A9800594

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample 1D: <u>TB-100</u>

_____ Lab Sample 10: A8477208

Matrix: WATER

% Solids: ____

Dilution: ____1.00

Date Received: 26-0ct-98

Date Extracted: ____

Date Analyzed: 5-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier	
P-XYLENE (1,4-DIMETHYLBENZENE)	2	1.0	2	U	
SEC-BUTYLBENZENE	0.9	1.0	0.9	U	
STYRENE	0.8	1.0	0.8	U	
TRICHLOROETHYLENE (TCE)	0.8	1.0	0.8	U	
t-BUTYLBENZENE	0.8	1.0	0.8	U	
TETRACHLOROETHYLENE(PCE)	0.9	1.0	0.9	U	
TOLUENE	0.8	1.0	0.8	U	
trans-1,2-DICHLOROETHENE	0.8	1.0	0.8	U	
trans-1,3-DICHLOROPROPENE	0.8	1.0	0.8	U	
TRICHLOROFLUOROMETHANE	0.6	1.0	0.6	U	
VINYL CHLORIDE	1	1.0	1	U	

Comne	nts:									
		-		_	 	 		 	 	_
		_	 	_						
			 _		 					

Analytical Hethod: 8260-A98

AAB #: A9800594

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: <u>Matrix Spike Blank</u> Lab Sample ID: <u>A980059402</u>

Matrix: WATER

% Solids: ____

Dilution: 1.00

Date Received: 5-Nov-98

Date Extracted: _____

Date Analyzed: <u>5-Nov-98</u>

Analyte	MDL	PQL .	Concentration	Qualifier
1,1,1,2-TETRACHLOROETHANE	0.8	1.0	57	
1,1,1-TRICHLOROETHANE	0.8	1.0	60	
1,1,2,2-TETRACHLOROETHANE	0.8	1.0	53	
1,1,2-TRICHLOROETHANE	1	1.0	56	
1,1-DICHLOROETHANE	0.6	1.0	56	
1,1-DICHLOROETHENE	1 .	1.0	55	:
1,1-DICHLOROPROPENE	0.8	1.0	52	
1,2,3-TRICHLOROBENZENE	0.9	1.0	49	
1,2,3-TRICHLOROPROPANE	8.0	1.0	56	
1,2,4-TRICHLOROBENZENE	0.8	1.0	50	
1,2,4-TRIMETHYLBENZENE	0.9	1.0	56	
1,2-DICHLOROETHANE	0.8	1.0	62	
1,2-DICHLOROBENZENE	0.8	1.0	54	Î
1,2-D1BROMO-3-CHLOROPROPANE	1	1.0	60	
1,2-DICHLOROPROPANE	0.7	1.0	52	
1,2-DIBROMOETHANE (ETHYLENE DIBROMIDE)	1	1.0	52	
1,3,5-TRIMETHYLBENZENE (MESITYLENE)	0.8	1.0	57	
1,3-DICHLOROBENZENE	0.7	1.0	54	
1,3-DICHLOROPROPANE	0.9	1.0	57	
1,4-DICHLOROBENZENE	0.8	1.0	51	
1-CHLOROHEXANE	0.6	1.0	0.6	U
2,2-DICHLOROPROPANE -	0.6	1.0	57	
2-CHLOROTOLUENE	0.8	1.0	55	
4-CHLOROTOLUENE	0.8	1.0	55	
BENZENE	0.8	1.0	50	

Analytical Method: 8260-A98

AAB #: A980059453 252

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample IO: Matrix Spike Blank Lab Sample IO: A9B0059402

Matrix: WATER

% Solids: _____

Dilution: _____1.00

Date Received: 5-Nov-98

Date Extracted: _____ Date Analyzed: 5-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
BROMOBENZENE	0.7	1.0	52	_
BROMOCHLOROMETHANE	1	1.0	49	
BROMODICHLOROMETHANE	1	1.0	57	
BROMOFORM	0.8	1.0	58	
BROMOMETHANE	1	1.0	51	
CARBON TETRACHLORIDE	0.8	1.0	60	
CHLOROBENZENE	1	1.0	51	
CHLOROETHANE	0.8	1.0	62	
CHLOROFORM	0.7	1.0	57	
CHLOROMETHANE	0.7	1.0	64	
cis-1,2-DICHLOROETHYLENE	0.6	1.0	49	
cis-1,3-DICHLOROPROPENE	0.8	1.0	53	
DIBROMOCHLOROMETHANE	0.9	1.0	58	
DIBROMOMETHANE	1	1.0	54	
DICHLORODIFLUOROMETHANE	1	1.0	81	
ETHYLBENZENE	0.9	1.0	58	
HEXACHLOROBUTAD I ENE	0.8	1.0	58	
ISOPROPYLBENZENE (CUMENE)	0.8	1.0	56	
M-XYLENE (1,3-DIMETHYLBENZENE)	Z	1.0	120	1
METHYLENE CHLORIDE	1	1.0	52	
n-BUTYLBENZENE	1	1.0	55	
n·PROPYLBENZENE	0.9	1.0	58	
NAPHTHALENE	1	1.0	42	
O-XYLENE (1,2-DIMETHYLBENZENE)	0.8	1.0	54	
P-CYMENE (p-ISOPROPYLTOLUENE)	1	1.0	58	

453 253

Analytical Hethod: 8260-A98

AAB #: A9800594

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: Matrix Spike Blank Lab Sample ID: A980059402

Matrix: <u>WATER</u>

% Solids: _____

Dilution: _____1.0D

Date Received: 5-Nov-98

Date Extracted: ____

Date Analyzed: <u>5-Nov-98</u>

Analyte	MDL	PQL	Concentration	Qualifier
P-XYLENE (1,4-DIMETHYLBENZENE)	2	1.0	2	10
SEC-BUTYLBENZENE	0.9	1.0	60	
STYRENE	0.8	1.0	52	
TRICHLOROETHYLENE (TCE)	0.8	1.0	50	
t-BUTYLBENZENE	8.0	1.0	55	
TETRACHLOROETHYLENE(PCE)	0.9	1.0	54	
TOLUENE	0.8	1.0	53	
trans-1,2-DICHLOROETHENE	0.8	1.0	48	
trans-1,3-DICHLOROPROPENE	0.8	1.0	58	
TRICHLOROFLUOROMETHANE	0.6	1.0	67	
VINYL CHLORIDE	1	1.0	. 63	

Comments:		

## 000100

### ORGANIC ANALYSES DATA PACKAGE

Analytical Method: 8260-A98

AAB #: A9B00536

453 251

Lab Name: STL Buffalo

Contract #: F46162495D80

Base/Command: NAS Ft Worth/Offsite Weap

Prime Contractor: The Environmental Company

Field Sample ID

Lab Sample ID

<u>AB-100</u>

A8477103

Con	_	-~	<b>~</b> !	۰	_	
L TY	TTI		T 1	1	~	8

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

⊸ignature:

Name: Kenneth E. Kasperek

Date:

-Title: <u>Laboratory Director</u>

AFCEE FORM 0-1

000101

Analytical Method: 8260-A98

AAB #: A9800536

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: AB-100 Lab Sample ID: A8477103

Matrix: <u>WATER</u>

% Solids: ____

Dilution: _____1.00

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: 2-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
1,1,1,2-TETRACHLOROETHANE	0.2	1.0	0.2	U
1,1,1-TRICHLOROETHANE	0.2	1.0	0.2	U
1,1,2,2-TETRACHLOROETHANE	0.2	1.0	0.2	U
1,1,2-TRICHLOROETHANE	0.2	1.0	0.2	U
1,1-DICHLOROETHANE	0.1	1.0	0.1	U
1,1-DICHLOROETHENE	0.2	1.0	0.2	U
1,1-DICHLOROPROPENE	0.2	1.0	0.2	U
1,2,3-TRICHLOROBENZENE	0.2	1.0	0.2	U
1,2,3-TRICHLOROPROPANE	0.2	1.0	0.2	U
1,2,4-TRICHLOROBENZENE	0.2	1.0	0.2	U
1,2,4-TRIMETHYLBENZENE	0.2	1.0	0.2	U
1,2-D1CHLOROETHANE	0.2	1.0	0.2	U
1,2-DICHLOROBENZENE	0.2	1.0	0.2	U
1,2-DIBROMO-3-CHLOROPROPANE	0.2	1.0	0.2	U
1,2-DICHLOROPROPANE	0.1	1.0	0.1	U
1,2-D1BROMOETHANE (ETHYLENE DIBROMIDE)	0.2	1.0	0.2	U
1,3,5-TRIMETHYLBENZENE (MESITYLENE)	0.2	1.0	0.2	U
1,3-DICHLOROBENZENE	0.1	1.0	0.1	U
1,3-DICHLOROPROPANE .	0.2	1.0	0.2	U
1,4-DICHLOROBENZENE	0.2	1.0	0.2	U
1-CHLOROHEXANE	0.1	1.0	0.1	U
2,2-DICHLOROPROPANE	0.1	1.0	0.1	U
2-CHLOROTOLUENE	0.2	1.0	0.2	U
4-CHLOROTOLUENE	0.2	1.0	0.2	U
BENZENE	0.2	1.0	0,2	U

Analytical Method: 8260-A98

AAB #: A9B00536

Lab Name: <u>\$TL Buffalo</u>

Contract #: F46162495080

Field Sample 10: AB-100 Lab Sample 10: AB477103

Matrix: WATER

% Solids: _____

Dilution: ____1.00

Date Received: 26-0ct-98

Oate Extracted: _____

Date Analyzed: 2-Nov-98

Analyte	#DL	Pal	Concentration	Qualifier
BROMOBENZENE	0.1	1.0	0.1	U
BROMOCHLOROMETHANE	0.2	1.0	0.2	υ
BROMODICHLOROMETHANE	0.2	1.0	0.2	U
BROMOFORM	0.2	1.0	0.2	U
BROMOMETHANE	0.2	1.0	0.2	U
CARBON TETRACHLORIDE	0.2	1.0	0.2	U
CHLOROBENZENE	0.2	1.0	0.2	U
CHLOROETHANE	0.2	1.0	0.2	U
CHLOROFORM	0.1	1.0	0.4	F
CHLOROMETHANE	0.1	1.0	0.1	U
cis-1,2-DICHLOROETHYLENE	0.1	1.0	0.1	U
cis-1,3-DICHLOROPROPENE	0.2	1.0	0.2	U
D I BROMOCHLOROMETHANE	. 0.2	1.0	0.2	U
DIBROMOMETHANE	0.2	1.0	0.2	u
DICHLORODIFLUOROMETHANE	0.2	1.0	0.2	U
ETHYLBENZENE	0.2	1.0	0.2	u
HEXACHLOROBUTAD IENE	0.2	1.0	0.2	U
I SOPROPYLBENZENE (CUMENE)	0.2	1.0	0.2	U
M-XYLENE (1,3-DIMETHYLBENZENE)	0.4	1.0	0.4	U
METHYLENE CHLORIDE	0.2	1.0	0.4	F
n-BUTYLBENZENE	0.2	1.0	0.2	U
n-PROPYLBENZENE	0.2	1.0	0.2	U
NAPHTHALENE	0.2	1.0	0.2	U
O-XYLENE (1,2-DIMETHYLBENZENE)	0.2	1.0	0.2	υ
P-CYMENE (p-ISOPROPYLTOLUENE)	0.2	1.0	0.2	U

Lab Sample ID: <u>A8477103</u>

453 257

Analytical Method: <u>B260-A98</u>

AAB #: A9800536

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: AB-100

Hatrix:

Hatrix: <u>WATER</u>

% Solids: ____

Dilution: 1.00

Date Received: 26-Oct-98

Date Extracted: _____

Date Analyzed: _2-Nov-98

Analyte	MOL	Pal	Concentration	Qualifier
P-XYLENE (1,4-DIMETHYLBENZENE)	0.4	1.0	0.4	U
SEC-BUTYLBENZENE	0.2	1.0	0.2	U
STYRENE	0.2	1.0	0.2	Ų
TRICHLOROETHYLENE (TCE)	0.2	1.0	0.2	Ų
t-BUTYLBENZENE	0.2	1.0	0.2	U
TETRACHLOROETHYLENE(PCE)	0,2	1.0	0.2	U
TOLUENE	0.2	1.0	1	
trans-1,2-DICHLOROETHENE	0.2	1,0	0.2	U
trans-1,3-DICHLOROPROPENE	0.2	1.0	0.2	U
TRICHLOROFLUOROMETHANE	0.1	1.0	0.1	U
VINYL CHLORIDE	0.2	1.0	0.2	U

Comments: m&f	Xylene_	co-ellte	

000104

453 258

Analytical Method: 8260-A98

AAB #: A9800536

Lab Name: STL Buffalo

Contract #: <u>F46162495D80</u>

Field Sample ID: Matrix Spike Blank Lab Sample ID: A8477109

Matrix: WATER

% Solids: _____

Dilution: ____1.00

Date Received: _____

Date Extracted: ____

Date Analyzed: 2-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
1,1,1,2-TETRACHLOROETHANE	0.2	1.0	10	
1,1,1-TRICHLOROETHANE	0.2	1.0	11	
1,1,2,2-TETRACHLORGETHANE	0.2	1.0	9	
1,1,2-TRICHLOROETHANE	0.2	1.0	10	
1,1-DICHLOROETHANE	0.1	1.0	10	
1,1-DICHLOROETHENE	0.2	1.0	11	
1,1-DICHLOROPROPENE	0.2	1.0	. 11	
1,2,3-TRICHLOROBENZENE	0.2	1.0	В	
1,2,3-TRICHLOROPROPANE	0.2	1.0	10	
1,2,4-TRICHLOROBENZENE	0.2	1.0	8	
1,2,4-TRIMETHYLBENZENE	0.2	1.0	10	
1,2-DICHLOROETHANE	0.2	1.0	9	
1,2-DICHLOROBENZENE	0.2	1.0	10	
1,2-DIBROMO-3-CHLOROPROPANE	0.2	1.0	9	
1,2-DICHLOROPROPANE	0.1	1.0	9	
1,2-DIBROMOETHANE (ETHYLENE DIBROMIDE)	0.2	1.0	10	
1,3,5-TRIMETHYLBENZENE (MESITYLENE)	0.2	1.0	10	
1,3-D1CHLOROBENZENE	0.1	1.0	10	
1,3-DICHLOROPROPANE	0.2	1.0	9	
1,4-DICHLOROBENZENE	0.2	1.0	10	
1-CHLOROHEXANE	0.1	1.0	0.1	υ
2,2-DICHLOROPROPANE	0.1	1.0	11	1
2-CHLOROTOLUENE	0.2	1.0	10	1
4-CHLOROTOLUENE	0.2	1.0	10	
BENZENE	0.2	1.0	10	8

453 259

Analytical Method: 8260-A98

AAB #: A9800536

Lab Name: STL Buffalo

Contract #: <u>F46162495080</u>

Field Sample ID: Matrix Spike Blank Lab Sample ID: A8477109

Mate

Matrix: <u>WATER</u>

% Solids: _____

Dilution: ____1.00

Date Received: _____

Date Extracted: _____

Date Analyzed: 2-Nov-98

Analyte	MOL	PQL	Concentration	Qualifier
BROMOBENZENE	0.1	1.0	10	
BROMOCHLOROMETHANE	0.2	1.0	10	
BROMOO I CHLOROMETHANE	0.2	1.0	10	,
BROMOFORM	0.2	1.0	9	
BROMOMETHANE	0.2	1.0	8	
CARBON TETRACHLORIDE	0.2	1.0	11	
CHLOROBENZENE	0.2	1.0	10	Ì
CHLOROETHANE	0.2	1.0	10	
CHLOROFORM	0.1	1.0	10	
CHLOROMETHANE	0.1	1.0	. 8	1
cis-1,2-DICHLOROETHYLENE	- 0.1	1.0	10	
cis-1,3-DICHLOROPROPENE	0.2	1.0	10	
DIBROMOCHLOROMETHANE	0.2	1.0	10	Ì
DI BROMOMETHANE	0.2	1.0	10	
DICHLORODIFLUOROMETHANE	0.2	1.0	15	
ETHYLBENZENE	0.2	1.0	10	
HEXACHLOROBUTAD I ENE	0.2	1.0	10	В
ISOPROPYLBENZENE (CUMENE)	0.2	1.0	11	1
M-XYLENE (1,3-DIMETHYLBENZENE)	0.4	1.0	21	1
METHYLENE CHLORIDE	0.2	1.0	10	
n-BUTYLBENZENE	0.2	1.0	10	
n-PROPYLBENZENE	0.2	1.0	11	1
NAPHTHALENE	0.2	1.0	8	
O-XYLENE (1,2-DIMETHYLBENZENE)	0.2	1.0	10	
P-CYMENE (P-ISOPROPYLTOLUENE)	0.2	1.0	11	1

000106453 260

Analytical Hethod: 8260-A98

AAB #: A9800536

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: Matrix Spike Blank Lab Sample ID: A8477109

Matrix: WATER

% \$olids: _____

Dilution: ____1.00

Date Received: _____

Date Extracted: _____

Date Analyzed: <u>2-Nov-98</u>

Analyte	MOL	PQL	Concentration	Qualifier
P-XYLENE (1,4-DIMETHYLBENZENE)	0.4	1.0	21	
SEC-BUTYLBENZENE	0.2	1.0	11	'
STYRENE	0.2	1.0	10	<del>-</del>
TRICHLOROETHYLENE (TCE)	0.2	1.0	11	
t-BUTYLBENZENE	0.2	1.0	11	
TETRACHLOROETHYLENE (PCE)	0.2	1.0	11	
TOLUENE	0.2	1.0	10	
trans-1,2-DICHLOROETHENE	0.2	1.0	11	
trans-1,3-DICHLOROPROPENE	0.2	1.0	9	
TRICHLOROFLUOROMETHANE	0.1	1.0	11	
VINYL CHLORIDE	0.2	1.0	11	-

Comments:	map	Kylene	co-elix	e	

453 261

Analytical Method: 8270-A98

AAB #: <u>A8B08763</u>

Lab Name: STL Buffalo

Contract #: <u>F46162495D80</u>

Base/Command: NAS Ft Worth/Offsite Weap

Prime Contractor: The Environmental Company

Field Sample ID

Lab Sample ID

EB-100 EB-100 EB-100 <u>A8477207</u> <u>A8477207MS</u> <u>A8477207SD</u>

Comments:

See Case Narrative

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature:

Name: Kenneth E. Kasperek

Date:

Title: Laboratory Director

AFCEE FORM O-1

TO

# 000163

Analytical Hethod: 8270-A98

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: E8-100

Matrix: WATER

% Solids: _____

Dilution: ____1.00

Date Received: 26-Oct-98

Date Extracted: 30-0ct-98

Lab Sample ID: <u>A8477207</u>

Date Analyzed: 23-Nov-98

Analyte	HDL	PQL	Concentration	Qualifier
1,2,4-TRICHLOROBENZENE	0.8	10.0	0.8	U
1,2-DICHLOROBENZENE	2	10.0	2	U
1,3-DICHLOROBENZENE	1	10.0	1	U
1,4-DICHLOROBENZENE	1,	10.0	1	U
2,4-DINITROTOLUENE	1	10.0	1	U
2,6-DINITROTOLUENE	2	10.0	2	U
2-CHLORONAPHTHALENE .	2	10.0	2	U
2-METHYLNAPHTHALENE	1	10.0	1	U
2-NITROANILINE	2	50.0	2	U
3-NITROANILINE	2	50.0	2	U
3,3'-DICHLOROBENZIDINE	2	20.0	2	U
4-BROMOPHENYL PHENYL ETHER	2	10.0	2	U
4-CHLOROANILINE	1	20.0	1	υ
4-CHLOROPHENYL PHENYL ETHER	1	10.0	1	U
4-NITROANILINE	3	50.0	3	U
ACENAPHTHYLENE	1	10.0	1	U
ACENAPHTHENE	1	10.0	1	U
ANTHRACENE	2	10.0	2	U
BENZO(a)ANTHRACENE	2	10.0	2	U
BENZO(a)PYRENE	2	10.0	2	U
BENZO(b) FLUORANTHENE	. 3	10.0	3	U
BENZO(g,h,i)PERYLENE	3	10.0	3	U
BENZYL ALCOHOL	5	20.0	5	U
bis(Z-CHLOROETHOXY) METHANE	1	10.0	1	U
bis(2-CHLOROETHYL) ETHER (2-CHLOROETHYL ETHE	2	10.0	2	U

Analytical Method: 8270-A98

AAB #: A8808763

Lab Name: STL Buffalo

Contract #: <u>f46162495080</u>

Field Sample ID: EB-100

Matrix: WATER

% Solids:

______ Lab \$ample ID: <u>A8477207</u>

Date Received: 26-Oct-98

Date Extracted: 30-Oct-98

Date Analyzed: 23-Nov-98

Analyte	MOL	PaL	Concentration	Qualifier
bis(2-CHLOROISOPROPYL) ETHER	1	10.0	1	U
bis(2-ETHYLHEXYL) PHTHALATE	2	10.0	2	U
BENZYL BUTYL PHTHALATE	2	10.0	2	U
CHRYSENE	2	10.0	2	Ü
DI-n-BUTYL PHTHALATE	2	10.0	2	U
DI-n-OCTYL PHTHALATE	2 .	10.0	2	U
DIBENZ(a,h)ANTHRACENE	2	10.0	2	Ü
DIBENZOFURAN	2	10.0	2	U
DIETHYL PHTHALATE	2	10.0	2	U
DIMETHYL PHTHALATE	1	10.0	1	U
FLUORANTHENE .	2	10.0	2	U
FLUORENE	2	10.0	2	U
HEXACHLOROBENZENE	2	10.0	2	U
HEXACHLOROBUTAD I ENE	1	10.0	1	U
HEXACHLOROCYCLOPENTADIENE	2	10.0	2	U
HEXACHLOROETHANE	0.8	10.0	0.8	U
INDENO(1,2,3-c,d)PYRENE	3	10.0	3	U
ISOPHORONE	1	10.0	1	U
N-NITROSODIPHENYLAMINE	1	10.0	1	U
N-NITROSCOI-n-PROPYLAMINE	1	10.0	1	U
NAPHTHALENE	1	10.0	1	U U
NITROBENZENE	2	10.0	2	U
PHENANTHRENE	1	10.0	1	U
PYREHE	2	10.0	2	U
2,4,5-TR1CHLOROPHENOL	3	50.0	3	u
		1		

000165 453 264

Analytical Method: 8270-A98__

AAB #: <u>A8808763</u>

Lab Name: SIL Buffalo

Contract #: F46162495080

Field Sample ID: <u>E8-100</u>

____ Lab \$ample ID: <u>A8477207</u>

Matrix: WATER

% Solids: _____

Dilution: ____ 1.00

Date Received: 26-Oct-98

Date Extracted: 30-Oct-98

Date Analyzed: 23-Nov-98

Concentration Units (ug/L or mg/kg dry weight): UG/L

Analyte .	MOL	PQL	Concentration	Qualifier
2,4,6-TRICHLOROPHENOL	3	10.0	3	U
2,4-DICHLOROPHENOL	0.8	10.0	0.8	U
2,4-DIMETHYLPHENOL	2	10.0	2	U
2,4-DINITROPHENOL	2	50.0	2	U
2-CHLOROPHENOL	1	10.0	1	U
2-METHYLPHENOL (o-CRESOL)	2 .	10.0	2	U
2-NITROPHENOL	2	10.0	2	U
4,6-DINITRO-Z-METHYLPHENOL	2	50.0	2	U
4-CHLORO-3-METHYLPHENOL	1	20.0	1	U
4-METHYLPHENOL (p-CRESOL)	1	10.0	1	U
4-NITROPHENOL	. 3	50.0	3	U
BENZOIC ACID	7	50.0	7	U
PENTACHLOROPHENOL	4	50.0	4	U
PHENOL	2	10.0	2	U

Comments:		
	the state of the s	
	- Example	

# 000166

453 265 Analytical Method: 8270-A98

Lab Name: STL Buffalo

Lab Sample ID: A8477207MS

Contract #: <u>F46162495D80</u>

AAB #: A8B08763

Matrix: <u>WATER</u>

% Solids: ____

Date Received: 26-Oct-98

Field Sample 10: EB-100

Date Extracted: 30-Oct-98

Dilution: _____1.00 Date Analyzed: 23-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
,2,4-TRICHLOROBENZENE	2	10.0	97	
,2-DICHLOROBENZENE	3	10.0	79	
,3-DICHLOROBENZENE	2	10.0	61	
1,4-DICHLOROBENZENE	3	10.0	66	
2,4-DINITROTOLUENE	3	10.0	160	
2,6-DINITROTOLUENE	4	10.0	160	
2-CHLORONAPHTHALENE	3	10.0	130	
2-METHYLNAPHTHALENE	2	10.0	140	
2-NITROANILINE	3	50.0	140	
3-NITROANILINE	4	50.0	150	
3,3'-DICHLOROBENZIDINE	3	20.0	180	
4-BROMOPHENYL PHENYL ETHER	4	10.0	200	
4-CHLOROANILINE .	2	20.0	140	[
4-CHLOROPHENYL PHENYL ETHER	3	10.0	190	
4-NITROANILINE	6	50.0	160	
ACENAPHTHYLENE	2	10.0	140	
ACENAPHTHENE	3	10.0	160	
ANTHRACENE	3	10.0	180	1
BENZO(a)ANTHRACENE	3	10.0	190	
BENZO(a)PYRENE	3	10.0	180	
BENZO(b)FLUORANTHENE	6	10.0	190	
BENZO(g,h,i)PERYLENE	6	10.0	150	
BENZYL ALCOHOL	10	20.0	120	
bis(2-CHLOROETHOXY) METHANE	2	10.0	130	
bis(2-CHLOROETHYL) ETHER (2-CHLOROETHYL ETHE		10.0	88	

#### いいったこ ORGANIC ANALYSES DATA SHEET 2 RESULTS

000167

453 266

Analytical Method: 8270-A98

AAB #: ABB08763

Lab Name: STL Buffalo

Contract #: <u>F46162495080</u>

Field Sample ID: EB-100 Lab Sample ID: A8477207MS

Matrix: WATER

% Solids: ____

Dilution: ____1.00

Date Received: 26-Oct-98

Date Extracted: 30-0ct-98

Date Analyzed: 23-Nov-98

Analyte	MDL	, bar	Concentration	Qualifier
bis(2-CHLOROISOPROPYL) ETHER	2	10.0	160	
bis(2-ETHYLHEXYL) PHTHALATE	4	10.0	140	
BENZYL BUTYL PHTHALATE	3	10.0	130	
CHRYSENE	3	10.0	200	
DI-n-BUTYL PHTHALATE	3	10.0	160	
DI-n-OCTYL PHTHALATE	4	. 10.0	130	
DIBENZ(a,h)ANTHRACENE	4	10.0	160	
DIBENZOFURAN	3	10.0	170	
DIETHYL PHTHALATE	3	10.0	180	
DIMETHYL PHTHALATE	2	10.0	170	
FLUORANTHENE	4	10.0	200	
FLUORENE	4	10.0	170	
HEXACHLOROBENZENE	4	10.0	210	
HEXACHLOROBUTADIENE	2	10.0	75	
HEXACHLOROCYCLOPENTAD I ENE	4	10.0	120	
HEXACHLOROETHANE	2	10.0	86	<u> </u>
INDENO(1,2,3-c,d)PYRENE	6	10.0	160	
ISOPHORONE	2	10.0	130	
N-NITROSCOIPHENYLAMINE	3	10.0	170	
N-NITROSODI-n-PROPYLAMINE	2	10.0	130	
NAPHTHALENE	3	10.0	120	<u> </u>
NITROBENZENE	4	10.0	140	
PHENANTHRENE	3	10.0	190	
PYRENE	4	10.0	170	•
2,4,5-TRICHLOROPHENOL	6	50.0	150	

453 267

Analytical Method: 8270-A98

AAB #: A8B08763

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: EB-100

Matrix: <u>WATER</u>

% Solids: ____

Dilution: 1.00

Date Received: 26-Oct-98

Date Extracted: 30.0ct-98

Lab Sample ID: <u>A8477207MS</u>

Date Analyzed: 23-Nov-98

Concentration Units (ug/L or mg/kg dry weight): UG/L

Analyte	MDL	PQL	Concentration	Qualifier
2,4,6-TRICHLOROPHENOL	6	10.0	150	
2,4-DICHLOROPHENOL	2	10.0	160	
2,4-DIMETHYLPHENOL	3	10.0	150	
2,4-DINITROPHENOL	4	50.0	100	
2-CHLOROPHENOL	2	10.0	120	1
2-METHYLPHENOL (o-CRESOL)	5 .	10.0	120	
2-NITROPHENOL	3	10.0	140	
4,6-DINITRO-2-METHYLPHENOL	4	50.0	64	
4-CHLORO-3-METHYLPHENOL	2	20.0	150	
4-METHYLPHENOL (p-CRESOL)	2	10.0	120	
4-NITROPHENOL	6	50.0	45	F
BENZOIC ACID	13	50.0	140	
PENTACHLOROPHENOL	7	50.0	55	
PHENOL	5	10.0	66	

Comments:							
	_						
						_	
			_			 	

AFCEE FORM 0-2

453 268

Analytical Hethod: 8270-A98

AAB #: A8B08763

Lab Name: SIL Buffalo

Contract #: <u>F46162495080</u>

Field Sample ID: <u>E8-100</u>

Matrix: <u>WATER</u>

% Solids: ____

Dilution: ____1.00

Date Received: 26-Oct-98

Date Extracted: 30-Oct-98

tab Sample ID: <u>A8477207SD</u>

Date Analyzed: 23-Nov-98

Concentration Units (ug/L or mg/kg dry weight): UG/L

Analyte	MDL	Pal	Concentration	Qualifier
1,2,4-TRICHLOROBENZENE	2	10.0	100	
1,2-DICHLOROBENZENE	3	10.0	96	
1,3-DICHLOROBENZENE	2	10.0	88	
1,4-DICHLOROBENZENE	3	10.0	92	
2,4-DINITROTOLUENE	3	10.0	180	
2,6-DINITROTOLUENE	4	10.0	190	
2-CHLORONAPHTHALENE	3	10.0	120	
2-METHYLNAPHTHALENE	2	10.0	98	
2-NITROANILINE	3	50.0	140	
3-NITROANILINE	4	50.0	170	
3,3'-DICHLOROBENZIDINE	3	20.0	180	† — —
4-BROMOPHENYL PHENYL ETHER	4	10.0	210	
4-CHLOROANILINE	2	20.0	160	
4-CHLOROPHENYL PHENYL ETHER	3	10.0	190	
4-NITROANILINE	6	50.0	160	
ACENAPHTHYLENE	2	10.0	150	
ACENAPHTHENE	3	10.0	150	<u> </u>
ANTHRACENE	3	10.0	200	
BENZO(a)ANTHRACENE	3	10.0	200	
BENZO(a)PYRENE	3	10.0	190	
BENZO(b)FLUORANTHENE	6	10.0	210	
BENZO(g,h,i)PERYLENE	6	·· 10.0	160	
BENZYL ALCOHOL	10	20.0	140	
bis(2-CHLOROETHOXY) METHANE	2	10.0	120	
bis(2-CHLOROETHYL) ETHER (2-CHLOROETHYL ETHE	3	10.0	100	

32-24-10-25-529

453 269

Analytical Method: 8270-A98

AAB #: A8B08763

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: EB-100

Matrix: WATER

X Solids: ____

Dilution: ____1.00

Date Received: 26-Oct-98

Date Extracted: 30-Oct-98

Lab Sample ID: <u>A8477207SD</u>

Date Analyzed: 23-Nov-98

Analyte	MOL	PQL	Concentration	Qualifie
bis(2-CHLOROISOPROPYL) ETHER	2	10.0	180	
bis(2-ETHYLHEXYL) PHTHALATE	4	10.0	140	
BENZYL BUTYL PHTHALATE	3	10.0	140	
CHRYSENE	3	10.0	190	
DI-n-BUTYL PHTHALATE	3	10.0	180	
DI-n-OCTYL PHTHALATE	4 .	10.0	140	
DIBENZ(a,h)ANTHRACENE	4	10.0	180	
DIBENZOFURAN	3	10.0	170	
DIETHYL PHTHALATE	3	10.0	170	
DIMETHYL PHTHALATE	2	10.0	180	
FLUORANTHENE .	4	10.0	220	
FLUORENE	4	10.0	180	
HEXACHLOROBENZENE	4	10.0	210	<u> </u>
HEXACHLOROBUTAD I ENE	2	10.0	95	1
HEXACHLOROCYCLOPENTAD1ENE	4 -	10.0	110	
HEXACHLOROETHANE	2 .	10.0	90	
INDENO(1,2,3-c,d)PYRENE	6	10.0	170	<del>-</del>
I SOPHORONE	2	10.0	120	
N-NITROSODIPHENYLAMINE	3	10.0	180	
N-NITROSODI-n-PROPYLAMINE	2	10.0	130	
NAPHTHALENS	3	10.0	120	1
NITROBENZENE	4	10.0	160	
PHENANTHRENE	3	10.0	190	1
PYRENE	4	10.0	170	<del>                                     </del>
2,4,5-TRICHLOROPHENOL	6	50.0	150	<del>                                     </del>

# 000171

453 270

Analytical Method: 8270-A98

AAB #: A8B08763

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: E8-100

_____ Lab Sample 1D: <u>A8477207SD</u>

Matrix: WATER

% Solids: _____

Dilution: ____1,00

Date Received: 26-Oct-98

Date Extracted: 30-0ct-98

Date Analyzed: 23-Nov-98

Analyte	MOL	PQL	Concentration	Qualifier
2,4,6-TRICHLOROPHENOL	6	10.0	150	
2,4-DICHLOROPHENOL	2	10.0	160	
2,4-DIMETHYLPHENOL	3	10.0	140	
2,4-DINITROPHENOL	4	50.0	100	
2-CHLOROPHENGL	2	10.0	140	
2-METHYLPHENOL (O-CRESOL)	5 .	10.0	140	
2-NITROPHENOL	3	10.0	150	
4,6-DINITRO-2-METHYLPHENOL	4	50.0	29	F
4-CHLORO-3-METHYLPHENOL	2	20.0	170	
4-METHYLPHENOL (p-CRESOL)	2	10.0	140	
4-NITROPHENOL	6	- 50.0	41	F
BENZOIC ACIO	13	50.0	110	
PENTACHLOROPHENOL	7	50.0	26	F
PHENOL	5	10.0	77	<del>-</del>

Comments:			
	 	 	<del>-</del>

Analytical Method: 8270-A98

AAB #: <u>A8808763</u>

Lab Name: STL Buffalo

Contract #: <u>F46162495080</u>

Field Sample ID: Matrix Spike Blank Lab Sample ID: A880876301

Matrix: WATER

% Solids: _____

Dilution: 1.00

Date Received: _____

Date Extracted: 30-Oct-98

Date Analyzed: 23-Nov-98

Analyte	WOL	PQL	Concentration	Qualifier
1,2,4-TRICHLOROBENZENE	8,0	10.0	53	
1,2-DICHLOROBENZENE	2	10.0	54	
1,3-DICHLOROBENZENE	1	10.0	. 46	
1,4-DICHLOROBENZENE	1	10.0	48	
2,4-DINITROTOLUENE	1	10.0	91	
2,6-DINITROTOLUENE	2 -	10.0	83	
2-CHLORONAPHTHALENE	2	10.0	61	
2-METHYLNAPHTHALENE	1	10.0	74	
2-NITROANILINE	2	50.0	76	
3-NITROANILINE	2	50.0	83	
3,3'-DICHLOROBENZIDINE	2	20.0	93	
4-BROMOPHENYL PHENYL ETHER	2	10.0	100	
4-CHLOROANILINE	1	20.0	93	
4-CHLOROPHENYL PHENYL ETHER	1	10.0	97	
4-NITROANILINE	3	50.0	82	
ACENAPHTHYLENE	1	10.0	72	
ACENAPHTHENE	1	10.0	76	
ANTHRACENE	2	10.0	94	
BENZO(a)ANTHRACENE	2	10.0	96	1
BENZO(a)PYRENE	2	10.0	92	
BENZO(b)FLUORANTHENE	3 ·	10.0	100	
BENZO(g,h,i)PERYLENE	3	10.0	72	
BENZYL ALCOHOL	5	20.0	67	
bis(2-CHLOROETHOXY) METHANE	1	10.0	72	
bis(2-CHLOROETHYL) ETHER (2-CHLOROETHYL ETHE	2	10.0	56	1

453 272

U U U A I U

Analytical Method: 8270-A98

AAB #: <u>A8808763</u>

Lab Name: STL Buffalo

Contract #: <u>F46162495080</u>

Field Sample ID: Matrix Spike Blank Lab Sample ID: AB80876301

Matrix: <u>WATER</u>

% Solids: _____

Dilution: ____1,00

Date Received: _____

Date Extracted: 30-Oct-98

Date Analyzed: 23-Nov-98

Analyte	HOL	POL	Concentration	Qualifier
bis(2-CHLOROISOPROPYL) ETHER	1	10.0	97	
DIS(2-ETHYLHEXYL) PHTHALATE	2	10.0	69	
BENZYL BUTYL PHTHALATE	2	10.0	65	
CHRYSENE	2	10.0	99	
DI-n-BUTYL PHTHALATE	2	10.0	85	
DI-n-OCTYL PHTHALATE	2	10.0	68	
DIBENZ(a,h)ANTHRACENE	2	10.0	87	
DIBENZOFURAN	2	10.0	. 86	
DIETHYL PHTHALATE	2	10.0	91	
DIMETHYL PHTHALATE	1	10.0	94	
FLUORANTHENE	2	10.0	100	
FLUORENE	2	10.0	87	
HEXACHLOROBENZENE	2	10.0	110	
HEXACHLOROBUTAD I ENE	1	10.0	52	
HEXACHLOROCYCLOPENTAD I ENE	2	10.0	50	
HEXACHLOROETHANE	0.8	10.0	46	1
1 NDENO(1,2,3-c,d)PYRENE	3	10.0	82	
1 SOPHORONE	1	10.0	77	
N-NITROSODIPHENYLAHINE	1	10.0	89	
N-NITROSODI-D-PROPYLAMINE	1	10.0	79	
NAPHTHALENE	1	10.0	65	
NITROBENZENE	2	10.0	92	1
PHENANTHRENE	1	10.0	100	1
PYRENE	. 2	10.0	89	
2,4,5-TRICHLOROPHENOL	3	50.0	82	<del>-</del>

453 273

Analytical Method: 8270-A98

AAB #: A8808763

Lab Name: STL Buffalo

Contract #: F46162495080

Field Sample ID: <u>Matrix Spike Blank</u> Lab Sample ID: <u>A880876301</u>

Hatrix: <u>WATER</u>

% Solids: _____

Dilution: ____1.00

Date Received: _____

Date Extracted: 30-0ct-98

Date Analyzed: 23-Nov-98

Analyte	MOL	PQL	Concentration	Qualifier
2,4,6-TRICHLOROPHENOL	3	10.0	+83	
2,4-DICHLOROPHENOL	0.8	10.0	96	
2,4-DIMETHYLPHENOL	2	10.0	81	
2,4-DINITROPHENOL	2	50.0	62	
2-CHLOROPHENOL	1	10.0	76	
2-METHYLPHENOL (o-CRESOL)	2	10.0	68	
2-NITROPHENOL	2	10.0	92	
4,6-DINITRO-2-METHYLPHENOL	2	50.0	28	F
4-CHLORO-3-METHYLPHENOL	1	20.0	83	
4-METHYLPHENOL (p-CRESOL)	1	10.0	67	
4-NITROPHENOL	3	50.0	12	F
BENZOIC ACID	7	50.0	75	
PENTACHLOROPHENOL	4	50.0	23	F
PHENOL	2	10.0	29	

Comments:			
	 • •		

ALCEE.

ORGANIC ANALYSES DATA PACKAGE

53 274,000038

Analytical Method: 8081-A98

AAB #: <u>A8B08733</u>

Lab Name: Recra LabNet

Contract #: <u>F46162495D80</u>

Base/Command: NAS Ft Worth/Offsite Weap

Prime Contractor: The Environmental Company

Field Sample ID

Lab Sample ID

EB-100 EB-100 A8477207 A8477207MS A8477207SD

Comments:

200	Caco	Narrative	
SH-	LASE.	Nattactve	

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computerreadable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature

Name: <u>Kenneth E. Kasperek</u>

Date:

Title: Laboratory Director

453 275

000039

Analytical Method: 8081-A98

Field Sample ID: <u>E8-100</u>

Lab Name: Recra LabNet

Lab Sample ID: <u>#8477207</u>

AAB #: <u>A8808733</u> Contract #: <u>F46162495080</u>

Matrix: <u>WATER</u>

% Solids: ____

Dilution: ____ 1.00

Date Received: <u>26-Oct-98</u>

Date Extracted: 30-Oct-98

Date Analyzed: 3-Nov-98

Analyte	-MDL	PQL	Concentration	Qualifier
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	0.053	0.350	0.053	U
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	0.069	0.230	0.069	U
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	0.066	0.240	0.066	U
GAMMA BHC (LINDANE)	0.060	0.500	0.060	U
ALPHA-CHLORDANE	0.085	0.800	0.085	U
GAMMA-CHLORDANE	0.063	0.370	0.063	U
p,p¹-DDD	0.079	0.500	0.079	U
p,p¹-D0E	0.063	0.580	0.063	U
p,p¹-DDT	0.066	0.810	0.066	U
ALDRIN	0.025	0.340	0.025	U
DIELDRIN .	0.060	0.440	0.060	U
ALPHA ENDOSULFAN	0.085	0.300	0.085	U
BETA ENDOSULFAN	0.069	0.400	0.069	U
ENDOSULFAN SULFATE	0.066	0.350	0.066	U
ENDRIN	0.066	0.390	0.066	U
ENDRIN ALDEHYDE	0.069	0.500	0.069	U
HEPTACHLOR	0.038	0.400	0.038	U
HEPTACHLOR EPOXIDE	0.063	0.320	0.063	U
METHOXYCHLOR	0.079	0.860	0.079	U
ТОХАРНЕНЕ	0.18	1.0	0.18	U

Comments:						
	_	 		 		
• •	_	 		 		
_		 		_	_	

### AFCEE ORGANIC ANALYSES DATA SHEET 2

Analytical Method: 8081-A98

AAB #: ABBOB733 453 276

Lab Name: Recra LabNet

Contract #: <u>f46162495080</u>

Field Sample ID: EB-100

Lab Sample ID: <u>A8477207MS</u>

Matrix: WATER

% Solids: _____

Dilution: ____1.00

Date Received: 26-Oct-98

Date Extracted: 30-0ct.98

Oate Analyzed: 3-Nov-98

Concentration Units (ug/L or mg/kg dry weight): UG/L

Analyte	HOL	PQL .	Concentration	Qualifier
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	0.11	0.350	1.8	
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	0.14	0.230	1.9	
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	0.13	0.240	1.8	
GAMMA BHC (LINDANE) .	0.12	0.500	1.8	
ALPHA-CHLORDANE	0.17	0.800	1.8	
GAMMA - CHLORDANE	0.12	0.370	1.7	
p,p'-000	0.16	0.500	2.2	
p,p¹-DDE	0.12	0.580	1.8	
p,p¹-DDT	0.13	0.810	1.5	
ALDRIN	0.050	0.340	1.6	
DIELDRIN	0.12	0.440	1.9	
ALPHA ENDOSULFAN	0.17	0.300	1.8	
BETA ENDOSULFAN	0.14	0.400	1.9	
ENDOSULFAN SULFATE	0.13	0.350	1.8	
ENDRIN	0.13	0.390	1.8	
ENDRIN ALDEHYDE	0.14	0.500	1.8	<del> </del>
HEPTACHLOR	0.076	0.400	1.4	
HEPTACHLOR EPOXIDE	0.12	0.320	1.8	
METHOXYCHLOR	0.16	0.860	1.8	
TOXAPHENE	0.35	1.0	0.35	U

coments:	,	
	 -	
		_

AFCEE FORM 0-2

453 277

## AFCEE ORGANIC ANALYSES DATA SHEET 2 RESULTS

Analytical Method: 8081-A98

AAB #: A8808733

Lab Name: Recra LabNet

Contract #: <u>F46162495080</u>

Field Sample ID: EB-100_

Lab Sample ID: <u>A8477207SD</u>

Hatrix: WATER

% Solids: _____

Dilution: 1.00

Date Received: 26-Oct-98

Date Extracted: 30-Oct-98

Date Analyzed: 3-Nov-98

Analyte	MDL	PQL	Concentration	Qualifier
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	0.11	0.350	1.8	
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	0.14	0.230	2.0	
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	0.13	0.240	1.8	Ì
GAMMA BHC (LINDANE)	0.12	0.500	1.8	
ALPHA - CHLORDANE	0.17	0.800	1.8	
GAMMA - CHLORDANE	0.12	0.370	1.8	
p,p ⁴ -D0D	0.16	0.500	2.2	
p,p¹-DDE	0.12	0.580	1.7	
p,p'-DDT	0.13	0.810	1.4	
ALDRIN	0.050	0.340	1.6	
DIELDRIN	0.12	0.440	1.9	
ALPHA ENDOSULFAN	0.17	0.300	1.9	1
BETA ENDOSULFAN	0.14	0.400	1.9	
ENDOSULFAN SULFATE	0.13	0.350	1.8	
ENDRIN	0.13	0.390	1.9	
ENDRIN ALDEHYDE	0.14	0.500	1.8	
HEPTACHLOR	0.076	0.400	1.6	
HEPTACHLOR EPOXIDE	0.12	0.320	1.9	
METHOXYCHLOR	0.16	0.860	1.8	
TOXAPHENE	0.35	1.0	0.35	U

Comments:			•••		
	 	<del></del>	 	 	
Out account on a	 			 	·
	 				_

453 278

Analytical Method: 8081-A98

AAB #: A8B08733

 $\bigcup_{i \in \mathcal{Q}_i} \bigcup_{i  

Lab Name: Recra LabNet

Contract #: <u>F46162495080</u>

Field Sample ID: <u>Matrix Spike Blank</u> Lab Sample ID: <u>A880873301</u>

Matrix: WATER

% Solids: ____

Dilution: <u>1.00</u>

Date Received: _____

Date Extracted: 30-Oct-98

Date Analyzed: 3-Nov-98

Concentration Units (ug/L or mg/kg dry weight): UG/L

Analyte	MDL	PQL	Concentration	Qualifier
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	0.053	0.350	0.90	
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	0.069	0.230	0.97	
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	0.066	0.240	0.87	
GAMMA BHC (LINDANE)	0.060	0.500	0.90	
ALPHA-CHLORDANE	0.085	0.800	0.88	
GAMMA-CHLORDANE	0.063	0.370	0.89	
p,p'-000	0.079	0.500	1.1	
p,p'-DDE	0.063	0.580	0.97	
p,p'-DOT	0.066	0.810	0.82	
ALDRIN	0.025	0.340	0.65	
DIELDRIN	0.060	0.440	0.96	
ALPHA ENDOSULFAN	0.085	0.300	0.92	-
BETA ENDOSULFAN	0.069	0.400	0.95	
ENDOSULFAN SULFATE	0.066	0.350	0.91	<u> </u>
ENDRIN	0.066	0.390	0.92	
ENDRIN ALDENYDE	0.069	0.500	0.88	
HEPTACHLOR	0.038	0.400	0.72	
HEPTACHLOR EPOXIDE	0.063	0.320	0.92	
METHOXYCHLOR	0.079	0.860	0.88	
TOXAPHENE	0.18	1.0	0.18	U

Comments:	 , -	. •			
		 **		_	

AFCEE FORM 0-2

#### AFCEE ORGANIC ANALYSES DATA PACKAGE

453 279

Analytical Method: 8082

AAB #: <u>A8B08734</u>

Lab Name: <u>Recra LabNet</u>

Contract #: <u>F46162495D80</u>

Base/Command: NAS Ft Worth/Offsite Weap

Prime Contractor: The Environmental Company

Field Sample ID

Iab Sample ID

EB-100

A8477207

Comments	:
	_

_	_		
see.	Case	Narr	itive

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature

Name: Kenneth E. Kasperek

Date:

Title: <u>Laboratory Director</u>

453 280

000076

Analytical Hethod: 8082

AAB #: A8B08734

Lab Name: <u>Recra LabNet</u>

Contract #: <u>F46162495D80</u>

Field Sample 10: E8:100

Lab Sample ID: <u>A8477207</u>

Matrix: WATER

% Solids: ____

Dilution: _____1.00

Date Received: 26-Oct-98

Date Extracted: 30-Oct-98

Date Analyzed: <u>4-Nov-98</u>

Analyte	MDL	PQL	Concentration	Qualifier	
PCB-1016 (AROCHLOR 1016)	0.13	1.0	0.13	U	
PCB-1221 (AROCHLOR 1221)	. 0.072	1.0	0.072	U	
PCB-1232 (AROCHLOR 1232)	0.044	1.0	0.044	U	
PCB-1242 (AROCHLOR 1242)	0.28	1.0	. 0.28	U	
PCB-1248 (AROCHLOR 1248)	0.19	1.0	0.19	U	
PCB-1254 (ARDCHLOR 1254)	0.32	1.0	0.32	Ų	
PCB-1260 (AROCHLOR 1260)	0.088	1.0	880.0	U	

Comments:				
	<del></del>	to the second of the second		
	<del></del>			
	<del></del>		,	

Date Analyzed: 4-Nov-98

# AFCEE ORGANIC ANALYSES DATA SHEET 2 RESULTS

Analytical Method: 8082 AAB #: A8B08734 Lab Name: Recra LabNet Contract #: F46162495080 Field Sample ID: Matrix Spike Blank Lab Sample ID: <u>A880873401</u> Matrix: WATER . % Solids: ____ Dilution: ____1,00 Date Received: ____

Concentration Units (ug/L or mg/kg dry weight): UG/L

Date Extracted: 30-Oct-98

Analyte	MDL	PQL	Concentration	Qualifie	
PCB-1016 (AROCHLOR 1016)	0.13	1.0	4.8		
PCB-1221 (AROCHLOR 1221)	0.072	1.0	0.072	U	
PCB-1232 (AROCHLOR 1232)	0.044	1.0	0.044	U	
PCB-1242 (AROCHLOR 1242)	0.28	1.0	0.28	U	
PCB-1248 (AROCHLOR 1248)	0.19	1.0	0.19	U	
PCB-1254 (AROCHLOR 1254)	0.32	1.0	0.32	U	
PCB-1260 (AROCHLOR 1260)	0.088	1.0	5.2		

Comments:			
	·	 	
		 _	

INORGANIC ANALYSES DATA PACKAGE

<u>000</u>305

453 282

Analytical Method: 6010-A98

AAB #: <u>A8B08823</u>

Lab Name: STL Buffalo

Contract #: <u>F46162495D80</u>

Base/Command: NAS Ft Worth/Offsite Weap

Prime Contractor: The Environmental Com

Field Sample ID

Lab Sample ID

<u>EB-100</u>

<u>A8477207</u>

Comments:

See Case Narrative

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

jignature:

Name: Kenneth E. Kasperek

Date:

Title: <u>Laboratory Director</u>

453 283

Analytical Method: 6010-A98

Lab Name: STL Buffalo

Lab Sample ID: <u>A8477207</u>

AAB #: A8808823

Contract #: F46162495080

Field Sample ID: <u>E8-100</u>

Katrix: WATER

% Salids: __0.0

Dilution: ________

Date Received: 26-Oct-98

Date Extracted: _2-Nov-98

Date Analyzed: 10-Nov-98

Analyte	MDL	POL	Concentration	Qualifier
ALUMINUM	0.077	0.050	0.077	U
MANGANESE	0.0012	0.0050	0.0012	U
ZINC	0.013	0.020	0.016	F
YNOMITHA	0.0061	0.010	0.0061	U
ARSENIC	. 0.0085	0.010	0.0085	U
BARIUM	0.0010	0.0050	0.0083	
BERYLLIUM	0.0012	0.0010	0.0012	U
CADMIUM	0.00054	0.0010	0.00054	U
CALCIUM	0.11	0.200	0.35	
CHROMIUM	0.0027	0.0050	0.0027	U
COBALT	0.0011	0.0020	0.0011	U
COPPER	0.0027	0.0050	0.0027	Ü
IRON	0.065	0.050	0.065	U
LEAD	0.030	0.010	0.030	U
MAGNESIUM	0.088	0.050	0.088	U
MOLYBDENUM	0.0038	0.0050	0.012	
NICKEL	0.0018	0.0050	0.0018	U
POTASSIUM	0.25	0.200	0.25	υ
SELENTUM	0.011	0.010	0.011	U
SILVER	0.0015	0.0050	0.0015	U
SOD TUH	0.84	0.500	0.93	
THALLIUM	0.0060	0.020	0.0060	υ
VANADIUM	0.0013	0.0050	0.0013	U

Comme	nts:							
		_						

#### INORGANIC ANALYSES DATA RACKAGE

000345

453 281

Analytical Method: 7470-A98

AAB #: A8B08651

Lab Name: STL Buffalo

Contract #: <u>F46162495D80</u>

Base/Command: NAS Ft Worth/Offsite Weap

Prime Contractor: The Environmental Com

Field Sample ID

Lab Sample ID

EB-100

A8477207

Comments:

See Case Narrative

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

_gnature:

Name: Kenneth E. Kasperek

Date:

Title: Laboratory Director

INORGANIC ANALYSES DATA SHEET 2

RESULTS

000346

AAB #: A8B08651

453 285

Lab Name: STL Buffalo

Lab Sample ID: <u>A8477207</u>

Contract #: <u>F46162495080</u>

Matrix: <u>WATER</u>

% Solids: <u>0.0</u>

Dilution: _____1.00

Date Received: 26-Oct-98

Analytical Method: 7470-A98

Field Sample ID: EB-100

Date Extracted: ____

Date Analyzed: 29-Oct-98

Analyte	MDL	PQL	Concentration	Qualifier
MERCURY	0.00030	0.0010	0.00030	U

Comments:				
	 <del></del> _	•	_	<del></del>
	 	-		

# TAB

K

# APPENDIX K

**GRAIN SIZE ANALYSES** 

1089 E. Collins Blvd. Richardson, TX 75081 Tel. 972-238-5591 Fax 972-238-5592

453 288

DATE RECEIVED : 25-OCT-1996

REPORT NUMBER : D96-12170-2

REPORT DATE :

SAMPLE SUBMITTED BY : The Environmental Co.

ADDRESS: P.O. Box 5127 : Charlottesville, Virginia 22905

ATTENTION : Mr. Bob Duffner

SAMPLE MATRIX : Soil for IRPIMS ID MARKS : FC-SB16-02# : N1#(0-0')

PROJECT: 3101 Fam Camp
DATE SAMPLED: 25-OCT-1996
ANALYSIS METHOD: ASTM D421/D422 /1
ANALYZED BY: KRH
ANALYZED ON: 3-NOV-1996

QC BATCH NO: 11196

GRADATION REPORT		
TEST REQUESTED	DETECTION LIMIT	RESULTS
Gravel & Coarse Sand (> 2.00 mm)	0.1 %	< 0.1 %
Medium & Fine Sand (0.075 to 2.00 mm)	0.1 %	17.9 %
Silt (0.005 to 0.075 mm)	0.1 %	58.1 %
Clay/Colloids (< 0.005 mm)	0.1 %	24.0 %

# TAB

4

# QUALITY ASSURANCE/QUALITY CONTROL SAMPLE SUMMARY

# **Quality Assurance/Quality Control Sample Summary**

Field Sample ^a	Location	Equipment Blank	Trip Blank ^a	Method Blank ^b	Ambient Blank
FC-SB-116-01					
FC-SB-117-01				A9B0058801 (soil)	
FC-SB-118-01	Family Camping	FC-WQ-EB-100	FC-WQ-TB-100		
FC-SB-119-01	Area		77	•	FC-WQ-AB-100
FC-SB-119-02				A9B0059401 (liquid)	, , , , , , , , , , , , , , , , , , , ,
FC-SB-120-01				(,,	

a: Field Sample ID number

Note: Matrix Spike/Matrix Duplicate analyses completed on sample FC-SB-119-01.

b: Lab Sample ID number

# TAB

## APPENDIX M

# INVESTIGATION DERIVED WASTE MANAGEMENT DOCUMENTATION

in Section	State	在 1995年 東京 1995年 東西東京 1995年 -	GENERATO	R	سيسيني	terror in the constitution of the constitution	***
IER 31	IAME Air For	e Base Convers	interior	HATING LOCATION ATI	Force Ba	se Convosion A	Bench
IRESS	0550 W	nite Settler	nentra 2001	RESS 6550 V	Unite Se	extlement R	4.
<u> </u>	out Wor	H, TX 76	114-352	O FORT W	orth. D	( 76114-3	520
DNE NO.	शाम च	318973	ب		RATOR ID NUMBE	6500	4
TT	N.R.C.C.	Investigative	DESCRIPTION OF W		OUANT OOC		ATOK
WASTE CO	OE TX	75998		25764	Aut	34.	4
3	NR.C.C.		DESCRIPTION OF W		-	~40	NOS
		Investigative	Derived Wa	ustr Soil	000		
WASTE CO	DE TX	759 98	0826	257641	]		
1	N.R.C.C.		DESCRIPTION OF W	ASTE			
		.]					
WASTE CO	DE [				]		<b>~</b> 11
GENERA bean cros	TOR'S CERTIFICATION:				"CULI	UIFICATI	
O ( a shin	Helly described, disserted Housely restricted hazza	and packaged, and is in proper four wreath autient to the Lai	eondison for transportation of Clangual Beamfortune	I result and beginned that the	lations. ANU. H. March	essibelia a bastonest saaid	#UN
O ( a shin	Helly described, disserted Housely restricted hazza	and packaged, and is to proper	eondison for transportation of Clangual Beamfortune	or, according to applicable regu	dioni, ANU, Miller wash has been to	essibelia a bastonest saaid	E TIN
A TOY	Helly described, disserted Housely restricted hazza	and packaged, and is in proper four wreath autient to the Lai	eondition for transportation Disposal Restrotions in a defined to 400 CPR	or according to applicable regul, I bently and warrant that the Part 281.	Idions, AND, Killer I waste has been to	mante is a transport real a secondance with the secondance with th	
A TOY	nery describert, described history into at 40 CFR Part 200 s.  Flolo	and packaged, and is in proper four wreath autient to the Lai	eondition for transportational Disposali Restrotional Restrotional Restrotional Restrotion Restroin	or according to applicable regul, I bently and warrant that the Part 281.	Idions, AND, Killer I waste has been to	metal is a tradition real asset in accordance with t	
A TOY	nery describert, described history into at 40 CFR Part 200 s.  Flolo	and packaged, and is in proper four wreath autient to the Lai	eondtion for transportation of Disposal Restrictions are defined to the CFR BIOMATURE  IHANEPOHI	or according to applicable regul, I bently and warrant that the Part 281.	Idions, AND, Killer III waste has been to	metal is a tradition real asset in accordance with t	
CK NO.	nery describert, described history into at 40 CFR Part 200 s.  Flolo	and packagers, and is in proper four means subject to this Laind and the the proper and the proper what is the proper when the	eondtion for transportation of Disposal Restrictions in an additional Disposal Restriction in a second transportation of the second	or according to applicable regul, I terrify and warrant that the Part 251.  LO - Furth.  ONE NO. 572	Island, AND, Killer of waste has been to	metric is a Resolution real of the second in accordance with the second in the second	
ERATOR HUTTER  LICK NO ANSPORTER	Hery described, deserted house rids of 40 CFR Part 250 & Flo O CORDER ABOUT NAME	and packagers, and is in proper four means subject to this Laind and the the proper and the proper what is the proper when the	eondtion for transportation of Disposal Restrictions in a defined to 10 CFR SCHATURE  THANSPORT	or according to applicable regul, I bently and warrant that the Pur 251.  LO - Flore.  DAE NO. 572	ANNY	Martin Se Restrict reeld second in accordance with the second sec	
CK NO	HAND DE	ALPETY	eondrion for transportation of Disposal Restrictions are defined to the CPA STANDED THE PARTY OF	OF ACCORDING TO APPRICADE PROPERTY OF THE TRANSPORTER ID NO  THE TRA	ANNY 1  40041	MOORRY ARK	
LICK NO	HEND DESCRIPTION OF THE ABOVE	and packagerd, and is in proper four means subject to this Land in the kingler a hazardous while the land in the kingler a hazardous while the land in	PHANE DRI  PAR  BED UP AT THE PHE	OF A COORDING TO APPRICADE IN THE PART 251.  THE CONTROL OF THE PART 251.  THE PART 251.  THE PART 251.  THE PART 251.  THE TRANSPORTER TO NO. 3.	ANNY ANDY I	MORRAL WAS DELI	
EREBY CENT	HAND DE	ALLE TO LATERIAL WAS PICE	PAC VER NEED UP AT THE VALUE OF THE VER NEED UP AT THE VER NAT THE	OF ACCORDING to applicable regulation to the test and warrant that the Part 251.  TER  ONE NO. 572  VER NAME (PRINT)	ANNY  HOOYI  BE ABOYE NAMED  BINATION LISTED	MORRAL WAS DELINERADE.	
LICK NO	HEND DESCRIPTION OF THE ABOVE	ALPETY	PHANESON PARAMETERS OF THE PAR	OF A COORDING TO APPRICABLE PROPERTY AND WERE HOLD THE TRANSPORTURALLY NO.	ANNY  HOOYI  BE ABOYE NAMED  BINATION LISTED	MATERIAL WAS DELINERED.	
EREBY CENT	HEND DESCRIPTION OF THE ABOVE	ALLE TO LATERIAL WAS PICE	PAC VER NET THE VE	OF A COORDING TO APPRICABLE PROPERTY AND WERE HOLD THE TRANSPORTURALLY NO.	ANNY  HOOYI  BE ABOYE NAMED  BINATION LISTED	MORRAL WAS DELINERADE.	
EREBY CENT	HAND DE LIGHTED ABOVE	ALLE TO LATERIAL WAS PICE	DESTINATION	ON PHONE NO	ANNY  HOOYI  BINATION LISTED	MORRAL WAS DELINERADE.	
LICK NO.  LICK N	MANUEL CALLY  AND DESTRUCTION OF THE ABOVE  TE LIGITED ABOVE  TE LIGITED ABOVE	ALLE TYPE AND ALTERIAL WAS PICE BARRIED MATERIAL WAS PICE BARRIED MATERIAL WAS PICED AND ALTERIAL WAS PICED AND AL	BROWNING PERMANNEL BOUTE 1 BOX 23  THANK PORT  PAR VER  BROWNING PERMANNEL P	ON END STATE  WER HAME (PRINT)  LEREN CERTIFY THAT THE DUT INCIDENT TO THE CENTER OF THE CERTIFY THAT THE DUT INCIDENT TO THE CENTER ENGATURE  ON PHONE NO. 15 - 17 ASCA GARDENS TARE  BY THE TRANSPORTER TO THE CENTER ENGATURE  ON PHONE NO. 15 - 17 ASCA GARDENS TARE  BY THE TRANSPORTER TO THE CENTER ENGATURE  ON PHONE NO. 15 - 17 ASCA GARDENS TARE  BY THE TRANSPORTER TO THE CENTER ENGATURE  ON PHONE NO. 15 - 17 ASCA GARDENS TARE  BY THE TRANSPORTER TO THE CENTER ENGATURE  ON THE TRANSPORTER TO THE CENTER ENGATER ENG	ANNY  HOTO 4 I  BITHATION LISTED	MOORAL WAS DELIVERY DATE	
LICK NO.  LICK N	MANUEL CALLY  AND DESTRUCTION OF THE ABOVE  TE LIGITED ABOVE  TE LIGITED ABOVE	ALLE TO LATERIAL WAS PICE	DESTINATION PROPERTY BOX 23 ITASCA TEXAS I	ON END STATE  WER HAME (PRINT)  LEREN CERTIFY THAT THE DUT INCIDENT TO THE CENTER OF THE CERTIFY THAT THE DUT INCIDENT TO THE CENTER ENGATURE  ON PHONE NO. 15 - 17 ASCA GARDENS TARE  BY THE TRANSPORTER TO THE CENTER ENGATURE  ON PHONE NO. 15 - 17 ASCA GARDENS TARE  BY THE TRANSPORTER TO THE CENTER ENGATURE  ON PHONE NO. 15 - 17 ASCA GARDENS TARE  BY THE TRANSPORTER TO THE CENTER ENGATURE  ON PHONE NO. 15 - 17 ASCA GARDENS TARE  BY THE TRANSPORTER TO THE CENTER ENGATURE  ON THE TRANSPORTER TO THE CENTER ENGATER ENG	ANNY  HOTO 4 I  BITHATION LISTED	MOORAL WAS DELIVERY DATE	
LICK NO.  LICK N	MANUEL CALLY  AND DESTRUCTION OF THE ABOVE  TE LIGITED ABOVE  TE LIGITED ABOVE	ALLE TYPE AND ALTERIAL WAS PICE BARRIED MATERIAL WAS PICE BARRIED MATERIAL WAS PICED AND ALTERIAL WAS PICED AND AL	BROWNING PERMANNEL BOUTE 1 BOX 23  THANK PORT  PAR VER  BROWNING PERMANNEL P	ON END STATE  WER HAME (PRINT)  LEREN CERTIFY THAT THE DUT INCIDENT TO THE CENTER OF THE CERTIFY THAT THE DUT INCIDENT TO THE CENTER ENGATURE  ON PHONE NO. 15 - 17 ASCA GARDENS TARE  BY THE TRANSPORTER TO THE CENTER ENGATURE  ON PHONE NO. 15 - 17 ASCA GARDENS TARE  BY THE TRANSPORTER TO THE CENTER ENGATURE  ON PHONE NO. 15 - 17 ASCA GARDENS TARE  BY THE TRANSPORTER TO THE CENTER ENGATURE  ON PHONE NO. 15 - 17 ASCA GARDENS TARE  BY THE TRANSPORTER TO THE CENTER ENGATURE  ON THE TRANSPORTER TO THE CENTER ENGATER ENG	ANNY  HOTO 4 I  BITHATION LISTED	MOORAL WAS DELIVERY DATE	
CONTRACTOR MATERIAL CONTRACTOR MATERIAL CONTRACTOR SHOWER ATTOR SHOWER	MANUEL CALLY  AND DESTRUCTION OF THE ABOVE  TE LIGITED ABOVE  TE LIGITED ABOVE	ALLE TYPE AND ALTERIAL WAS PICE BARRIED MATERIAL WAS PICE BARRIED MATERIAL WAS PICED AND ALTERIAL WAS PICED AND AL	DESTINATION PROPERTY BOX 23 ITASCA TEXAS I	ON PHONE NO PARTIES OF MY KNOWLEDGE	ANNY  HOTO 4 I  BITHATION LISTED	MOORAL WAS DELIVERY DATE	

# FINAL PAGE

# **ADMINISTRATIVE RECORD**

# FINAL PAGE